

# MILDOS-AREA Computational Verification Version 4

# AVAILABILITY OF REFERENCE MATERIALS IN NRC PUBLICATIONS

#### **NRC Reference Material**

As of November 1999, you may electronically access NUREG-series publications and other NRC records at NRC's Library at <a href="www.nrc.gov/reading-rm.html">www.nrc.gov/reading-rm.html</a>. Publicly released records include, to name a few, NUREG-series publications; <a href="Federal Register">Federal Register</a> notices; applicant, licensee, and vendor documents and correspondence; NRC correspondence and internal memoranda; bulletins and information notices; inspection and investigative reports; licensee event reports; and Commission papers and their attachments.

NRC publications in the NUREG series, NRC regulations, and Title 10, "Energy," in the *Code of Federal Regulations* may also be purchased from one of these two sources.

#### 1. The Superintendent of Documents

U.S. Government Publishing Office Mail Stop IDCC Washington, DC 20402-0001

Internet: bookstore.gpo.gov Telephone: (202) 512-1800

Fax: (202) 512-2104

#### 2. The National Technical Information Service

5301 Shawnee Rd., Alexandria, VA 22312-0002 www.ntis.gov

1-800-553-6847 or, locally, (703) 605-6000

A single copy of each NRC draft report for comment is available free, to the extent of supply, upon written request as follows:

#### Address: U.S. Nuclear Regulatory Commission

Office of Administration Publications Branch

Washington, DC 20555-0001

E-mail: distribution.resource@nrc.gov

Facsimile: (301) 415-2289

Some publications in the NUREG series that are posted at NRC's Web site address <a href="www.nrc.gov/reading-rm/">www.nrc.gov/reading-rm/</a> doc-collections/nuregs are updated periodically and may differ from the last printed version. Although references to material found on a Web site bear the date the material was accessed, the material available on the date cited may subsequently be removed from the site.

#### **Non-NRC Reference Material**

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, transactions, *Federal Register* notices, Federal and State legislation, and congressional reports. Such documents as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings may be purchased from their sponsoring organization.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at—

#### The NRC Technical Library

Two White Flint North 11545 Rockville Pike Rockville, MD 20852-2738

These standards are available in the library for reference use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from—

#### **American National Standards Institute**

11 West 42nd Street New York, NY 10036-8002 www.ansi.org (212) 642-4900

Legally binding regulatory requirements are stated only in laws; NRC regulations; licenses, including technical specifications; or orders, not in NUREG-series publications. The views expressed in contractorprepared publications in this series are not necessarily those of the NRC.

The NUREG series comprises (1) technical and administrative reports and books prepared by the staff (NUREG-XXXX) or agency contractors (NUREG/CR-XXXX), (2) proceedings of conferences (NUREG/CP-XXXX), (3) reports resulting from international agreements (NUREG/IA-XXXX), (4) brochures (NUREG/BR-XXXX), and (5) compilations of legal decisions and orders of the Commission and Atomic and Safety Licensing Boards and of Directors' decisions under Section 2.206 of NRC's regulations (NUREG-0750).

**DISCLAIMER:** This report was prepared as an account of work sponsored by an agency of the U.S. Government. Neither the U.S. Government nor any agency thereof, nor any employee, makes any warranty, expressed or implied, or assumes any legal liability or responsibility for any third party's use, or the results of such use, of any information, apparatus, product, or process disclosed in this publication, or represents that its use by such third party would not infringe privately owned rights.



# MILDOS-AREA Computational Verification Version 4

Manuscript Completed: December 2015

Date Published: April 2016

Prepared by: B.M. Biwer, D.J. LePoire, S. Kamboj, and Y.-S. Chang

Environmental Science Division Argonne National Laboratory 9700 South Cass Avenue Argonne, IL 60439

Bruce Biwer, Argonne Program Manager Stephanie Bush-Goddard, NRC Project Manager

NRC Job Code Number F1228

Office of Nuclear Regulatory Research

#### **ABSTRACT**

Verification calculations were performed to provide assurance that the MILDOS-AREA computer code is performing its calculations as intended, that is, the models are properly implemented in the code. MILDOS-AREA is used to estimate the radiological impacts from airborne emissions from uranium milling facilities. It provides the capability to consider both conventional uranium ore operations and operations associated with *in situ* recovery facilities. The code is used by license applicants and U.S. Nuclear Regulatory Commission staff to perform routine radiological impact estimates for the licensing of various uranium recovery operations. Independent verification of the calculations was performed external to the computer code in spreadsheets using Microsoft Excel<sup>®</sup>. All major portions of the code were investigated. The verification was conducted on a step-by-step basis and used five sample test cases as templates. Calculations were performed to verify the reported radionuclide release rates, air dispersion results, environmental media concentrations, and human exposure doses.

## **CONTENTS**

ΑE	3STRACT	iii
CC	ONTENTS	V
FIC	GURES	VII
TΑ	ABLES	xi
1	INTRODUCTION	1
•	1.1 Scope	
	1.2 Sample Test Cases	1
	1.3 Calculations Verified Directory	
	1.3.1 Radionuclide Release Rates	
	1.3.2 Air Transport	2
	1.3.4 Human Exposure	
	1.4 Report Organization	
2	RELEASE CALCULATIONS	
	2.1 Point Source	
	2.3 New Well Field Source	
	2.4 Production Well Field Source	
	2.5 Restoration Well Field Source	11
	2.6 Drying/Packaging Source	
	2.7 Land Application Source	11
3	ATMOSPHERIC DISPERSION	17
	3.1 Effective Release Height	
	3.2 Downwind Direct Air Concentrations	
	3.2.1 No Plume Reflection	
	3.2.2 Plume Reflection	26
4	ENVIRONMENTAL MEDIA CONCENTRATIONS	35
	4.1 Radionuclide Ground Concentrations	
	4.2 Radionuclide Air Concentrations	
	4.2.1 Resuspension	
	4.2.2.1 Particulates	38
	4.2.2.2 Radon	43
	4.3 Vegetation Concentrations	_
	4.4 Meat and Milk Concentrations	58
5	HUMAN EXPOSURE MODELS	
	5.1 Inhalation	
	5.1.2 Radon	64

5.2 External	
APPENDIX A: Variable Definitions	A-1
APPENDIX B: Case 1 User File Input Summary	B-1
APPENDIX C: Case 2 User File Input Summary	C-1
APPENDIX D: Case 3a User File Input Summary	D-1
APPENDIX E: Case 3b User File Input Summary	E-1
APPENDIX F: Case 3c User File Input Summary	F-1

## **FIGURES**

Figure 2-1	Calculation of the Particulate Emission Rate from the Ore Pad for the Sixth Wind Speed Category in Case 1	7
Figure 2-2	Calculation of the Particulate Radionuclide Release Rates from the Ore Pad in Case 1	
Figure 2-3	Calculation of the Radon Release Rates from the New Well Field in Case 2	
Figure 2-3	Calculation of the Component Radon Releases from the Production	9
i iguie 2-4	Well Field in Case 2	10
Figure 2-5	Calculation of the Total Radon Release Rates from the Production Well	10
rigule 2-5	Field in Case 2	11
Figure 2-6	Calculation of the Radon Releases from the Restoration Well	1 1
rigule 2-0	Field in Case 2	12
Figure 2.7	Calculation of the Annual Activity Released from the Yellowcake	13
Figure 2-7	Stack in Case 1	11
Figure 2-8	Calculation of the Activity Released from the Land Application Area in	17
rigule 2-0	Case 2 at Time Step 4	15
Figure 3-1	Calculation of the Effective Wind Speed and Release Height for 7.7 μm	10
rigule 3-1		
	Particulates at the N Receptor Location in Case 3a for the Momentum-Driven Plume	18
Figure 2.2		10
Figure 3-2	Calculation of the Effective Wind Speed and Release Height for 54 µm	
	Particulates at the N Receptor Location in Case 3a for the Momentum-Driven	19
Figure 2.2	Plume	19
Figure 3-3	Calculation of the Effective Wind Speed and Release Height for 7.7 µm	
	Particulates at the N Receptor Location in Case 3c for the	20
Figure 2.4	Buoyancy-Induced Plume	20
Figure 3-4	Calculation of the Buoyancy-Induced Plume Rise in Case 3c for 7.7 μm	21
F: 0 F	Particulates	∠۱
Figure 3-5	Calculation of Ra-226 Concentration in 7.7 μm Particulates at the	22
T: 0 0	N Receptor Location in Case 3a at Time Step 1	23
Figure 3-6	Calculation of the Ra-226 Depleted Source Strength in 7.7 μm	0.4
F: 0.7	Particulates at the N Receptor Location in Case 3a at Time Step 1	24
Figure 3-7	Calculation of Ra-226 Concentration in 54 μm Particulates at the	0.5
F: 0.0	N Receptor Location in Case 3a at Time Step 1	25
Figure 3-8	Calculation of the Ra-226 Depleted Source Strength in 54 µm	00
F: 0.0	Particulates at the N Receptor Location in Case 3a at Time Step 1	26
Figure 3-9	Calculation of Ra-226 Concentration in 7.7 μm Particulates at the	
	N Receptor Location in Case 3c at Time Step 1	27
Figure 3-10	Calculation of Ra-226 Concentration in 7.7 μm Particulates at the	
E: 0.44	Far SSW Receptor Location in Case 3a at Time Step 1	28
Figure 3-11	Calculation of the Effective Wind Speed and Release Height for	
	7.7 μm Particulates at the Far SSW Receptor Location in Case 3a	29
Figure 3-12	Calculation of the Ra-226 Depleted Source Strength for 7.7 μm	
	Particulates at the Far SSW Receptor Location in Case 3a at Time Step 1	30
Figure 3-13	Calculation of the Effective Wind Speed and Release Height for	
	7.7 μm Particulates for the 5–10 km WSW Location on the Population	
	Grid in Case 3a	31

Figure 3-14	Calculation of the Ra-226 Depleted Source Strength for 7.7 μm Particulates at the 5–10 km WSW Location on the Population Grid	32
Figure 3-15	in Case 3a at Time Step 1	32
	Time Step 1	33
Figure 4-1	Calculation of the Direct Air Concentration of U-238 in 7.7 µm Particulates from the Ore Pad at the Nearest Resident NNW	
	Receptor Location in Case 1	35
Figure 4-2	Calculation of the Ground Concentration of U-238 in 7.7 µm Particulates from the Ore Pad at the Nearest Resident NNW	36
Figure 4-3	Receptor Location in Case 1	30
rigule 4-3	Particulates from the Ore Pad at the Nearest Resident NNW	
	Receptor Location after Time Step 4 in Case 1	37
Figure 4-4	Calculation of the Direct Air Concentration of U-238 in 7.7 µm	
i igaio i i	Particulates from the Ore Pad at 10–20 km SSW on the	
	Population Grid in Case 1	38
Figure 4-5	Calculation of the Ground Concentration of U-238 in 7.7 μm	
	Particulates from the Ore Pad at 10–20 km SSW on the	
	Population Grid after Time Step 4 in Case 1	39
Figure 4-6	Calculation of the Ground Concentration of Po-218 from Rn-222	
_	Decay at 5–10 km WSW Location on the Population Grid after	
	Time Step 1 in Case 3a	40
Figure 4-7	Calculation of the Resuspended Air Concentration of U-238 in	
	7.7 µm Particulates from the Ore Pad at the Nearest Resident	
	NNW Receptor Location after Time Step 4 in Case 1	41
Figure 4-8	Calculation of the Resuspended Air Concentration of U-238 in 7.7 μm	
	Particulates from the Ore Pad at 10–20 km SSW on the Population	
	Grid after Time Step 4 in Case 1	42
Figure 4-9	Calculation of the Total Air Concentration of U-238 in 7.7 μm	
	Particulates from the Ore Pad at the Nearest Resident NNW	
	Receptor Location and the 10–20 km SSW Location on the	40
Figure 4.40	Population Grid after Time Step 4 in Case 1	43
Figure 4-10	Calculation of the Total Air Concentration of U-238 from the Ore Pad	
	at the Nearest Resident NNW Receptor Location and the 10–20 km SSW Location on the Population Grid after Time Step 4 in Case 1	12
Figure 1-11	Calculation of the Effective Release Height and Effective Wind Speed	43
rigule 4-11	for a Gas at the N Receptor Location in Case 3a	11
Figure 4-12	Calculation of the Rn-220 Air Concentration at the N Receptor	
riguic + 12	Location for Time Step 1 in Case 3a	45
Figure 4-13	Calculation of the Rn-222 Air Concentration at the N Receptor	
1.90.00	Location for Time Step 1 in Case 3a	45
Figure 4-14	Calculation of the Air Concentration at the N Receptor Location	
	for Time Step 1 in Case 3a for the Pb-212 Daughter Product of Rn-220	46
Figure 4-15	Calculation of the Air Concentration at the N Receptor Location for	
J	Time Step 1 in Case 3a for the Pb-214 Daughter Product of Rn-222	47
Figure 4-16	Calculation of the Effective Buoyancy-Induced Plume Release Height	
-	and Effective Wind Speed for a Gas (including Radon) at the	
	N Receptor Location in Case 3c.	48

Figure 4-17	Calculation of the Buoyancy-Induced Plume Rise in Case 3c for	40
E: 4.40	Gases at the N Receptor Location	49
Figure 4-18	Calculation of the Rn-220 Air Concentration at the N Receptor	50
F: 4 40	Location for Time Step 1 in Case 3c	50
Figure 4-19	Calculation of the Rn-222 Air Concentration at the N Receptor	
Tianua 4 00	Location for Time Step 1 in Case 3c	50
Figure 4-20	Calculation of the Air Concentration at the N Receptor Location for	E 1
Ciaura 4 04	Time Step 1 in Case 3c for the Pb-212 Daughter Product of Rn-220	5 1
Figure 4-2 i	Calculation of the Air Concentration at the N Receptor Location for	<b>5</b> 0
Figure 4.22	Time Step 1 in Case 3c for the Pb-214 Daughter Product of Rn-222	52
rigule 4-22	Calculation of the Effective Momentum-Driven Plume Release Height and Effective Wind Speed for a Gas at the 5–10 km WSW Location	
	on the Population Grid in Case 3a at Time Step 1	53
Figure 4 22	Calculation of the Rn-220 Air Concentration at the 5–10 km WSW	53
rigule 4-23	Location on the Population Grid in Case 3a at Time Step 1	54
Figure 4 24	Calculation of the Rn-222 Air Concentration at the 5–10 km WSW	54
1 igule 4-24	Location on the Population Grid in Case 3a at Time Step 1	54
Figure 4 25	Calculation of the Air Concentration at the 5–10 km WSW Location on	54
1 igule 4-23	the Population Grid in Case 3a at Time Step 1 for the Pb-212	
	Daughter Product of Rn-220	55
Figure 4-26	Calculation of the Air Concentration at the 5–10 km WSW Location on	
riguic +-20	the Population Grid in Case 3a at Time Step 1 for the Pb-214	
	Daughter Product of Rn-222	56
Figure 4-27	Calculation of the Air Concentration at the 5–10 km WSW Location on the	
rigare r zr	Population Grid in Case 3a at Time Step 1 for the Po-218 Daughter	
	Product of Rn-222	57
Figure 4-28		
ga. oo	in aboveground and belowground Vegetables and Potatoes at the	
	Nearest Resident NNW Receptor Location after Time Step 4 in Case 1	59
Figure 4-29	Concentration of U-238 from 7.7 µm Particulates from the Ore Pad	
ga. o = o	in Animal Feed, Meat, and Milk at the Nearest Resident NNW	
	Receptor Location after Time Step 4 in Case 1	60
Figure 4-30	Concentration of U-238 from 7.7 µm Particulates from the Ore Pad	
ga	in aboveground and belowground Vegetables and Potatoes at the	
	10–20 km SSW Location on the Population Grid after	
		61
Figure 4-31	Concentration of U-238 from 7.7 µm Particulates from the Ore Pad	
	in Animal Feed, Meat, and Milk at the 10–20 km SSW Location on the	
	Population Grid after Time Step 4 in Case 1	62
Figure 5-1	Inhalation Dose Rate to Nearest Resident NNW from U-238 from	
<b>3</b>	All Particulates (7.7 μm and 54 μm) from the Ore Pad during	
	Time Step 4 in Case 1	63
Figure 5-2	Population Inhalation Dose from U-238 from the Ore Pad at the	
<b>3</b>	10–20 km SSW Location on the Population Grid after Time	
	Step 4 in Case 1	65
Figure 5-3	Radon Inhalation Dose to Nearest Resident NNW from the Ore Pad	
J	during Time Step 4 in Case 1	66
Figure 5-4	Radon Inhalation Population Dose from All Sources at the 10–20 km	
-	SSW Location on the Population Grid after Time Step 4 in Case 1	67

Figure 5-5	External Dose from Groundshine and Cloudshine from U-238 in 7.7 μm	
	Particulates from the Ore Pad during Time Step 4 in Case 1	68
Figure 5-6	Ingestion Dose from U-238 in 7.7 μm Particulates to Nearest Resident	
	NNW from the Ore Pad during Time Step 4 in Case 1	69
Figure 5-7	Sample Calculations Used in Population Ingestion Dose Analysis for	
	U-238 in 7.7 μm Particulates from the Ore Pad during	
	Time Step 4 in Case 1	69
Figure 5-8	Activity of U-238 in Food from 7.7 μm Particulates from the Ore Pad	
	at the 10–20 km SSW Location on the Population Grid at	
	Time Step 4 in Case 1	70
Figure 5-9	Population Ingestion Dose from U-238 from the Ore Pad from	
	Food Grown at the 10–20 km SSW Location on the Population	
	Grid at Time Step 4 in Case 1	71

## **TABLES**

Table 2-1	Sample Test Case Emission Sources	5
	Calculated Radionuclide Release Rates for the Grizzly Dump Hopper	
	Particulate Emission Rate Data for Case 1a	
	Comparison MILDOS-AREA of Direct Downwind Air Concentrations of	
	Ra-226 during Time Step 1 with the Verification Spreadsheet for Case 3a	24
Table 5-1	Fraction of Food Type Consumed by Age Group	70

#### 1 INTRODUCTION

The MILDOS-AREA computer code is used to estimate the radiological impacts from airborne emissions from uranium milling facilities. It provides the capability to consider both conventional uranium ore operations and operations associated with *in situ* recovery (ISR) facilities. The code is used by license applicants and U.S. Nuclear Regulatory Commission staff to perform routine radiological impact estimates for the licensing of various uranium recovery operations.

The technical reference and user manual for version 4 of the MILDOS-AREA computer code is provided in NUREG/CR-7212 (*Technical Manual and User's Guide for MILDOS-AREA Version 4*), hereinafter referred to as the manual. This companion report documents the process used to verify the proper operation of the computer code. It provides assurance that the code is performing the calculations as intended, that is, the models are properly implemented in the code.

#### 1.1 Scope

Independent verification of the calculations was performed external to the computer code in spreadsheets using Microsoft Excel® (Ver. 14 [a component of Microsoft Office Professional 2010]). All major portions of the code were investigated. The verification was conducted on a step-by-step basis and used five test cases as templates. MILDOS user application files are in the SQLite database file format.

The types of calculations evaluated are summarized in Section 1.3. The calculations are presented as figures (of the stylized equations in the spreadsheet) throughout this document. The equation numbers shown next to the calculations correspond with the equation numbers in the MILDOS-AREA manual. Consideration of all possible option combinations is not practical, but the calculations considered cover the basic operations of the code (e.g., radionuclide release, air dispersion, and deposition) and all major options (e.g., choice of plume rise model and Rn-222 outdoor equilibrium factor).

#### 1.2 Sample Test Cases

Five sample test cases were used to evaluate the proper operation of the code. Case 1 contains emission sources that could be found at a typical hard rock uranium milling facility. Case 2 involves emission sources typical of an ISR uranium facility. All source type options were exercised. Case 3a considers single stability class – wind speed meteorological data combinations for each direction; Case 3b considers the combined set, from Case 3a for a single direction to show proper operation of the air dispersion model. Case 3c is the same as Case 3a with the exception that the point source is modeled with buoyancy-induced plume rise rather than momentum-driven plume rise. Table 2-1 lists the emission source names and source types used. Detailed user input for each case is presented in the appendices.

The sample test cases are illustrative for verification purposes only and are not intended to be representative of any actual scenario. Likewise, the input values used in sample cases are for verification purposes only and are not intended to be representative of any specific facility, source type, or location. The default user input parameter values in MILDOS-AREA are only placeholders. It is the responsibility of the user to determine the appropriate value for each user input for a given scenario that is to be assessed.

#### 1.3 Calculations Verified Directory

#### 1.3.1 Radionuclide Release Rates

- Point Source (Case 1; Table 2-2)
- Area Source
  - Source Area Size (Section 2.2 discussion)
  - Particulate Emission (Erosion Model) (Case 1; Figs. 2-1 and 2-2, Table 2-3)
- New Well Field Source (Case 2; Fig. 2-3)
- Production Well Field Source (Case 2; Figs. 2-4 and 2-5)
- Restoration Well Field Source (Case 2; Fig. 2-6)
- Drying/Packaging Source (Case 1; Fig. 2-7)
- Land Application Source (Case 2; Fig. 2-8)

#### 1.3.2 Air Transport

- Effective Release Height/Wind Speed
  - Momentum-Driven Plume Rise
    - Particulates
      - Individual Receptor (non-mixing plume) (7.7 μm and 54 μm) (Case 3a;
         Figs. 3-1 and 3-2)
      - Individual Receptor (mixing plume) (7.7 μm) (Case 3a; Fig. 3-11)
      - Population (mixing plume) (7.7 μm) (Case 3a; Fig. 3-13)
    - Radon
      - Individual Receptor (non-mixing plume) (Case 3a; Fig. 4-11)
      - Population (mixing plume) (Case 3a; Fig. 4-22)
  - Buoyancy-Induced Plume Rise
    - Particulates
      - Individual Receptor (non-mixing plume) (7.7 µm) (Case 3c; Figs. 3-3 and 3-4)
    - Radon
      - Individual Receptor (non-mixing plume) (Case 3a; Figs. 4-16 and 4-17)
- Direct Downwind Air Concentration (particulates with plume depletion)
  - Non-Mixing Plume
    - Individual Receptor (momentum-driven plume rise) (7.7 μm and 54 μm)
       (Case 3a; Figs. 3-5 to 3-8 and 4-1)
    - Individual Receptor (buoyancy-induced plume rise) (7.7 µm) (Case 3a; Fig. 3-9)
  - Mixing Plume
    - Individual Receptor (momentum-driven plume rise) (7.7 μm) (Case 3a; Figs. 3-10 and 3-12)
    - Population (momentum-driven plume rise) (7.7 μm) (Case 3a; Figs. 3-14, 3-15, and 4-4)

#### 1.3.3 Environmental Media Concentrations

- Ground Concentrations (particulates only)
  - o Individual Receptor (7.7 μm) (Case 1; Figs. 4-2 and 4-3)
  - $\circ$  Population (7.7 µm) (Case 1; Fig. 4-5)
  - Population (Rn-222 daughter Po-218) (Case 3a; Fig. 4-6)
- Air Concentrations

- Resuspension (particulates only)
  - Individual Receptor (7.7 μm) (Case 1; Fig. 4-7)
  - Population (7.7 μm) (Case 1; Fig. 4-8)
- Total Air Concentrations (direct + resuspended)
  - Individual Receptor (7.7 μm) (Case 1; Fig. 4-9)
  - Individual Receptor (particulate total) (Case 1; Fig. 4-10)
  - Population (7.7 μm) (Case 1; Fig. 4-9)
  - Population (particulate total) (Case 1; Fig. 4-10)
- o Radon
  - Individual Receptor
    - Rn-220 (momentum-driven plume rise) (Case 3a; Fig. 4-12)
    - Rn-222 (momentum-driven plume rise) (Case 3a; Fig. 4-13)
    - Pb-212 Daughter of Rn-220 (momentum-driven plume rise) (Case 3a;
       Fig. 4-14)
    - Pb-214 Daughter of Rn-222 (momentum-driven plume rise) (Case 3a; Fig. 4-15)
    - Rn-220 (buoyancy-induced plume rise) (Case 3c; Fig. 4-18)
    - Rn-222 (buoyancy-induced plume rise) (Case 3c; Fig. 4-19)
    - Pb-212 Daughter of Rn-220 (buoyancy-induced plume rise) (Case 3c; Fig. 4-20)
    - Pb-214 Daughter of Rn-222 (buoyancy-induced plume rise) (Case 3c; Fig. 4-21)
  - Population
    - Rn-220 (momentum-driven plume rise) (Case 3a; Fig. 4-23)
    - Rn-222 (momentum-driven plume rise) (Case 3a; Fig. 4-24)
    - Pb-212 Daughter of Rn-220 (momentum-driven plume rise) (Case 3a;
       Fig. 4-25)
    - Pb-214 Daughter of Rn-222 (momentum-driven plume rise) (Case 3a; Fig. 4-26)
    - Po-218 Daughter of Rn-222 (momentum-driven plume rise) (Case 3a; Fig. 4-27)
- Vegetation Concentrations
  - Human Consumables
    - Individual Receptor (7.7 μm) (Case 1; Fig. 4-27)
    - Population (7.7 μm) (Case 1; Fig. 4-29)
  - Animal Feed
    - Individual Receptor (7.7 µm) (Case 1; Fig. 4-28)
    - Population (7.7 μm) (Case 1; Fig. 4-30)
- Meat and Milk Concentrations
  - o Individual Receptor (7.7 µm) (Case 1; Fig. 4-28)
  - Population (7.7 μm) (Case 1; Fig. 4-30)

#### 1.3.4 Human Exposure

- Inhalation
  - Particulates
    - Dose Conversion Factor Calculation (Case 1; Fig. 5-1)
    - Individual Receptor (particulate total) (Case 1; Fig. 5-1)
    - Population (particulate total) (Case 1; Fig. 5-2)
  - o Radon (Rn-220 and Rn-222)
    - Individual Receptor (Case 1; Fig. 5-3)

- Population (Case 1; Fig. 5-4)
- External (groundshine and cloudshine)
  - o Individual Receptor (7.7 μm) (Case 1; Fig. 5-5)
  - Population (7.7 μm) (Case 1; Fig. 5-5)
- Ingestion
  - o Individual Receptor (7.7 μm) (Case 1; Fig. 5-6)
  - Population
    - Fraction of Meat Produced in Population Segment Consumed by Adults (Case 1; Fig. 5-7)
    - Average Vegetable Concentrations in Population Segment (7.7 μm) (Case 1; Fig. 5-7)
    - Fraction of Food Type Consumed by Age Group (Case 1; Table 5-1)
    - Total Activity in Food in Population Segment (7.7 μm) (Case 1; Fig. 5-8)
    - Ingestion Dose by Age Group in Population Segment (7.7 μm) (Case 1; Fig. 5-7)

#### 1.4 Report Organization

The presentation order of the calculation verification follows the general order of the calculation order when estimating impacts. The first two test cases used as the basis for the code verification are described in Chapter 2 along with verification of the estimated radionuclide release amounts for each case. Chapter 3 considers the air dispersion calculations using the other three test cases. The resulting media concentrations (air, ground, plant, and animal) are examined in Chapter 4. Human exposure calculations are considered in Chapter 5.

#### 2 RELEASE CALCULATIONS

This chapter examines the calculations used to estimate the amount of radionuclides released for each of the emission source types considered in MILDOS-AREA. The estimated release of activity for each source type is calculated according to the methodology provided in the MILDOS-AREA manual and compared with the results in the sample case files generated by the computer code to verify proper operation of the code.

#### 2.1 Point Source

The point source in Case 1 is the "Grizzly Dump Hopper" as listed in Table 2-1. The actual radionuclide release rate (the adjusted release rate) is the product of the user input release rate for a given radionuclide and the appropriate time step adjustment factor for particulates or radon. Table 2-2 lists the user release rate input, the particulate and radon adjustment factors for each of the four time steps, and the adjusted radionuclide release rates.

**Table 2-1 Sample Test Case Emission Sources** 

	Source		
Case No.	No.	Source Name	Source Type
1	1	Yellowcake Stack	Drying/Packaging Source
	2	Ore Pad	Area Source
	3	Grizzly Dump Hopper	Point Source
	4	Tailings Area 1	Area Source
	5	Tailings Area 2	Area Source
	6	Tailings Area 3	Area Source
2	1	Dryer Stack	Drying/Packaging Source
	2	New Well Field	New Well Field Source
	3	Production Well Field	Production Well Field Source
	4	Restoration Well Field	Restoration Well Field Source
	5	Land Application Area	Land Application Area Source
3a, 3b, 3c	1	Point Source 1	Point Source, same source term as the Grizzly Dump Hopper source in Case 1

#### 2.2 Area Source

In MILDOS-AREA, the particulate radionuclide release rate for an area source is dependent on the concentration of the radionuclide in the soil, the average emission (release) rate of particulate material per unit area, and the source area. Three types of area sources may be defined in MILDOS-AREA according to their geometry: circular, rectangular, or polygonal. Circular sources are defined by their radius (r) (area =  $\pi r^2$ ), rectangular sources by their length (I) and width (I) (area =  $I \times I$ ), and polygonal sources by the locations of their vertices, the area being calculated by the GIS module.

Table 2-2 Calculated Radionuclide Release Rates for the Grizzly Dump Hopper

	Release	Adjusted Release Rate during Time S (Ci/yr)			Time Step
	Rate Input		Time	Step	
Nuclide	(Ci/yr)	1	2	3	4
U-238	0.026	0.0208	0.026	0.026	0.0234
U-234					
Th-230	0.026	0.0208	0.026	0.026	0.0234
Ra-226	0.026	0.0208	0.026	0.026	0.0234
Pb-210	0.026	0.0208	0.026	0.026	0.0234
Bi-210					
Po-210					
Th-232	0.0008	0.00064	0.0008	0.0008	0.00072
Ra-228	0.0008	0.00064	0.0008	8000.0	0.00072
Ac-228					
Th-228	0.0008	0.00064	0.0008	8000.0	0.00072
Ra-224					
Rn-222	42	33.6	42	42	37.8
Rn-220	1.5	1.2	1.5	1.5	1.35
Particula	ate adjustment factor	0.8	1	1	0.9
Rad	on adjustment factor	0.8	1	1	0.9

The Ore Pad in Case 1 is defined as a circular area source with a radius of 100 m. The area of the source is therefore  $\pi r^2 = 31,416$  m², as is shown in the user interface and the standard results output. In MILDOS-AREA, the particulate emission rate can be either input directly by the user or estimated using the particulate erosion model. The particulate erosion model was used for the Ore Pad. Figure 2-1 shows the calculation of the particulate emission rate for the sixth wind speed category represented by a wind speed of 12.51 m/s. The total particulate emission rate  $(6.03 \times 10^{-7} \text{ g/m}^2\text{-s})$  is based on the weighted average of the value calculated for each wind speed category. Table 2-3 lists the wind speed for each wind speed category, the particulate emission rate calculated for each wind speed, and the fraction of time that the wind is blowing at each wind speed (from the joint-frequency distribution data in the Case 1 user file). Figure 2-2 shows the particulate radionuclide release rate calculations according to Equation 2.1 in the manual. These values match those shown in the standard results output (Table heading – "Source Release Terms before Time Step Adjustment [Ci/y]") and are multiplied by the radon or radon adjustment factor for a given time step when estimating doses for that time step.

The dimensions of the Tailings Pile 1 rectangular area source are defined as 378 m by 378 m. The source area is therefore 142,884 m², which is correctly reported by the user interface and in the standard results output. A set of calculations for Tailings Pile 1 particulate radionuclide releases were performed similar to those shown in Figure 2-2 for the Ore Pad and compared with the standard results output for the Tailings Pile 1 source. The two sets of results matched.




Figure 2-1 Calculation of the Particulate Emission Rate ( $q\nu$ ) from the Ore Pad for the Sixth Wind Speed Category in Case 1

Table 2-3 Particulate Emission Rate Data for Case 1<sup>a</sup>

Wind Speed <sup>b</sup>	Fraction of	Particulate
(m/s)	Time at	Emission
	Speed <sup>c</sup>	Rated (g/m-s)
0.671	0.21091	0
2.459	0.27333	0
4.470	0.29776	0
6.929	0.16841	$5.45 \times 10^{-7}$
9.611	0.03979	6.09 × 10 <sup>-6</sup>
12.52	0.00976	2.76 × 10 <sup>-5</sup>

<sup>&</sup>lt;sup>a</sup> For particle density of 2.4 gm/cm<sup>3</sup>.

d Calculated using the erosion model in the verification spreadsheet.

Particulate R	adior	nuclide Release F	Rates	from the Ore P	Pad						
3.87E-04 U-238 (Ci/yr)	=	647 U <sub>a</sub> (pCi/g)	x	$6.03E-07$ $q_v (g/m^2-s)$	x	31416 A <sub>s</sub> (m <sup>2</sup> )	x	31557600 (s/yr)	x	1.00E-12 (Ci/pCi)	(2.1)
3.87E-04 Th-230 (Ci/yr)	=	647 Th-230 <sub>a</sub> (pCi/g)	x	$6.03E-07$ $q_v (g/m^2-s)$	x	31416 A <sub>s</sub> (m <sup>2</sup> )	x	31557600 (s/yr)	x	1.00E-12 (Ci/pCi)	(2.1)
3.87E-04 Ra-226 (Ci/yr)	=	647 Ra-226 <sub>a</sub> (pCi/g)	x	$6.03E-07$ $q_v (g/m^2-s)$	x	31416 A <sub>s</sub> (m <sup>2</sup> )	x	31557600 (s/yr)	x	1.00E-12 (Ci/pCi)	(2.1)
3.87E-04 Pb-210 (Ci/yr)	=	647 Pb-210 <sub>a</sub> (pCi/g)	x	$6.03E-07$ $q_v (g/m^2-s)$	x	31416 A <sub>s</sub> (m <sup>2</sup> )	x	31557600 (s/yr)	x	1.00E-12 (Ci/pCi)	(2.1)
1.02E-05 Th-232 (Ci/yr)	=	17 Th-232 <sub>a</sub> (pCi/g)	x	$6.03E-07$ $q_v (g/m^2-s)$	x	31416 A <sub>s</sub> (m <sup>2</sup> )	x	31557600 (s/yr)	x	1.00E-12 (Ci/pCi)	(2.1)
1.02E-05 Ra-228 (Ci/yr)	=	17 Ra-228 <sub>a</sub> (pCi/g)	x	$6.03E-07$ $q_v (g/m^2-s)$	x	31416 A <sub>s</sub> (m <sup>2</sup> )	x	31557600 (s/yr)	x	1.00E-12 (Ci/pCi)	(2.1)
1.02E-05 Th-228 (Ci/yr)	=	17 Th-228 <sub>a</sub> (pCi/g)	x	6.03E-07 q <sub>v</sub> (g/m <sup>2</sup> -s)	x	31416 A <sub>s</sub> (m <sup>2</sup> )	x	31557600 (s/yr)	x	1.00E-12 (Ci/pCi)	(2.1)

Figure 2-2 Calculation of the Particulate Radionuclide Release Rates from the Ore Pad in Case 1

b MILDOS-AREA default wind speeds for each of the six wind speed categories.

<sup>&</sup>lt;sup>c</sup> From joint frequency data in Case 1 user file.

For the Tailings Pile 3 polygonal area source, the area is reported as 840,000 m<sup>3</sup> as determined by the GIS module and reported in the user interface and the standard results output. This source can be decomposed to adjoining rectangles and right triangles, the areas of which can be calculated and summed to obtain the same value of 840,000 m<sup>3</sup>.

A set of calculations for Tailings Pile 3 particulate radionuclide releases were performed similar to those shown in Figure 2-2 for the Ore Pad and compared with the standard results output for the Tailings Pile 3 source. The two sets of results matched.

#### 2.3 New Well Field Source

The amount of radon released during the installation of a new well field calculated by MILDOS-AREA is assumed depend on the emission of radon from radium in the mud pits associated with the drilling of new wells. Thus, the release rate of radon depends on the concentration of radium in the ore ( $C_{ORa}$ ), the emanating power for radon from radium in particulates ( $E_{Rn222}$  or  $E_{Rn220}$ ), the amount of material in each mud pit ( $M_{Ore}$ ), the storage time in the mud pit ( $t_{pit}$ ), and the number of mud pits generated per year ( $N_{pit}$ ). The new well field source in Case 2 is identified as New Well Field. The calculations for the release rates of Rn-222 and Rn-220 are shown in Figure 2-3. Both release rate values match those in the standard results output for Case 2.

New Well Field Source Release Rates												
2.71E-02 = Rn222 <sub>nw</sub> (Ci/yr)	1.00E-12 (Ci/pCi)	x 0.25 x E <sub>Rn222</sub> (unitless)	0.181 λ <sub>Rn222</sub> (1/d)	x	300 C <sub>oRa226</sub> (pCi/g)	x	10 t <sub>pit</sub> (d)	x	4750000 M <sub>ore</sub> (g)	x	42 N <sub>pit</sub> (1/yr)	(2.7)
3.22E+00 = Rn220 <sub>nw</sub> (Ci/yr)	1.00E-12 (Ci/pCi)	x 0.15 x E <sub>Rn220</sub> (unitless)	1077 λ <sub>Rn220</sub> (1/d)	x	10 C <sub>oRa224</sub> (pCi/g)	x	10 t <sub>pit</sub> (d)	x	4750000 M <sub>ore</sub> (g)	x	42 N <sub>pit</sub> (1/yr)	(2.8)

Figure 2-3 Calculation of the Radon Release Rates from the New Well Field in Case 2

#### 2.4 Production Well Field Source

The amount of radon released from a production well field is calculated as the sum of emission from purge water, well venting, and ion exchange resin unloading. All three processes depend on the radon concentration in the process water circulating through the well field. The radon concentration depends on the fraction of the radon source in the circulating water ( $f_{Rn}$ ); the emanation power and decay constant ( $\lambda_{Rn222}$  or  $\lambda_{Rn220}$ ) of radon; the concentration of radium in the ore ([Ra-226] or [Ra-224]); the active area of the ore zone (A); the average thickness of the ore zone (D); the bulk density of the ore material (P); the vent rate of radon ( $P_{Rn}$ ); the volume of water circulating through the well field ( $P_{Rn}$ ); the purge rate of treated water ( $P_{Rn}$ ); and the water discharge rate from resin unloading ( $P_{Rn}$ ).

The concentrations of Rn-222 and Rn-220 in the production well field process water for Case 2 were estimated as shown in the top of Figure 2-4. These concentrations were then used in the estimation of radon releases from the purge water, the venting process, and the ion exchange unloading as shown in the lower portion of Figure 2-4. The total radon releases are the sum of these processes as shown in Figure 2-5. The estimated total release of 1,140 Ci/yr of Rn-222 and 24.9 Ci/yr of Rn-220 match the standard output results for Case 2.

Radon Concentration in Circulating Production Well Field Water	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	_
$C_{WRn222}$ (pCi/L) $\left( \begin{array}{c ccccc} 0.181 & + & 0.001 \end{array} \right)$ <b>x</b> $\left( \begin{array}{c ccccc} 185000 & + & 18500 \end{array} \right)$ + $\left( \begin{array}{c cccc} 10560 \end{array} \right)$ $+ \left( \begin{array}{c cccc} 10560 \end{array} \right)$	(4.14 <u>)</u>
$C_{\text{WR} \cap 220}$ (pG/L) $\left(\begin{array}{c cccc} & 1077 & + & 0.001 \\ \hline \end{array}\right)$ <b>x</b> $\left(\begin{array}{c ccccc} & 185000 \\ \hline \end{array}\right)$ <b>x</b> $\left(\begin{array}{c cccc} & 185000 \\ \hline \end{array}\right)$ <b>x</b> $\left(\begin{array}{c cccc} & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c cccc} & + & 18500 \\ \hline \end{array}\right)$ <b>y</b> $\left(\begin{array}{c c$	(5. 13)
Radon Release Rates from Purge Water	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	(2.16)
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	(2.17)
Radon Release Rates from Venting	
	(2.18)
	(2.19)
Radon Release Rates From Ion Exchange Unloading	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	(2.13)
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	(2.20)
	(2.21)

Figure 2-4 Calculation of the Component Radon Releases from the Production Well Field in Case 2

Total Radon Release Rates from the Production Well Field										
1.14E+03 =	6.82E+02 +	6.82E+01 <b>+</b>	3.89E+02							
Rn222 <sub>pw</sub> (Ci/yr)	Rn222 <sub>w</sub> (Ci/yr)	Rn222 <sub>v</sub> (Ci/yr)	Rn222 <sub>ix</sub> (Ci/yr)							
2.49E+01 =	1.49E+01 <b>+</b>	1.49E+00 <b>+</b>	8.51E+00							
Rn220 <sub>pw</sub> (Ci/yr)	Rn220 <sub>w</sub> (Ci/yr)	Rn220 <sub>v</sub> (Ci/yr)	Rn220 <sub>ix</sub> (Ci/yr)							

Figure 2-5 Calculation of the Total Radon Release Rates from the Production Well Field in Case 2

#### 2.5 Restoration Well Field Source

Operation of a restoration well field is similar to that for the production well field. In this instance, there is no contribution to the radon release rate from the unloading of ion exchange resin, and the restoration activities may not run continuously throughout the year. Figure 2-6 presents the calculation of the radon release rates from the restoration well field for Case 2. As can be seen, the estimated total release of 1,140 Ci/yr of Rn-222 and 24.1 Ci/yr of Rn-220 match the standard output results for Case 2.

#### 2.6 Drying/Packaging Source

Estimation of the amount of activity in particulate matter that escapes from a drying/packaging source depends on the daily production rate of yellowcake at the facility ( $R_{YC}$ ); the fraction released to the stack ( $f_s$ ); the amount of U-238 in yellowcake; the specific activity of U-238 ( $U238_{sa}$ ); and the fractional amounts of Th-238, Ra-226, and Pb-210 relative to the release amount of U-238 ( $TH238_{dp}$ ,  $RA226_{dp}$ , and  $PB210_{dp}$ , respectively). Because isolated yellowcake ( $U_3O_8$ ) is modeled, the contribution from U-238 daughter nuclides will be small, and no thorium ore radionuclides are considered in MILDOS-AREA for this type of source. Calculations for the activity released from the yellowcake stack source modeled in Case 1 are provided in Figure 2-7.

#### 2.7 Land Application Source

The emitted activity from a land application source depends on the past irrigation of the subject source area with water containing low levels of radionuclides and the retention of any radionuclides by the soil. Emission of the activity is assumed to occur via wind erosion of the contaminated soil.

To estimate the radionuclide concentration in the soil, a number of parameters are required including the concentration of the radionuclide in the irrigation water  $(C_{iw})$ ; the water application rate  $(R_w)$ ; the source area  $(A_s)$ ; the depth of soil penetration  $(D_s)$ ; the soil bulk density  $(\rho_s)$ ; the number of time steps considered and their duration  $(t_{si})$  for the *i*th time step; the particulate source term adjustment factor for each time step  $(P_{Ai})$ ; the soil volume water content (w); decay constants to account for radioactive decay  $(\lambda_i)$  and for environmental loss from the soil  $(\lambda_e)$ ; and the radionuclide distribution coefficient for soil  $(K_d)$ .

Figure 2-8 presents the calculations to estimate the emission of Ra-226 from the land application area at time step 4. The overall decay constant for Ra-226 is first calculated for later use in calculating the soil concentration. A retardation factor of 22,600 (Equation 2.28) is

estimated for calculating the fraction of Ra-226 in the applied water in the soil – a value of 1 as determined by Equation 2.27. This value is then used in Equation 2.30 to calculate a concentration of 0.00789 pCi/g of Ra-226 in the irrigated soil at time step 4. The emission rate of Ra-226 is then calculated using Equation 2.1 to obtain  $6.11 \times 10^{-14}$  Ci/s.

Because, unlike the other source types, the release rate of radionuclides from a land application source depends on the current and previous time steps, these intermediate results are not stored in the user file. To verify the calculated emission rate, it was multiplied by the normalized air concentration at the north fence line (taken from the Case 2 interactive results output) to obtain the direct air concentration of Ra-226 due to the land application area at that receptor location. Since the air concentrations reported by MILDOS-AREA include contributions from resuspension of previously deposited material, the Case 2 input was run with the resuspension deposition velocity set to  $1 \times 10^{-5}$  m/s (its minimum value) to essentially zero out the resuspension contribution to the air concentration. The verification result of  $1.42 \times 10^{-20}$  Ci/m³ for the Ra-226 air concentration as shown at the bottom of Figure 2-8 matched the result obtained for the Ra-226 concentration for time step 4 when resuspension is not considered.

	6	(4.14)		(2.15)		(2.16)	(2.17)		(2.18)*	(2.19)*			
	0.8 f <sub>Rn</sub> (unitless)		0.8 f <sub>Rn</sub> (unitless)										
	×		×										
	0.181 λ <sub>Rn222</sub> (1/d)		1077 ภิลา220 (1/d)										
	× (s		× (s										
	0.25 E <sub>Rn222</sub> (unitless)		0.15 E <sub>Rn220</sub> (unitless)										
	× (پس	<del>6</del>	×	(a)					$\prod_{\widehat{n}}$	$\prod_{\widehat{n}}$			
	2.65 p (g/cm³)	18500 F <sub>p</sub> (L/d)	2.65 p (g/cm³)	18500 F <sub>p</sub> (L/d)					365 d <sub>op</sub> (d)	365 d <sub>op</sub> (d)			
	×	+	×	+					×	×			
	7 D (m)	1850000 V (L)	7 D (m)	1850000 V (L)					1850000 V (L)	1850000 V (L)			
	×	×	×	×					×	×			
Water	270000 A (m²)	0.001 VRn (1/d)	270000 A (m²)	0.001 VRn (1/d)		18500 F <sub>p</sub> (L/d)	18500 F <sub>p</sub> (L/d)		1.53E+08 C <sub>wRn222</sub> (pCi/L)	3.25E+06 C <sub>wRn220</sub> (pCi/L)			
Field	×	+	×	+		×	×		×	×	II Field	Ĺ.	Œ.
storation Wel	300 C <sub>oRa226</sub> (pCi/g)	( 0.181 ARn222 (1/d)	T0 CoRa224 (pCi/g)	1077 ארחל ארוו)	_	1.53E+08 C <sub>wRn222</sub> (pCi/L)	3.25E+06 C <sub>wRn220</sub> (pCi/L)		0.001 VRn (1/d)	0.001 VRn (1/d)	estoration We	1.03E+02 Rn222 <sub>v</sub> (Ci/yr)	2.19E+00 Rn220 <sub>v</sub> (Ci/yr)
ting Re	×		×		je Wate	×	×	ing	×	×	the Re	+	+ E
Radon Concentration in Circulating Restoration Well Field Water	1.00E + 06 (cm <sup>3</sup> /m <sup>3</sup> )		1.00E + 06 (cm <sup>3</sup> /m <sup>3</sup> )		Radon Release Rates from Purge Water	3.65E-10 (Ci/pCi)(d/yr)	3.65E-10 (Ci/pCi)(d/yr)	Radon Release Rates from Venting	1.00E-12 (Ci/pCi)	1.00E-12 (Ci/pCi)	Total Radon Release Rates from the Restoration Well Field	1.03E+03 Rn222 <sub>w</sub> (Ci/yr)	2.19E+01 Rn220 <sub>w</sub> (Ci/yr)
centrat	ı	- (//)	ı	- (//)	ease Ra	ll (j.	ار کر	ease Ra	yr)	ll (j.	n Relea	" (yr)	(yr)
Radon Con	4 7 7 1 0 1	1.53E+09 C <sub>wRn222</sub> (pCi/L)	C C	3.23E+00 C <sub>wRn220</sub> (pCi/L)	Radon Rele	1.03E+03 Rn222 <sub>w</sub> (Ci/yr)	2.19E+01 Rn220 <sub>w</sub> (Ci/yr)	Radon Rele	1.03E+02 Rn222 <sub>v</sub> (Ci/yr)	2.19E+00 Rn220 <sub>v</sub> (Ci/yr)	Total Rado	1.14E+03 Rn222 <sub>rw</sub> (Ci/yr)	2.41E+01 Rn220 <sub>rw</sub> (Ci/yr)

Figure 2-6 Calculation of the Radon Releases from the Restoration Well Field in Case 2

Drying / Pack	aging	Source Releas	e R	ates							
7.15E-02 U238 <sub>dp</sub> (Ci/yr)	=	365.25 (d/yr)	x	700 R <sub>YC</sub> (kg/d)	x	848 (g U /kg U <sub>3</sub> O <sub>8</sub> )	x	3.3E-07 U238 <sub>sa</sub> (Ci/g)	x	1.0E-03 f <sub>s</sub> (unitless)	(2.22)
3.58E-04 TH230 <sub>dp</sub> (Ci/yr)	=	7.15E-02 U238 <sub>dp</sub> (Ci/yr)	x								(2.23)
3.58E-04 RA226 <sub>dp</sub> (Ci/yr	=	7.15E-02 U238 <sub>dp</sub> (Ci/yr)	x	0.005 f <sub>Ra</sub> (unitless)							(2.24)
3.58E-04 PB210 <sub>dp</sub> (Ci/yr	=	7.15E-02 U238 <sub>dp</sub> (Ci/yr)	x	0.005 f <sub>others</sub> (unitless)							(2.25)

Figure 2-7 Calculation of the Annual Activity Released from the Yellowcake Stack in Case 1




Figure 2-8 Calculation of the Activity Released from the Land Application Area in Case 2 at Time Step 4 (3 micron)

#### 3 ATMOSPHERIC DISPERSION

This chapter examines the calculations used to estimate the downwind dispersion of gases and particulates. The end result is the (direct) normalized air concentration of a gas or a specific particulate plume at a given receptor location. Note that in the case of particulates for which ground concentrations are calculated (see Table 2-1 in the manual), the total air concentration at the receptor location includes a contribution from resuspension. The air concentration contribution from resuspension is covered in Section 4.2.1.


The calculated air concentration for a specific particle size from a specific source at a specific receptor location is the sum of the weighted averages of the fraction of time (frequency) that the wind is blowing in the direction of the receptor from the source at particular wind speed/weather stability class combinations. Knowing the radionuclide concentration per mass of particulate, the radionuclide concentration can then be calculated. To check the proper downwind air concentrations of radionuclides, the scenarios in the Case 3a, Case 3b, and Case 3c example files are used to check the proper calculation of downwind radionuclide concentrations at the individual receptors all located at a distance of 1 km from the source. The Case 3a file has a single point source with a single receptor at a distance of 1 km in each of the 16 directions used in the model. Each direction has only one stability class/wind speed value assigned in the joint frequency distribution data.

The sample calculations covered in the following sections review the calculations to estimate the effective release height (Section 3.1) and the radionuclide concentrations from the Gaussian plume model used in the code (Section 3.2) for a given radionuclide/particle size for a given stability class/wind speed combination. To show the proper summation of results from multiple stability class/wind speed combinations for the same direction, the sum of results from all 16 receptors in Case 3a are compared with the air concentration results from Case 3b where only one receptor at 1 km is considered using the same stability class/wind speed combinations from Case 3a, but all occurring in the direction of the one receptor.

#### 3.1 Effective Release Height


In Case 3a, a point source with a momentum driven plume rise involving the release of particulates having a distribution set of 30% with a 7.7  $\mu$ m diameter and 70% with a 54  $\mu$ m diameter is evaluated. The first equation in Figure 3-1 evaluates the plume's effective release height (H; 17.7 m) of the 7.7  $\mu$ m diameter particulates at a distance of 1,000 m. The effective release height is a function of the release height (h; 15 m), plume rise due to the plume's momentum at the release location ( $\Delta h$ ; 3.28 m), vertical settling ( $h_V$ ; 0.57 m), and any correction due to the receptor's elevation relative to the source (0 m). Both the momentum plume rise and the vertical settling of the plume depend on the effective wind speed ( $U_H$ ) as calculated (7.55 m/s) for the receptor location.

The parallel set of calculations for the effective release height and wind speed for the 54  $\mu m$  particulates is presented in Figure 3-2. In this instance, the heavier particulates cause substantial settling of the plume with the effective plume height limited to ground level (0 m) for the receptor location.



TV/A - TVOL applicable.


Figure 3-1 Calculation of the Effective Wind Speed and Release Height for 7.7  $\mu m$  Particulates at the N Receptor Location in Case 3a for the Momentum-Driven Plume



N/A = Not applicable.

Figure 3-2 Calculation of the Effective Wind Speed and Release Height for 54  $\mu$ m Particulates at the N Receptor Location in Case 3a for the Momentum-Driven Plume

As a check on buoyant plume rise calculations, a second set of parallel calculations for the effective release height and wind speed for the 7.7  $\mu$ m particulates was conducted (Case 3c) using a buoyant plume rather than the momentum driven plume. The resulting values were 20.8 m and 7.74 m/s for the effective release height and wind speed, respectively, and 6.36 m for the buoyancy induced plume rise as shown in Figures 3.3 and 3.4.



N/A = Not applicable.

Figure 3-3 Calculation of the Effective Wind Speed and Release Height for 7.7  $\mu$ m Particulates at the N Receptor Location in Case 3c for the Buoyancy-Induced Plume

Buouancy Induced Plume Unstable/Neutral Conditons (A-D) 
$$x <= 10 \text{ x stack height}$$

$$x > 1.6$$

$$x > 1.7.74$$

$$x >$$

N/A = Not applicable.

Figure 3-4 Calculation of the Buoyancy-Induced Plume Rise in Case 3c for 7.7  $\mu$ m Particulates

#### 3.2 Downwind Direct Air Concentrations

#### 3.2.1 No Plume Reflection

As shown in Figure 3-5 for Case 3a, the downwind air concentration of Ra-226 in the 7.7  $\mu$ m particulates is first calculated to be 5.68 × 10<sup>-15</sup> Ci/m³ without adjustments for the fraction of that particulate size released, the particulate adjustment factor ( $P_A$ ), and the wind frequency in the direction of the receptor. As determined using Equation 3.18, plume reflection is not considered (i.e., at a distance of 1,000 m, the plume has not reached the lid [mixing layer] height) for the atmospheric conditions considered (D stability, 6.93 m/s wind speed). The downwind depleted source strength ( $Q_{xi}$ ) of 7.90 × 10<sup>-10</sup> Ci/s for Ra-226 used in Equation 3.26 depends on the original source term release rate ( $Q_{0i}$ , 0.026 Ci/yr/3.15 × 10<sup>7</sup> s/yr = 8.24 × 10<sup>-10</sup> Ci/s) and wet and dry deposition from the plume out to the receptor location.

The calculation for the depleted source strength is shown in Figure 3-6. Wet deposition depends on the washout coefficient ( $V_w$ ; 0.000126 /s), the rainfall rate (R; 0.1255 mm/h), the distance between source and receptor (x; 1,000 m), and the effective wind speed ( $U_H$ ; 7.55 m/s). Dry deposition depends on the deposition velocity ( $V_{dp}$ ; 0.01 m/s), the effective wind speed, and the no-mixing plume integral of F(x) from 0 to x involving the effective release height (H) and the vertical dispersion coefficient ( $\sigma_z$ ) (Equation 3.30 in the manual):

$$F(x) = \frac{\exp\left(\frac{-H^2}{2\sigma_z^2}\right)}{\sigma_z},$$
(3.30)

The calculated value of the F(x) integral was performed in the "hand calculation" verification spreadsheet by evaluating F(x) and its component values at 1 m intervals from 1 to 1,000 m (from the source to the receptor) and the results for F(x) summed.

As shown at the bottom of Figure 3-5, the final value of  $8.52 \times 10^{-17}$  Ci/m³ for the direct downwind Ra-226 air concentration from 7.7  $\mu$ m particulates at the N Receptor location is obtained by multiplying the unadjusted value of  $5.68 \times 10^{-15}$  Ci/m³ by the fraction of release composed of 7.7  $\mu$ m particulates (0.3), the particulate adjustment fraction for time step 1 (0.8), and the fraction of time that the wind is blowing in the direction of the receptor (0.0625). This result is in excellent agreement with the value of  $8.53 \times 10^{-17}$  Ci/m³ in the Case 3a results.

For Ra-226 in the 54  $\mu$ m particulate fraction in Case 3a, the calculation of downwind air concentration is presented in Figure 3-7, and the supporting depleted source strength calculation is shown in Figure 3-8. As seen in Figure 3-7, the plume does not reach the plume mixing region at the N Receptor location, as was the same for the 7.7  $\mu$ m fraction. For calculation of the depleted source strength (Equation 3.35 in Figure 3-8), the deposition velocity is set equal to the settling velocity any time that the settling velocity exceeds 0.01 m/s, as discussed in Section 3.6.1 in the manual.

The deposition velocity in this instance is set to 0.210 m/s, the value of the settling velocity as calculated using Equation 3.11 shown in Figure 3-2. The final value for the direct downwind Ra-226 air concentration from 54  $\mu$ m particulates is 1.01 × 10<sup>-16</sup> Ci/m³ for time step 1 at the N Receptor location, in excellent agreement with the value of 1.00 × 10<sup>-16</sup> Ci/m³ obtained in Case 3a using the code.




Figure 3-5 Calculation of Ra-226 Concentration in 7.7 μm Particulates at the N Receptor Location in Case 3a (Momentum-Driven Plume) at Time Step 1





Figure 3-6 Calculation of the Ra-226 Depleted Source Strength in 7.7 μm Particulates at the N Receptor Location in Case 3a (Momentum-Driven Plume) at Time Step 1

Table 3-1 provides a comparison of results for both particulate sizes for all 16 receptors considered in the Case 3a file against those results using the verification spreadsheet.

For the situation with a buoyancy-induced plume in Case 3c, the resulting direct air concentration of 7.84  $\times$  10<sup>-17</sup> Ci/m³ of Ra-226 in 7.7  $\mu$ m particulates as shown in Figure 3-9 is in good agreement with the Case 3c results of 7.87  $\times$  10<sup>-17</sup> Ci/m³.

Table 3-1 Comparison MILDOS-AREA of Direct Downwind Air Concentrations of Ra-226 during Time Step 1 with the Verification Spreadsheet for Case 3a

Wind E	Blowing	Wind Speed Category/	Stability		Case 3	a (Ci/m³)	Verificati	ion (Ci/m³)
From:	То:	Speed (m/s)	Category	Receptor Name	7.7 μm	54 μm	7.7 μm	54 μm
N	S	1 (0.67)	Α	S Receptor	5.88E-17	8.73E-18	5.88E-17	8.71E-18
NNE	SSW	2 (2.46)	Α	SSW Receptor	1.96E-17	2.16E-17	1.96E-17	2.17E-17
NE	SW	2 (2.46)	В	SW Receptor	7.70E-17	4.99E-17	7.69E-17	5.00E-17
ENE	WSW	3 (4.47)	В	WSW Receptor	4.48E-17	5.32E-17	4.48E-17	5.33E-17
Ε	W	4 (6.93)	В	W Receptor	2.97E-17	4.57E-17	2.96E-17	4.57E-17
ESE	WNW	3 (4.47)	С	WNW Receptor	7.61E-17	7.33E-17	7.61E-17	7.27E-17
SE	NW	5 (9.61)	С	NW Receptor	3.74E-17	6.16E-17	3.74E-17	6.13E-17
SSE	NNW	6 (12.5)	С	NNW Receptor	2.90E-17	5.30E-17	2.91E-17	5.28E-17
S	N	4 (6.93)	D	N Receptor	8.53E-17	1.00E-16	8.52E-17	1.01E-16
SSW	NNE	5 (9.61)	D	NNE Receptor	6.34E-17	9.81E-17	6.33E-17	9.83E-17
SW	NE	6 (12.5)	D	NE Receptor	4.96E-17	8.97E-17	4.96E-17	8.98E-17
WSW	ENE	2 (2.46)	E	ENE Receptor	2.10E-16	1.87E-17	2.10E-16	1.86E-17
W	E	3 (4.47)	E	E Receptor	1.38E-16	7.88E-17	1.38E-16	7.87E-17
WNW	ESE	4 (6.93)	E	ESE Receptor	9.66E-17	1.19E-16	9.63E-17	1.18E-16
NW	SE	1 (0.67)	F	SE Receptor	1.45E-16	5.80E-22	1.46E-16	5.68E-22
NNW	SSE	2 (2.46)	F	SSE Receptor	1.62E-16	5.00E-18	1.61E-16	4.87E-18
		·		Total	1.32E-15	8.76E-16		



14/A - 140t applicable.

Figure 3-7 Calculation of Ra-226 Concentration in 54 μm Particulates at the N Receptor Location in Case 3a (Momentum-Driven Plume) at Time Step 1




Figure 3-8 Calculation of the Ra-226 Depleted Source Strength in 54 μm Particulates at the N Receptor Location in Case 3a (Momentum-Driven Plume) at Time Step 1

In most situations, multiple meteorological conditions will contribute to the downwind air concentration in a specific direction. Case 3b takes the 16 stability class/wind speed combinations and their frequency of occurrence used in Case 3a and assigns all to blow in the direction of the Far SSW Receptor. The Ra-226 downwind air concentration calculated for time step 1 ( $1.32 \times 10^{-15}$  Ci/m³) exactly matches the sum of the contributions for all directions for both particulate sizes as shown in Table 3-1 for Case 3a.

### 3.2.2 Plume Reflection

For locations where the plume reaches the mixing height, Equation 3.28 is used to calculate the downwind air concentrations, and the depleted source strength due to dry deposition depends on the simple integral where F(x) = 1/L. The Far SSW Receptor in Case 3a is at such a location. For this direction, the meteorological data is set to a stability class of A and a wind speed of 2.46 m/s blowing from the NNE to the SSW. For the 7.7  $\mu$ m particulates released, the direct downwind Ra-226 air concentration is calculated to be 4.31 × 10<sup>-18</sup> Ci/m³ as presented in Figure 3-10. This value matches that calculated by the code for Case 3a. The corresponding calculations for effective wind speed and release height and the depleted source strength are shown in Figures 3-11 and 3-12, respectively.

As a check on the population calculations, Figures 3-13, 3-14, and 3-15 present the calculations for the effective release height of 7.7  $\mu$ m particulates, the depleted source strength, and the downwind Ra-226 air concentration, respectively, at the 5–10 km WSW location in the population grid for Case 3a. The wind blows at 4.47 m/s in this direction from the ENE under stability class B. The calculated Ra-226 air concentration in 7.7  $\mu$ m particulates is 7.29 × 10<sup>-19</sup> Ci/m³ as shown in Figure 3-15, matching the output result for Case 3a.




Figure 3-9 Calculation of Ra-226 Concentration in 7.7 μm Particulates at the N Receptor Location in Case 3c (Buoyancy-Induced Plume) at Time Step 1





Figure 3-10 Calculation of Ra-226 Concentration in 7.7 μm Particulates at the Far SSW

Receptor Location in Case 3a at Time Step 1



N/A = Not applicable.

Figure 3-11 Calculation of the Effective Wind Speed and Release Height for 7.7  $\mu m$  Particulates at the Far SSW Receptor Location in Case 3a





Figure 3-12 Calculation of the Ra-226 Depleted Source Strength for 7.7  $\mu m$  Particulates at the Far SSW Receptor Location in Case 3a at Time Step 1



N/A = Not applicable.

Figure 3-13 Calculation of the Effective Wind Speed and Release Height for 7.7  $\mu m$  Particulates for the 5–10 km WSW Location on the Population Grid in Case 3a




Figure 3-14 Calculation of the Ra-226 Depleted Source Strength for 7.7  $\mu m$  Particulates at the 5–10 km WSW Location on the Population Grid in Case 3a at Time Step 1




Figure 3-15 Calculation of Ra-226 Concentration in 7.7 μm Particulates at the 5–10 km WSW Location on the Population Grid in Case 3a at Time Step 1

## 4 ENVIRONMENTAL MEDIA CONCENTRATIONS

Chapter 3 covered the calculation of downwind air concentrations from a source. These air concentrations are used to estimate the resulting radionuclide ground concentrations, total air concentrations, and concentrations in vegetation, meat, and milk. Section 4.1 verifies the calculations performed by MILDOS-AREA to estimated radionuclide ground concentrations at receptor locations. Resuspension of radionuclides in particulates is examined in Section 4.2.1, and the resulting total air concentration calculation (direct downwind + resuspended) is verified in Section 4.2.2. The calculation of estimated vegetation concentrations is covered in Section 4.3. Meat and milk concentration calculations are examined in Section 4.4.

# 4.1 Radionuclide Ground Concentrations

The starting point in MILDOS-AREA for calculating particulate radionuclide ground concentrations is the value for the direct downwind radionuclide air concentration. For the Ore Pad source in the Case 1 example, a calculation of the direct air concentration for U-238 7.7  $\mu m$  particulates is shown in Figure 4-1.




Figure 4-1 Calculation of the Direct Air Concentration of U-238 in 7.7  $\mu$ m Particulates from the Ore Pad at the Nearest Resident NNW Receptor Location in Case 1

The normalized air concentration (X/Q), which accounts for all weather conditions (stability class/wind speed combinations) and their frequency of occurrence for the direction toward the Nearest Resident NNW receptor from the Ore Pad, was taken from Case 1 results as a starting point for estimating the ground concentrations. As a check, the concentration values for the different time steps match Case 1 output if resuspension is not considered (resuspension deposition velocity was set to its minimum value of  $1 \times 10^{-5}$  m/s).

The U-238 ground concentration from 7.7  $\mu$ m particulates from the Ore Pad at the Nearest Resident NNW after time step 1 is 6.01 × 10<sup>-13</sup> Ci/m<sup>2</sup> as shown in the top of Figure 4-2, matching the value in the Case 1 results. This value depends on the direct air concentration just discussed, the deposition velocity ( $V_{dp}$ ), the length of time step 1 ( $t_{s1}$ ), and the decay of U-238 due to radioactive decay and environmental loss ( $\lambda_i$  and  $\lambda_e$ , respectively).

After each successive time step, the U-238 ground concentration not only depends on the amount freshly deposited during the time step (i.e., Equation 4.1), but also on the decay of U-238 remaining on the ground after the prior time step. For example, the ground concentration of U-238 from 7.7 µm particulates from the Ore Pad at the Nearest Resident NNW after time

step 2 is  $1.78 \times 10^{-12}$  Ci/m<sup>2</sup> as shown in the bottom of Figure 4-2, matching the corresponding value in the Case 1 results.




Figure 4-2 Calculation of the Ground Concentration of U-238 in 7.7 µm Particulates from the Ore Pad at the Nearest Resident NNW Receptor Location in Case 1

The calculation for time step 4 is shown in Figure 4-3, with the amount deposited for each time step decayed for the length of time between the end of that time step and the end of time step 4. The estimated value of  $2.94 \times 10^{-12}$  Ci/m<sup>2</sup> as shown in Figure 4-3 matches the corresponding value in the Case 1 results.

As a check on the calculations used in the population estimates, the direct air concentrations of U-238 in 7.7  $\mu$ m particulates from the Ore Pad at the center of the population grid segment 10–20 km to the SSW were estimated as shown in Figure 4-4. These values were used to estimate the U-238 7.7  $\mu$ m particulate ground concentration of 1.90 × 10<sup>-14</sup> Ci/m² as shown in Figure 4-5, which matches the corresponding value in the Case 1 results.

Deposition of radon progeny also results in radionuclide ground concentrations. As an example, Figure 4-6 presents the calculation of the Po-218 ground concentration after time step 1 in Case 3a at the 5–10 km WSW location of the population grid. The calculation of the Po-218 air concentration used is shown later in Figure 4-27. The calculated ground concentration of  $3.81 \times 10^{-15}$  Ci/m² matches the Case 3a output result. Note that MILDOS-AREA assumes the ground concentrations of other Rn-222 progeny (Pb-214 and Bi-214) to be in equilibrium with the ground concentration of Po-218.




Figure 4-3 Calculation of the Ground Concentration of U-238 in 7.7  $\mu m$  Particulates from the Ore Pad at the Nearest Resident NNW Receptor Location after Time Step 4 in Case 1

Direct Air Co	oncentration	ns C <sub>sec</sub> (i,x	(,t <sub>s</sub> ) for U-238	3 particul	ates with 7	7.7 µm siz	e from Ore	Pad at 10	- 20 km SSV	V on Popu	ılation Grid
ime Step											
1	1.24E-20	=	3.87E-04	х	0.3	x	3.37E-09	x	3.17E-08	x	1
2	1.24E-20	=	3.87E-04	х	0.3	x	3.37E-09	x	3.17E-08	x	1
3	1.24E-20	=	3.87E-04	х	0.3	x	3.37E-09	x	3.17E-08	x	1
4	1.24E-21	=	3.87E-04	x	0.3	x	3.37E-09	x	3.17E-08	x	0.1
	$C_{\text{sec}}(i,x,t_s)$	C	i/yr Released	7.	7 <sub>μ</sub> m Fracti	on	X/Q (s/m <sup>3</sup> )		(yr/s)		P <sub>As</sub> (unitless))
	(Ci/m <sup>3</sup> )	f	from Ore Pad								

Figure 4-4 Calculation of the Direct Air Concentration of U-238 in 7.7  $\mu$ m Particulates from the Ore Pad at 10–20 km SSW on the Population Grid in Case 1

## 4.2 Radionuclide Air Concentrations

The total air concentration for a radionuclide in MILDOS-AREA is used to evaluate inhalation and external cloudshine exposure. The total air concentration is the sum of the downwind direct air concentration calculated using the dispersion model as discussed in Chapter 3 and the resuspended air concentration from previously deposited material at the receptor location in earlier time steps. Section 4.2.1 verifies the calculation of resuspended particulate air concentrations. Section 4.2.2.2 examines the total air concentration for particulates (the sum of direct and resuspended air concentrations) and the concentrations of Rn-222 and Rn-220 and their daughter products.

### 4.2.1 Resuspension

Particulate material from a source deposited at a receptor location has the potential for being resuspended by mechanical means such as wind or human activities. In the resuspension model used in MILDOS-AREA, calculation of the resuspended air concentration as presented in Figure 4-7 depends on the resuspension half-life in the form of the resuspension decay factor ( $\lambda_r$ ), the initial and final values for the resuspension factor ( $R_l$  and  $R_F$ , respectively), and the deposition velocity for the reference particle size corresponding to  $R_l$  and  $R_F$  ( $V_{dr}$ ).

The calculation of the resuspended air concentration of U-238 in 7.7  $\mu$ m particulates from the Ore Pad at the Nearest Resident NNW receptor location after time step 4 in Case 1 is shown in Figure 4-7. Figure 4-8 presents the same calculation for the 10–20 km SSW location on the population grid. The estimated values of 1.28 × 10<sup>-19</sup> Ci/m³ and 8.30 × 10<sup>-22</sup> Ci/m³ will be used in the following section discussing total air concentrations.

### 4.2.2 Total Air Concentrations

#### 4.2.2.1 Particulates

The total air concentration for U-238 in 7.7  $\mu$ m particulates is the sum of the direct air concentration from the source (see Figures 4-1 and 4-4) and the concentration of resuspended material from anything previously deposited (see Figures 4-7 and 4-8). As shown in Figure 4-9, the total value for U-238 in 7.7  $\mu$ m particulates from the Ore Pad at the Nearest Resident NNW receptor location after time step 4 in Case 1 is 3.20 × 10<sup>-19</sup> Ci/m³, which matches the value found in the Case 1 interactive results. For the 10–20 km SSW location on the population grid, the total air concentration is 2.07 × 10<sup>-21</sup> Ci/m³, which also matches the Case 1 results.




Figure 4-5 Calculation of the Ground Concentration of U-238 in 7.7 µm Particulates from the Ore Pad at 10–20 km SSW on the Population Grid after Time Step 4 in Case 1

Ground Concentration after Time Step 1 for	ntratic	n after Time S	tep 1 f	or Rn-222 daugl	Rn-222 daughters Po-218, Pb-214, and Bi-214	
					×	
2 0 0 1 1 1	ı	6000	;	A 70E 1E	$\lambda(1/y^{\dagger})$ ts <sub>1</sub> (yr)	3
S.o.le-13 C <sub>g</sub> (i,p,x,t <sub>1</sub> ) (Ci/m <sup>2</sup> )	ı	V <sub>dp</sub> (m/s)	×	$C_{sec}(i,x,t_{s1})$ (Ci/m <sup>3</sup> )	$\lambda$ 3.1689E-08 $\lambda$ (1/yr) (y/s)	<b>4</b> ,
where 1.17E+05	II	1.17E+05	+	1.39E-02		
$\lambda$ (1/yr) for Po-218		λ <sub>ι</sub> (1/yr)		λ <sub>e</sub> (1/yr)		

Figure 4-6 Calculation of the Ground Concentration of Po-218 from Rn-222 Decay at 5–10 km WSW Location on the Population Grid after Time Step 1 in Case 3a




Figure 4-7 Calculation of the Resuspended Air Concentration of U-238 in 7.7 μm Particulates from the Ore Pad at the Nearest Resident NNW Receptor Location after Time Step 4 in Case 1




Figure 4-8 Calculation of the Resuspended Air Concentration of U-238 in 7.7 μm Particulates from the Ore Pad at 10–20 km SSW on the Population Grid after Time Step 4 in Case 1




Figure 4-9 Calculation of the Total Air Concentration of U-238 in 7.7 μm Particulates from the Ore Pad at the Nearest Resident NNW Receptor Location and the 10–20 km SSW Location on the Population Grid after Time Step 4 in Case 1

The calculations for the total air concentrations over all particulate sizes for U-238 for the Nearest Resident NNW and the 10–20 km SSW location on the population grid are presented in Figure 4-10. The summation of the individual particulate air concentrations matches the values found using the interactive results for Case 1.

Figure 4-10 Calculation of the Total Air Concentration of U-238 from the Ore Pad at the Nearest Resident NNW Receptor Location and the 10–20 km SSW Location on the Population Grid after Time Step 4 in Case 1

#### 4.2.2.2 Radon

MILDOS-AREA considers the radioactive decay of radon during air transport because of its short half-life. As a non-depositing gas, resuspension does not contribute to radon air concentrations. Figure 4-11 shows the calculations for the effective release height (18.26 m) and effective wind speed (7.59 m/s) for a gas released from the point source in Case 3a with a momentum-driven plume at the source. The effective wind speed is then used to calculate the transit time between the source and the receptor ( $\tau$  = 1,000 m/7.59 m/s = 132 s) for the stability class – wind speed category combination used for the N Receptor location.

The transit time is used in turn to calculate the downwind source strength from radon radioactive decay based on the original release rate as shown in Figure 4-12. In combination with the weighted normalized air concentration value of  $4.43 \times 10^{-7}$  s/m<sup>3</sup> estimated (which matches the

Case 3a results), the downwind air concentration of Rn-220 is calculated to be  $3.26 \times 10^{-15}$  Ci/m³, matching the Case 3a results.

The downwind concentration of Rn-222 is calculated using the same process. For Case 3a, the air concentration of Rn-222 at the N Receptor location is estimated to be  $4.72 \times 10^{-13}$  Ci/m<sup>3</sup> as shown in Figure 4-13, the same value found in the Case 3a results.




Figure 4-11 Calculation of the Effective Release Height and Effective Wind Speed for a Gas at the N Receptor Location in Case 3a




Figure 4-12 Calculation of the Rn-220 Air Concentration at the N Receptor Location for Time Step 1 in Case 3a




Figure 4-13 Calculation of the Rn-222 Air Concentration at the N Receptor Location for Time Step 1 in Case 3a

The downwind air concentrations of radon daughter products are calculated from the non-decayed downwind air concentration of the radon parent. Figure 4-14 presents the calculations for the air concentration of Rn-220 (non-decayed  $-1.69 \times 10^{-14}$  Ci/m³) and its Pb-212 daughter product. The value of  $1.97 \times 10^{-17}$  Ci/m³ at the N Receptor location at Time Step 1 in Case 3a matches the value in the Case 3a results. Note that when using the




Figure 4-14 Calculation of the Air Concentration at the N Receptor Location for Time Step 1 in Case 3a for the Pb-212 Daughter Product of Rn-220

"Interactive Results" tab to view results in MILDOS-AREA, the radon progeny are considered as a "Gas" selection under the Particle Size option.

The calculation for the air concentration of the Pb-214 daughter of Rn-222 is presented in Figure 4-15. The value of  $5.50 \times 10^{-15}$  Ci/m³ is in excellent agreement with the value of  $5.51 \times 10^{-15}$  Ci/m³ found in the Case 3a results.




Figure 4-15 Calculation of the Air Concentration at the N Receptor Location for Time Step 1 in Case 3a for the Pb-214 Daughter Product of Rn-222

In the case of a buoyancy-induced plume rise (Case 3c), the same set of calculations were verified for the concentrations of Rn-220 and Rn-222 and their progeny, Pb-212 and Pb-214, respectively, as shown in Figures 4-16 to 4-21. All four concentrations matched the Case 3c output results.




Figure 4-16 Calculation of the Effective Buoyancy-Induced Plume Release Height and Effective Wind Speed for a Gas (including Radon) at the N Receptor Location in Case 3c

Figure 4-17 Calculation of the Buoyancy-Induced Plume Rise in Case 3c for Gases (including Radon) at the N Receptor Location




Figure 4-18 Calculation of the Rn-220 Air Concentration at the N Receptor Location for Time Step 1 in Case 3c




Figure 4-19 Calculation of the Rn-222 Air Concentration at the N Receptor Location for Time Step 1 in Case 3c




Figure 4-20 Calculation of the Air Concentration at the N Receptor Location for Time Step 1 in Case 3c for the Pb-212 Daughter Product of Rn-220




Figure 4-21 Calculation of the Air Concentration at the N Receptor Location for Time Step 1 in Case 3c for the Pb-214 Daughter Product of Rn-222

As a check on population calculations for radon at farther distances in the air dispersion mixing zone, radon concentration estimates were verified for the 5–10 km WSW location on the population grid for Case 3a. Figure 4-22 shows the calculation for the effective release height and wind speed for Case 3a. Figures 4-23 and 4-24 present the calculations for the Rn-220 and Rn-222 air concentrations, respectively, for Case 3a. The concentrations are calculated for the 5–10 km WSW location on the population grid during time step 1. The Rn-220 concentration of 3.84 × 10<sup>-25</sup> Ci/m³ is in good agreement with the Case 3a output result of 3.85 × 10<sup>-25</sup> Ci/m³, and the Rn-222 concentration of 4.73 × 10<sup>-15</sup> Ci/m³ matches the Case 3a output result. Figures 4-25 and 4-26 present the air concentrations for the Pb-212 and Pb-214 daughters of Rn-220 and Rn-222, respectively. The concentration values of 2.39 × 10<sup>-19</sup> Ci/m³ and 2.05 × 10<sup>-15</sup> Ci/m³ for Pb-212 and Pb-214, respectively, match the Case 3a output results. The concentration of the first daughter product of Rn-222 (Po-218) was also estimated as shown in Figure 4-27 to be 4.72 × 10<sup>-15</sup> Ci/m³, which matches the Case 3a output result.




Figure 4-22 Calculation of the Effective Momentum-Driven Plume Release Height and Effective Wind Speed for a Gas (including Radon) at the 5–10 km WSW Location on the Population Grid in Case 3a at Time Step 1




Figure 4-23 Calculation of the Rn-220 Air Concentration at the 5–10 km WSW Location on the Population Grid in Case 3a at Time Step 1




Figure 4-24 Calculation of the Rn-222 Air Concentration at the 5–10 km WSW Location on the Population Grid in Case 3a at Time Step 1




Figure 4-25 Calculation of the Air Concentration at the 5–10 km WSW Location on the Population Grid in Case 3a at Time Step 1 for the Pb-212 Daughter Product of Rn-220




Figure 4-26 Calculation of the Air Concentration at the 5–10 km WSW Location on the Population Grid in Case 3a at Time Step 1 for the Pb-214 Daughter Product of Rn-222




Figure 4-27 Calculation of the Air Concentration at the 5–10 km WSW Location on the Population Grid in Case 3a at Time Step 1 for the Po-218 Daughter Product of Rn-222

# 4.3 Vegetation Concentrations

Five categories of vegetation are considered in MILDOS-AREA at each receptor location; the first three are for human consumption, and the last two are for livestock consumption: (1) edible aboveground vegetables, (2) potatoes, (3) other edible belowground vegetables, (4) pasture grass, and (5) hay (stored feed). The vegetation concentrations depend on the local air and ground concentrations as well as:

- the soil-to-plant transfer coefficient  $(B_{\nu}(i))$ ,
- the soil areal density for surface mixing (ρ),
- the fraction of the total deposition retained on plant surfaces  $(F_r)$ ,
- the fraction of the foliar deposition reaching edible portions of vegetation  $(E_{\nu})$ ,
- the decay constant accounting for weathering losses  $(\lambda_w)$ ,
- the duration of exposure while vegetation is growing  $(t_{\nu})$ , and
- the yield density of vegetation (Y<sub>ν</sub>).

Using the previously calculated air and ground concentrations (see Figures 4-9 and 4-3, respectively), the estimated concentrations of U-238 from 7.7  $\mu$ m particulates from the Ore Pad

in aboveground and belowground vegetables and potatoes at the Nearest Resident NNW location are provided in Figure 4-28. The calculated values match those found in the Case 1 results. The estimated concentrations of U-238 from 7.7  $\mu$ m particulates from the Ore Pad in pasture grass and stored feed at the Nearest Resident NNW location are provided in Figure 4-29. The calculated values match those found in the Case 1 results.

Similarly, using the previously calculated air and ground concentrations for the population analysis (see Figures 4-9 and 4-5, respectively), the estimated concentrations of U-238 from 7.7  $\mu$ m particulates from the Ore Pad in aboveground and belowground vegetables and potatoes at 10–20 km SSW on the population grid are provided in Figure 4-30. The calculated values match those found in the Case 1 results. The estimated concentrations of U-238 from 7.7  $\mu$ m particulates from the Ore Pad in pasture grass and stored feed at the 10–20 km SSW location on the population grid are provided in Figure 4-31. The calculated values match those found in the Case 1 results.

# 4.4 Meat and Milk Concentrations

The radionuclide concentrations in meat and milk depend on their concentrations in pasture grass and stored feed as calculated in the previous section, the radionuclide-specific feed-to-meat or feed-to-milk transfer coefficient ( $F_b$  or  $F_m$ ), and the fractions of the total annual feed requirement that is assumed to be satisfied by pasture grass or locally grown feed (hay) ( $F_{pg}$  or  $F_h$ ). The concentration of U-238 from 7.7  $\mu$ m particulates from the Ore Pad in meat and milk at the Nearest Resident NNW receptor and 10–20 km SSW location on the population grid after time step 4 in Case 1 are provided in Figures 4-29 and 4-31, respectively. These values all match the results found in the Case 1 output results.




Figure 4-28 Concentration of U-238 from 7.7 µm Particulates from the Ore Pad in aboveground and belowground Vegetables and Potatoes at the Nearest Resident NNW Receptor Location after Time Step 4 in Case 1




Figure 4-29 Concentration of U-238 from 7.7  $\mu$ m Particulates from the Ore Pad in Animal Feed, Meat, and Milk at the Nearest Resident NNW Receptor Location after Time Step 4 in Case 1




Figure 4-30 Concentration of U-238 from 7.7 μm Particulates from the Ore Pad in aboveground and belowground Vegetables and Potatoes at the 10–20 km SSW Location on the Population Grid after Time Step 4 in Case 1




Figure 4-31 Concentration of U-238 from 7.7  $\mu$ m Particulates from the Ore Pad in Animal Feed, Meat, and Milk at the 10–20 km SSW Location on the Population Grid after Time Step 4 in Case 1

#### 5 HUMAN EXPOSURE MODELS

This chapter considers the exposure model calculations used in MILDOS-AREA. Potential receptors, including individuals and population groups, are considered. Exposure pathways include inhalation of dispersed air and resuspended material using the total air concentration results as verified in Section 4.2, external radiation from ore material in the air (Section 4.2) and on the ground (Section 4.1), and ingestion of ore-associated radioactivity in locally grown foods (Sections 4.3 and 4.4). Inhalation exposure is covered in Section 5.1; external exposure is covered in Section 5.2; and ingestion exposure is covered in Section 5.3.

#### 5.1 Inhalation

#### 5.1.1 Particulates

The adult effective dose coefficients (DCs) used in MILDOS-AREA are specific to a given receptor type (adult, teenager, child, or infant), particle size (0.1, 0.15, 0.2, 0.3, 0.5, 1, 2, 3, 5, 10, 20, or 50  $\mu$ m), and solubility class (day, week, or year). For example, see Table B-3 in the manual for the DCs for adults for the U-238 decay series isotopes. For particle sizes between those listed, a linear interpolation is used to calculate the DC before use in an inhalation exposure calculation.

In some cases, such as for U-238, the DC used in the code calculation includes the contribution from its U-234 daughter. Thus, for inhalation calculations involving U-238 such as shown in Figure 5-1, the U-238 inhalation DC for 5 and 10  $\mu$ m particulates is 0.0875 and 0.0501 mrem/pCi, respectively, for the Y solubility class as used in Case 1.




Figure 5-1 Inhalation Dose Rate to Nearest Resident NNW from U-238 from All Particulates (7.7  $\mu$ m and 54  $\mu$ m) from the Ore Pad during Time Step 4 in Case 1

Since the 7.7  $\mu$ m particulate size is intermediate between 5 and 10  $\mu$ m for which DC values are available, its DC value is calculated by adding the value for the smaller 5  $\mu$ m size ( $DC_{sp}$ ) to the difference between the DC values scaled by the difference in particle size between the particle size of interest (7.7  $\mu$ m) and the smaller particle size ( $S_{sp}$ ;

5 μm) relative to the difference between the larger ( $S_{lp}$ , 10 μm) and smaller particle sizes. The bottom of Figure 5-1 shows the calculation for the U-238 inhalation DC for a 7.7 μm particulate for the Y solubility class.

The calculated dose rate of  $1.57 \times 10^{-4}$  mrem/yr in Figure 5-1 matches the value in the Case 1 results. The air concentration for 7.7 µm particulates (1st particle size) was previously calculated in Figure 4-9; the air concentration for 54 µm particulates (2nd particle size) was taken from the Case 1 results. The U-238 DC for the 7.7 µm size (6.73 ×  $10^{-2}$  mrem/pCi) was calculated at the bottom of Figure 5-1 as previously discussed, and the DC for the 54 µm size (1.49 ×  $10^{-4}$  mrem/pCi) is the sum of the values for U-238 (7.10 ×  $10^{-5}$  mrem/pCi) and U-234 (7.82 ×  $10^{-5}$  mrem/pCi) for 50 µm particulates, as shown in Table B-3 in the manual. In MILDOS-AREA, the DC for 50 µm particulates is used for particulates larger than 50 µm; no scaling of DCs is performed. In this particular example, the receptor was an adult, so no DC multiplier was used to adjust for age. Also note that the breathing rate used for inhalation calculations is fixed at 7,300 m³/yr and not a user input value. See the following for the population inhalation calculations.

The individual age-specific inhalation dose calculations for individuals residing at the 10-20 km SSW location on the population grid are presented in Figure 5-2. The total population dose rate in that population grid segment was calculated to be  $1.19 \times 10^{-3}$  person-mrem/yr from inhalation of U-238 in particulates from the Ore Pad during time step 4 in Case 1. The code results contained the same value.

#### **5.1.2** Radon

The calculation of the inhalation dose from Rn-222 is based on the extent of the indoor and outdoor equilibrium between Rn-222 and its daughter radionuclides at the receptor location. The indoor equilibrium fraction is specified by the user, and the outdoor equilibrium fraction can be specified by the user or calculated based on the downwind air concentrations of radon and its daughter radionuclides. The calculation of the outdoor equilibrium fraction and the inhalation dose to the Nearest Resident NNW in Case 1 from the Ore Pad is shown in the top portion of Figure 5-3. The dose of 0.384 mrem/yr from Rn-222 during time step 4 matches the output results for Case 1.

The calculation of the effective inhalation dose from Rn-220 follows a different methodology than that used for Rn-222 because of Rn-220's much shorter half-life. In most situations, the majority of Rn-220 released from the source will have decayed by the time the plume reaches a receptor. The Rn-220 dose is calculated using the concept of the working level (WL) as shown at the bottom of Figure 5-3. The Rn-220 inhalation dose of  $1.07 \times 10^{-4}$  mrem/yr to the Nearest Resident NNW from the Ore Pad during time step 4 in Case 1 matches the value in the Case 1 output results.

Calculation of the effective population dose from radon at the population segment 10-20 km in the SSW direction from all sources during time step 4 in Case 1 is shown in Figure 5-4. Here, the Rn-222 dose rate is estimated to be 4,230 person-mrem/yr and

Infant Individual Dose       A: 88E-06       = $10^{12}$ x ( 2.07E-21       x       6.73E-02       +       1.55E-22       x       0.000149       x       4.8       x       7300         D <sub>Inh, kop</sub> (x, t <sub>j</sub> )       (pCl/Ci) $C_{air}(i, p_1, x, t_j)$ DC <sub>Inh, kop</sub> (x, t <sub>j</sub> )       DC <sub>Inh, kop</sub> 2       Age multiplier       Inhalation Rate         (mrem/pCi)       (Cl/m³)       (mrem/pCi)       (mrem/pCi)       (mrem/pCi)       (mrem/pCi)       (mrem/pCi)	(5.3)
Child Individual Dose       X       6.73E-02       +       1.55E-22       X       0.000149       X       2.3       X       7300         2.34E-06       =       10 <sup>12</sup> x ( [.p.i.x.t]) $C_{air}(i,p_1,x.t_1)$ $D_{Cinh,ikop1}$ $C_{air}(i,p_2,x.t_1)$ $D_{Cinh,ikop2}$ Age multiplier       Inhalation Rate         (mrem/pci)       (Gl/m³)       (mrem/pci)       (mrem/pci)       (mrem/pci)       (mrem/pci)	(5.3)
Teenager Individual Dose           1.22E-06         =         10 <sup>12</sup> x (E.07E-21)         x         6.73E-02         +         1.55E-22         x         0.000149         x         1.2         x         7300           D <sub>Inh, kop</sub> (x,t <sub>j</sub> )         (pCi/Ci) $C_{air}(i,p_1,x,t_j)$ DC <sub>Inh, ikop1</sub> Cair(i,p_2,x,t_j)         DC <sub>Inh, ikop2</sub> Age multiplier         Inhalation Rate           (mrem/pCi)         (ci/m³)         (mrem/pCi)         (mrem/pCi)         (mrem/pCi)         (m³/yr)	(5.3)
Adult Individual Dose         *         (E.73E-02)         +         (1.55E-22)         *         *         (0.000149)         *         *         1         *         7300           D <sub>Drin, kop</sub> (x,t <sub>j</sub> )         (pCi/Ci) $C_{air}(i,p_1,x,t_j)$ DC <sub>Inh, ikop1</sub> C <sub>air</sub> (i,p_2,x,t_j)         DC <sub>Inh, ikop2</sub> Age multiplier         Inhalation Rate           (mrem/pCi)         (ci/m³)         (mrem/pCi)         (mrem/pCi)         (mrem/pCi)         (m³/yr)	(5.3)
Population Segment Inhalation Dose 1.19E-03 = $883$ x ( $0.0179$ x $1.88E-06$ + $0.1647$ x $1.34E-06$ Dinh, child (x, t <sub>j</sub> ) $1.9E-03$ + $1.9E-03$ + $1.9E-03$ $1.9E-0$	
+ 0.1957 x 1.22E-06 + 0.6217 x 1.02E-06 $\Big]$ Print, teen (x,t <sub>j</sub> ) $\Big]$ Fadut $\Big]$ C $\Big]$ (mrem/yr)	

Figure 5-2 Population Inhalation Dose from U-238 from the Ore Pad at the 10–20 km SSW Location on the Population Grid after Time Step 4 in Case 1




Figure 5-3 Radon Inhalation Dose to Nearest Resident NNW from the Ore Pad during Time Step 4 in Case 1

the Rn-220 dose rate to be 0.658 person-mrem/yr. Both values match the output results for Case 1.

#### 5.2 External

The calculation of external dose from cloudshine and groundshine from U-238 in 7.7  $\mu$ m particulates for an individual receptor and a population segment are presented in Figure 5-5. The value of 9.54 × 10<sup>-6</sup> mrem/yr for the individual dose rate and the value of 5.01 × 10<sup>-5</sup> person-mrem/yr for the population segment both match the Case 1 output results.




Figure 5-4 Radon Inhalation Population Dose from All Sources at the 10–20 km SSW Location on the Population Grid after Time Step 4 in Case 1




Figure 5-5 External Dose from Groundshine and Cloudshine from U-238 in 7.7  $\mu$ m Particulates from the Ore Pad during Time Step 4 in Case 1

#### 5.3 <u>Ingestion</u>

The ingestion dose attributed to a specific radionuclide is calculated by multiplying an individual's ingestion intake rate of the radionuclide by the age-specific ingestion DC for that radionuclide. In MILDOS-AREA, the ingestion intake rate calculation for an individual depends on the following input:

- milk and meat ingestion rates for age group k ( $U_{mk}$ ,  $U_{bk}$ ),
- average milk concentration for radionuclide *i* during time step *j*,
- average meat concentration for radionuclide *i* during time step *j*,
- fraction of activity remaining in vegetables after food preparation  $(F_{va})$ ,
- vegetable ingestion rate for age group  $k(U_{vk})$ ,
- fraction of vegetable category c consumed by age group k ( $F_{vck}$ ), and
- concentration of radionuclide i in vegetation type v during time step i.

The ingestion rate intake and ingestion exposure dose rates associated with the Nearest Resident NNW in Case 1 are presented in Figure 5-6 for U-238 in 7.7  $\mu$ m particulates for time step 4. The U-238 concentration in the three vegetable types was calculated in Figure 4-27, and the milk and meat concentration calculations were shown in Figure 4-28. The ingestion dose of 1.02 × 10<sup>-5</sup> mrem/yr calculated in Figure 5-6 matches the Case 1 output results for the sum of doses from vegetable, meat, and milk ingestion.

For population exposure, MILDOS-AREA assumes that all locally grown food is consumed, either locally or outside the region. The following additional input parameters are required to estimate the population ingestion dose:




Figure 5-6 Ingestion Dose from U-238 in 7.7  $\mu m$  Particulates to Nearest Resident NNW from the Ore Pad during Time Step 4




Figure 5-7 Sample Calculations Used in Population Ingestion Dose Analysis for U-238 in 7.7  $\mu$ m Particulates from the Ore Pad during Time Step 4 in Case 1

- weighting factor for vegetable type v in population segment s (fraction of total production) ( $W_{vs}$ ),
- annual production rate of food type f in population segment s ( $P_{fs}$ ), and
- fraction of the population belonging to age group k ( $F_{pk}$ ).

The fraction of each food type consumed by each age group ( $F_{fk}$ ) is first calculated. The calculation of the fraction of the amount of meat produced in an area that is consumed by adults is shown in Figure 5-7. The remaining values as calculated in the verification spreadsheet are shown in Table 5-1.

Table 5-1 Fraction of Food Type Consumed by Age Group

Age Group	Vegetables	Meat	Milk
Infant	0	0	0.0178
Child	0.1417	0.0780	0.1850
Teenager	0.2168	0.1485	0.2728
Adult	0.6415	0.7735	0.5244

For the population segment located 10–20 km SSW on the population grid in Case 1, the total activity of U-238 in each food group from 7.7  $\mu$ m particulates from the Ore Pad at time step 4 is calculated as provided in Figure 5-8. In conjunction with the fraction consumed by each age group, the total effective population ingestion dose is calculated as shown in Figure 5-9. The total population ingestion dose of 8.16 ×  $10^{-8}$  person-rem/yr matches the Case 1 output results for the sum of doses from vegetable, meat, and milk ingestion.

Activity of U	-238 fr	om 7.7 <sub>µ</sub> m Par	ticulate	s in Each Food	Туре	
1.44E-01 Q <sub>v</sub> (i,t <sub>j</sub> ) (pCi/yr)	=	4.90E+04 P <sub>vs</sub> (kg/yr)	x		vegetables	(5.13)
7.76E-03 Q <sub>b</sub> (i,t <sub>j</sub> ) (pCi/yr)	=	8.10E+04 P <sub>bs</sub> (kg/yr)	x		meat	
1.01E-04 Q <sub>m</sub> (i,t <sub>j</sub> ) (pCi/yr)	=	5.90E+02 P <sub>ms</sub> (kg/yr)	x	$ \begin{bmatrix} 1.72\text{E-07} \\ \text{C}_{\text{m}}(i,s,t_{j}) \\ (\text{pCi/kg}) \end{bmatrix} $	milk	

Figure 5-8 Activity of U-238 in Food from 7.7  $\mu$ m Particulates from the Ore Pad at the 10–20 km SSW Location on the Population Grid at Time Step 4 in Case 1




Figure 5-9 Population Ingestion Dose from U-238 from the Ore Pad from Food Grown at the 10–20 km SSW Location on the Population Grid at Time Step 4 in Case 1

# APPENDIX A: VARIABLE DEFINITIONS

#### APPENDIX A: VARIABLE DEFINITIONS

 $\lambda_{Rn220}$  Rn-220 decay constant (1/d)  $\lambda_{Rn222}$  Rn-222 decay constant (1/d)

 $\rho_a$  density of air (g/m<sup>3</sup>)

 $\rho_o$  bulk density of the ore material (g/cm<sup>3</sup>)

 $\rho_p$  particle density (g/m<sup>3</sup>)

 $\sigma_z$  vertical dispersion coefficient (m)

 $\sigma_{yb}$  buoyancy-induced horizontal dispersion coefficient (m) buoyancy-induced vertical dispersion coefficient (m)

 $A_o$  active area of the ore zone (m<sup>2</sup>)  $C_a$  local air concentration (Ci/m<sup>3</sup>)

 $C_{oRa224}$  concentration of Ra-224 in the ore (pCi/g)  $C_{oRa226}$  concentration of Ra-226 in the ore (pCi/g)

 $\overline{C_{\text{sec}}}(i,x)$  sector-average air concentration of radionuclide i at distance x (Ci/m³) empirical constant to relate shear velocity to horizontal flux (1x10² q-s²/m⁴)

c<sub>t</sub> dimensionless coefficient equal to 0.1

 $c_v$  coefficient of proportionality for vertical flux (2x10<sup>-6</sup> g/m<sup>2</sup>-s)

 $C_{WRn220}$  Rn-220 concentration in process water (pCi/L) Rn-222 concentration in process water (pCi/L,

 $D_o$  average thickness of the ore zone (m) d average diameter of saltating particle (m)  $d_p$  particle diameter for particulate p ( $\mu$ m)  $d_s$  inside diameter of the emission stack (m)

 $E_{D}$  release elevation, the reference point for the release height (m)

 $E_r$  receptor elevation (m)

 $E_{Rn220}$  emanating power for Rn-220 (unitless)  $E_{Rn222}$  emanating power for Rn-222 (unitless)

 $F_{ix}$  water discharge rate from resin unloading of ion exchange columns (L/d)

fraction of Pb-210 relative to U-238 released through the drying/packaging facility

stack (unitless)

 $F_p$  "purge" rate of treated water (L/d)

fraction of Ra-226 relative to U-238 released through the drying / packaging

facility stack (unitless)

 $f_{Rn}$  fraction of radon source carried by circulating water (unitless)

 $f_s$  fraction of production released through the drying / packaging facility stack

(unitless)

 $f_{Th}$  fraction of Th-230 relative to U-238 released through the drying / packaging

facility stack (unitless)

g gravitational acceleration (9.80665 m/s<sup>2</sup>)

 $\Delta h$  plume rise (m)

H effective release height (m)h physical release height (m)

 $h_v$  vertical (gravitational) settling of the plume (m),

L mixing layer height, sometimes referred to as the lid height (m)

 $L_{am}$  average mixing layer height in the morning (m)  $L_{pm}$  average mixing layer height in the afternoon (m)

I normal adiabatic lapse rate of the atmosphere (0.0098 K/m)

 $M_{ore}$  average mass of ore material in a mud pit (g)  $N_{ix}$  number of ion exchange unloadings per day number of mud pits generated per year

*P<sub>c</sub>* plume-path coefficient (unitless)

 $P_{ix}$  porosity of the ion exchange resin (unitless)

 $p_{tm}$  percent of tailing mass that has a diameter smaller than 20  $\mu$ m (unitless) PB210<sub>dp</sub> Pb-210 release rate from the drying / packaging facility stack (Ci/yr)

p power for height ratio (unitless)

Q<sub>Oi</sub> initial amount of radionuclide *i* released (Ci/s) Q<sub>h</sub> heat flux from radionuclide release area (cal/s)

 $Q_{xi}$  depleted source strength of nuclide *i* at distance x (Ci)

 $q_h$  horizontal flux of particulate material (g/m-s)

 $q_v$  vertical flux (emission rate) of particulate material (g/m<sup>2</sup>-s)

R rainfall rate (mm/h)

RA226<sub>dp</sub> Ra-226 release rate from the drying / packaging facility stack (Ci/yr)

 $Rn220_{nw}$  Rn-220 release rate from a new well field (Ci/yr) Rn222<sub>nw</sub> Rn-222 release rate from a new well field (Ci/yr)

 $R_{vc}$  daily production rate of yellowcake at the facility (kg U<sub>3</sub>O<sub>8</sub>/d)

s stability parameter (unitless)

TH230<sub>dp</sub> Th-230 release rate from the drying / packaging facility stack (Ci/yr)

T<sub>a</sub> ambient air temperature (K)
t time following release (s)
t<sub>pit</sub> storage time in a mud pit (d)

*u*∗ shear velocity (m/s)

 $u_{t}$  threshold shear velocity (m/s)

U-238 release rate from the drying / packaging facility stack (Ci/yr)

 $U238_{sa}$  specific activity of U-238 (3.3x10<sup>-7</sup> Ci/g) wind speed at measurement height (m/s)

*u<sub>H</sub>* average wind speed at the effective release height (m/s)

 $u_z$  wind velocity at height z (m/s)  $V_c$  volume of water in circulation (L)

 $V_{dp}$  deposition velocity for particle size p (m/s)  $V_{ix}$  volume content of the ion exchange column (L)

 $V_{\rm S}$  settling velocity (m/s)  $V_{\rm W}$  washout coefficient (1/s)

 $v_{Rn}$  rate of radon venting from piping and valves during circulation (1/d)

v<sub>s</sub> exit velocity of effluent from emission stack (m/s)W water content expressed in weight percent

 $W_c$  washout coefficient (1/s)(mm/h)<sup>-1</sup>

x downwind receptor distance from release area (m) y crosswind distance from the plume centerline (m)

z wind measurement height (m)

 $z_o$  characteristic surface roughness height (g/m-s)

z<sub>a</sub> height of anemometer for wind speed measurement (m)

 $z_r$  vertical distance above the release point (m)

# APPENDIX B: CASE 1 USER FILE INPUT SUMMARY

#### MILDOS-AREA STANDARD RESULTS REPORT

Case Title: Case 1

**Version: MILDOS-AREA 4.0** 

File: C:\mildos4\UserFiles\Case1.mla

Date: 12/08/2015 16:33:57

**Table of Contents** 

#### Input Listing

o Parameters

- o Receptors
- o Sources
- Vegetable Ingestion Parameters
- Population Ingestion Parameters
- o 80km Population
- o 80km Vegetation
- o 80km Meat
- o 80km Milk
- o Meteorological Joint Freq Data
- o Dose Coefficients

#### **Parameters**

(Return to Table of Contents)

Name	Value	Description
ambientT	283	Ambient temperature (K)
amMix	400	Annual average morning mixing height (m)
anemHeight	10	Anemometer height (m)
caseFile	place holder	not used
caseInfo	Sample file	Additional user-specified information for the case under study
caseTitle	Case 1	User-defined title for case under study
cowIngestRate	50	Ingestion rate (feed wet weight) of animals (beef cattle and milk cows) (kg/day)
cutoffHeight	50	Height above which to use Briggs urban dispersion coefficients (m)
decayPlants	14	Weathering decay half-life for loss of contamination from vegetation due to weathering processes (days)
fracEdibleLeafAnimal	1	Fraction of radionuclides reaching the edible portion of animal-consumed vegetation (unitless)
fracEdibleLeafHuman	1	Fraction of radionuclides reaching the edible portion of human-consumed leafy vegetables (unitless)
fracEdibleRoot	0.1	Fraction of radionuclides reaching the edible portion of human-consumed root vegetables (unitless)
fracHayInd	0.5	Fraction of livestock feed from stored hay for individual consumption (unitless)
fracHayPop	0.5	Fraction of livestock feed from stored hay for consumption by the general population (unitless)
fracMeatPrep	1	Fraction of radioactivity in meat remaining after food preparation (unitless)
fracMilkPrep	1	Fraction of radioactivity in milk remaining after food preparation (unitless)
fracPastureInd	0.5	Fraction of livestock feed from pasture grass for individual consumption (unitless)
fracPasturePop	0.5	Fraction of livestock feed from pasture grass for consumption by the general population (unitless)
fracRetain	0.2	Fraction of air-deposited radionuclides retained on vegetation (unitless)
fracVegPrep	0.5	Fraction of radioactivity in vegetables remaining after food preparation (unitless)
gridSize	5	Size of grid blocks to use when calculating air concentrations (m)

### Case 1

isPopExposure	True	Option to perform population ingestion calculations; true (1) or false (0)
isPopIngest	True	Option to perform population ingestion calculations; true (1) or false (0)
ifdNotes	Sample data	Stores user notes as needed
mapProj	Local Coordinates	Contains the current map projection being used for the map display; consists of a list of the UTM zone, the datum (WGS84 or NAD83), and the EPSG code for the projection (EPSG stands for what used to be the European Petroleum Survey Group)
mapState		String with serialized map state
maxDistCalcArea	1000	Maximum distance between an area source and receptor where the area source model will be used; the source will be treated as a point source beyond the specified distance (m)
meatProd	0	Farmland meat productivity (kg/yr)
metFreq	0	Frequency of time wind is blowing in a specific direction, under a specific stability category, at a given wind speed (unitless)
milkProd	0	Farmland milk productivity (kg/yr)
nPeople	0	Number of people in sector segment (persons)
partFrac	0	Fraction of particle size distribution for a given average particle size (unitless)
pmMix	1600	Annual afternoon mixing height (m)
rain	0	Rainfall rate (m/yr)
relRate	0	Nuclide release rate (Ci/yr)
resuspDepVel	0.01	Deposition velocity for particulates associated with the intial and final resuspension factors specified (m/s)
resuspFacFinal	1.00E-09	Final resuspension factor for determining resuspended air concentrations (1/m)
resuspFacInitial	1.00E-05	Initial resuspension factor for determining resuspended air concentrations (1/m)
resuspHalfLife	0.137	Resuspension factor decay half-life (yr)
soilArealDen	240	Areal surface density / effective surface soil density (kg/m^2)
soilConc	0	Nuclide soil concentration for area sources (pCi/g)
soilHalfLife	50	Environmental soil loss half-life (yr)
vegProd	0	Farmland vegetable productivity (kg/yr)
vGrow	60	Exposure time to radionuclides during the human-consumed vegetable growing season(days)
vGrowPasture	30	Exposure time to radionuclides during the animal-consumed vegetation growing season (days)
yieldMeat	3070	Farmland production rate of meat for population ingestion calculations (kg/km^2-yr)
yieldMilk	6710	Farmland production rate of milk for population ingestion calculations (kg/km^2-yr)
yieldVeg	55800	Farmland production rate of vegetation for population ingestion calculations (kg/km^2-yr)
yVeg	2	Yield density of human-consumed vegetation on farmland (kg/m^2)
yVegPasture	0.75	Yield density of animal-consumed vegetation on farmland (kg/m^2)

Receptors (Return to Table of Contents)

Name	׌	y (m)	z (m)	y z Age (m) (m) Group	Indoor Outdoor Indoor Consider Vegetation Age Occupancy Occupancy Shielding Vegetation Ingestion Group Factor Fraction Pathway? Rate (kg/yr)	Outdoor Occupancy Factor	Indoor Shielding Fraction	Consider Vegetation Pathway?		Consider Meat Pathway?	Meat Ingestion Consider Rate Milk (kg/yr) Pathway?	Consider Milk Pathway?		No.	Rn-222 Indoor Eq.	Rn-222 222 Rn-222 Indoor Outdoor Eq. Equil.	Rn-222 Outdoor Eq. Fraction
Fence Boundary E	1600	1600 -200	6	Adult	5.83E-01	4.17E-01	8.25E-01	False	1.05E+02	False	7.83E+01	False	1.30E+02	-	5.00E-01	True	7.00E-01
Fence Boundary SSE	1080	1080 -1600	2	Adult	5.83E-01	4.17E-01	8.25E-01	False	1.05E+02	False	7.83E+01	False	1.30E+02	7	5.00E-01	True	7.00E-01
Grazing E	2560	0	4	Adult	5.83E-01	4.17E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	3	5.00E-01	True	7.00E-01
Grazing ESE	2584	-890	7	Adult	5.83E-01	4.17E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	4	5.00E-01	True	7.00E-01
Nearest Resident NNW	-488	1466	12	Adult	5.83E-01	4.17E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	2	5.00E-01	False	7.00E-01
Nearest Residen NE	2128	2128 2168 10		Adult	5.83E-01	4.17E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	9	5.00E-01	False	7.00E-01

#### Sources

(Return to Table of Contents)

	io or contonto						
Name	Source Type	Particle Distribution Set	x (m)	y (m)	z (m)	Dispersion Coefficents	No.
Yellocake Stack	Drying/Packaging Source	1	0.00E+00	0.00E+00	2.00E+01	Pasquill-Gifford	1
Ore Pad	Area Source	3	4.00E+02	4.00E+02	6.00E+00	Pasquill-Gifford	2
Grizzly Dump Hopper	Point Source	2	2.00E+02	2.00E+02	0.00E+00	Pasquill-Gifford	3
Tailings Area 1	Area Source	3	1.73E+02	8.17E+02	-1.00E+01	Pasquill-Gifford	4
Tailings Area 2	Area Source	3	-1.56E+03	-1.10E+03	-1.00E+01	Pasquill-Gifford	5
Tailings Area 3	Area Source	3	1.20E+03	-2.20E+03	-1.00E+01	Pasquill-Gifford	6

### Source Release Terms Before Time Step Adjustment [Ci/y]

Source	Rn-222	U-238	Th-230	Ra-226	Pb-210	Rn-220	Th-232	Ra-228	Th-228
Yellocake Stack	0.00E+00	7.15E-02	3.58E-04	3.58E-04	3.58E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Ore Pad	6.41E+02	3.87E-04	3.87E-04	3.87E-04	3.87E-04	1.69E+01	1.02E-05	1.02E-05	1.02E-05
Grizzly Dump Hopper	4.20E+01	2.60E-02	2.60E-02	2.60E-02	2.60E-02	1.50E+00	8.00E-04	8.00E-04	8.00E-04
Tailings Area 1	1.28E+03	3.10E-05	7.37E-04	7.74E-04	7.74E-04	3.61E+01	2.18E-05	2.18E-05	2.18E-05
Tailings Area 2	3.64E+03	8.80E-05	2.10E-03	2.20E-03	2.20E-03	1.11E+02	6.69E-05	6.69E-05	6.69E-05
Tailings Area 3	1.51E+04	3.65E-04	8.68E-03	9.12E-03	9.12E-03	4.24E+02	2.56E-04	2.56E-04	2.56E-04

### **Source Type Specific Parameters**

#### **Point Sources**

Name	Inside Stack Diameter (m)	Effluent Exit Velocity (m/s)	Rn-220 Release Rate	Rn-222 Release Rate	Momentum based rise?	Heat Release
Grizzly Dump Hopper	1.5	0	1.5	42	True	0

ഗ
Φ
ပ
╘
$\vec{z}$
Q
ഗ
æ
ă
Ξ
⋖

**Dry Pack Sources** 

	Inside Stack	Effluent Exit	Inside Effluent Stack Exit Yellowcake Fraction	Fraction	Ę	ď	Othere	Others Momentum	H q
Name	(m)	(m/s)	Rate (kg/d)	to Stack	Fraction	Fraction	Fraction	(m/s) Rate (kg/d) to Stack Fraction Fraction Fraction based rise? Release	Release
Yellocake	1.2	14.2	700	0.001	0.005	0.005 0.005	0.005	True	0
Stack									

Release Adjustments Over Time

Source Particle Adius	<b>D</b>	rticle A	Particle Adiustment	nt	Ä	Radon Adinstment	Jinstme	<b>1</b>
	•				•			
Time step	Time 1	Time 2	Time 1   Time 2   Time 3   Time 4   Time 1   Time 2   Time 3   Time 4	Time 4	Time 1	Time 2	Time 3	Time 4
Duration (years)	1	2	2	1	1	2	2	1
Yellocake Stack	0	1	1	1	0	1	1	٢
Ore Pad	1	1	_	0.1	1	1	1	0.1
Grizzly Dump Hopper	8.0	7	-	6.0	8.0	-	_	6.0
Tailings Area 1	0	1	-	-	0	-	_	-
Tailings Area 2	0	0	1	1	0	0	1	٢
Tailings Area 3	0	0	_	1	0	0	1	_

## Vegetable Ingestion Parameters (Return to Table of Contents)

Vegetation Type	Infant Vegetable Ingestion Fraction	Child Vegetable Ingestion Fraction	Teenager Vegetable Ingestion Fraction		Population Vegetable Fraction
Above Ground	0.00E+00	3.60E-01	3.80E-01	3.80E-01	7.80E-01
Potatoes	0.00E+00	5.70E-01	5.50E-01	5.70E-01	2.00E-01
Below Ground	0.00E+00	7.00E-02	7.00E-02	5.00E-02	2.00E-02

## Population Ingestion Parameters (Return to Table of Contents)

1				
Age Group	Fraction of Population	Vegetation Ingestion Rate (kg/yr)	Meat Ingestion Rate (kg/yr)	Milk Ingestion Rate (kg/yr)
Infant	1.79E-02	0.00E+00	0.00E+00	2.08E+02
Child	1.65E-01	2.38E+02	4.87E+01	2.35E+02
Teenager	1.96E-01	3.07E+02	7.80E+01	2.91E+02
Adult	6.22E-01	2.86E+02	1.28E+02	1.76E+02

80km Population (Return to Table of Contents)

trectain to	TUDIC	01 001	itorito j									
Direction	1-2 km	2-3 km	3-4 km	4-5 km	5-10 km	10-20 km	20-30 km	30-40 km	40-50 km	50-60 km	60-70 km	70-80 km
N	1	2	3	4	5	6	7	8	9	10	11	12
NNE	0	286	1603	1288	221	4073	6789	9505	12220	14591	15101	15552
NE	0	1288	1402	258	779	4073	6789	9505	12220	13210	12551	14482
ENE	0	1431	1202	1545	221	883	1472	3921	8870	14092	15611	16542
E	0	1431	2003	258	221	883	1472	2060	2649	3238	5900	8403
ESE	572	1431	2003	773	221	883	1472	2060	2649	3238	3826	4415
SE	572	143	21	26	221	883	1472	2060	2707	3677	4761	6404
SSE	916	215	21	26	221	883	1472	2060	3296	4995	5904	6812
S	286	143	200	26	221	883	1472	2060	2721	4995	5904	6812
SSW	12	15	21	26	221	883	2068	3870	3656	4995	5904	6812
SW	12	15	21	26	221	1360	3460	4844	6143	6304	6368	6812
WSW	12	15	21	26	370	2076	3460	4844	4789	4665	4838	5162
W	114	15	21	26	519	2076	3460	4844	2809	3214	3798	4382
WNW	114	15	21	26	519	2009	2904	3677	4427	4092	3798	4382
NW	229	15	21	44	519	1476	2348	3287	4226	5166	5841	6384
NNW	12	11	10	9	8	7	6	5	4	3	2	1

## 80km Vegetation (kg/yr) (Return to Table of Contents)

(Return to T	able of	Conter	<u>its)</u>		ı							
Direction	1-2	2-3	3-4	4-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80
	km	km	km	km	km	km	km	km	km	km	km	km
N	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.90E+	1.10E+	1.70E+	2.50E+	4.20E+	1.20E+
	00	00	00	00	00	00	05	06	06	06	04	05
NNE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	6.90E+	4.50E+	8.70E+	1.40E+	2.30E+	3.50E+	3.90E+
	00	00	00	00	00	02	05	05	06	06	05	05
NE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.30E+	4.80E+	7.90E+	1.20E+	1.20E+	0.00E+	8.30E+
	00	00	00	00	00	07	05	05	06	06	00	04
ENE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	4.40E+	4.70E+	7.90E+	1.00E+	8.80E+	0.00E+	1.00E+
	00	00	00	00	00	04	05	05	06	05	00	05
E	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.10E+	4.50E+	2.70E+	4.40E+	3.90E+	0.00E+	9.10E+
	00	00	00	00	00	05	04	05	05	05	00	01
ESE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.20E+	2.80E+	1.10E+	2.30E+	1.30E+	1.20E+	7.00E+
	00	00	00	00	00	05	05	03	02	03	02	02
SE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.20E+	5.30E+	2.80E+	6.60E+	2.20E+	2.20E+	3.30E+
	00	00	00	00	00	05	05	06	06	06	02	02
SSE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.10E+	5.80E+	2.80E+	1.20E+	1.40E+	0.00E+	1.00E+
	00	00	00	00	00	05	05	06	07	07	00	05
S	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	9.00E+	5.80E+	9.70E+	5.10E+	4.80E+	3.20E+	1.10E+
	00	00	00	00	00	04	05	05	06	06	05	05
SSW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	4.90E+	5.80E+	9.70E+	1.00E+	7.40E+	5.90E+	6.40E+
	00	00	00	00	00	04	05	05	06	05	05	05
sw	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.90E+	5.30E+	8.90E+	1.00E+	7.50E+	1.70E+	2.90E+
	00	00	00	00	00	03	05	05	06	05	05	01
WSW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	2.50E+	4.90E+	8.50E+	1.10E+	0.00E+	1.00E+
	00	00	00	00	00	00	05	05	05	06	00	05
W	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	2.60E+	3.40E+	1.60E+	7.00E+	1.60E+	1.20E+
	00	00	00	00	00	00	05	05	05	05	02	02
WNW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	2.40E+	4.00E+	1.80E+	5.60E+	5.00E+	6.30E+
	00	00	00	00	00	00	05	05	05	04	02	02
NW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	4.30E+	3.10E+	3.70E+	3.10E+	7.10E+	4.00E+
	00	00	00	00	00	00	06	05	05	05	01	02
NNW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	2.60E+	2.00E+	1.10E+	1.00E+	1.20E+	0.00E+
	00	00	00	00	00	00	06	06	06	06	02	00

Case 1

80km Meat (kg/yr)
(Return to Table of Contents)

(Return to		l .	l e									
Direction	1-2	2-3	3-4	4-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80
	km											
N	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.80E+	3.10E+	4.10E+	6.30E+	0.00E+	1.00E+
	00	00	00	00	00	00	06	06	06	06	00	05
NNE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.10E+	2.10E+	3.40E+	4.30E+	6.70E+	0.00E+	1.00E+
	00	00	00	00	00	03	06	06	06	06	00	05
NE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	9.70E+	2.20E+	3.60E+	4.80E+	5.80E+	6.50E+	7.60E+
	00	00	00	00	00	07	06	06	06	06	05	05
ENE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.10E+	2.10E+	3.60E+	5.30E+	8.00E+	7.90E+	8.10E+
	00	00	00	00	00	05	06	06	06	06	06	06
E	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.80E+	2.30E+	1.30E+	3.40E+	4.40E+	3.80E+	2.90E+
	00	00	00	00	00	05	05	06	06	06	06	06
ESE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.90E+	5.00E+	1.10E+	5.40E+	3.20E+	2.00E+	4.40E+
	00	00	00	00	00	05	05	05	04	05	06	06
SE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	2.00E+	8.80E+	8.20E+	4.00E+	1.40E+	1.80E+	3.50E+
	00	00	00	00	00	05	05	05	05	05	06	06
SSE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.90E+	9.60E+	1.30E+	7.30E+	1.20E+	4.70E+	1.20E+
	00	00	00	00	00	05	05	06	05	06	04	06
S	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.50E+	9.60E+	1.60E+	1.70E+	2.40E+	1.10E+	7.90E+
	00	00	00	00	00	05	05	06	06	06	06	05
SSW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	8.10E+	9.60E+	1.60E+	2.50E+	3.80E+	2.00E+	3.30E+
	00	00	00	00	00	04	05	06	06	06	06	06
sw	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	6.30E+	1.20E+	2.60E+	4.20E+	5.10E+	1.90E+	7.40E+
	00	00	00	00	00	03	06	06	06	06	06	06
wsw	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.40E+	6.30E+	7.80E+	9.90E+	3.90E+	9.70E+
	00	00	00	00	00	00	06	06	06	06	05	06
W	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.60E+	6.30E+	7.90E+	1.00E+	1.70E+	1.80E+
	00	00	00	00	00	00	06	06	06	07	06	06
WNW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.30E+	6.60E+	8.40E+	5.30E+	4.60E+	5.60E+
	00	00	00	00	00	00	06	06	06	06	06	06
NW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	6.40E+	6.80E+	8.80E+	9.20E+	4.20E+	5.70E+
	00	00	00	00	00	00	07	06	06	06	06	06
NNW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.80E+	3.00E+	6.70E+	7.80E+	2.60E+	1.60E+
	00	00	00	00	00	00	07	07	06	06	06	06

80km Milk (kg/yr)
(Return to Table of Contents)

(Return to	l	l .	<u> </u>	l		l	l	Į.	l	l	l	
Direction	1-2	2-3	3-4	4-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80
	km	km	km	km	km	km	km	km	km	km	km	km
N	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.00E+	0.00E+	9.10E+
	00	00	00	00	00	00	00	00	00	05	00	01
NNE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.00E+	1.20E+	7.00E+
	00	00	00	00	00	00	00	00	00	05	02	02
NE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.40E+	0.00E+	0.00E+	0.00E+	1.10E+	2.20E+	3.30E+
	00	00	00	00	00	05	00	00	00	03	02	02
ENE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.70E+	3.30E+	0.00E+	1.60E+	8.80E+	0.00E+	1.00E+
	00	00	00	00	00	02	01	00	03	03	00	05
E	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.30E+	1.30E+	0.00E+	2.80E+	4.10E+	3.20E+	1.10E+
	00	00	00	00	00	03	02	00	03	03	05	05
ESE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.40E+	3.40E+	0.00E+	0.00E+	0.00E+	5.90E+	6.40E+
	00	00	00	00	00	03	03	00	00	00	05	05
SE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.40E+	6.30E+	4.70E+	0.00E+	0.00E+	1.70E+	2.90E+
	00	00	00	00	00	03	03	03	00	00	05	01
SSE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.30E+	6.90E+	8.70E+	8.60E+	2.40E+	0.00E+	1.00E+
	00	00	00	00	00	03	03	03	00	03	00	05
S	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.10E+	6.90E+	1.20E+	1.10E+	4.80E+	1.60E+	1.20E+
	00	00	00	00	00	03	03	04	04	04	02	02
SSW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	5.90E+	6.90E+	1.20E+	3.10E+	9.60E+	5.00E+	6.30E+
	00	00	00	00	00	02	03	04	05	05	02	02
SW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	4.60E+	6.00E+	3.10E+	2.50E+	7.70E+	7.10E+	4.00E+
	00	00	00	00	00	01	03	04	05	05	01	02
wsw	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	7.60E+	3.20E+	1.60E+	2.10E+	1.20E+	0.00E+
	00	00	00	00	00	00	00	04	05	05	02	00
W	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	2.30E+	1.30E+	2.00E+	3.30E+
	00	00	00	00	00	00	00	00	04	05	06	06
WNW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.00E+	1.90E+	7.40E+
	00	00	00	00	00	00	00	00	00	05	06	06
NW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.00E+	3.90E+	9.70E+
	00	00	00	00	00	00	00	00	00	05	05	06
NNW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.00E+	1.70E+	1.80E+
	00	00	00	00	00	00	00	00	00	05	06	06

**Met JFD** 

(Return to	Table of Conter	<u>nts)</u>	_			_	
Direction	<b>Stability Class</b>	0.67 m/s	2.46 m/s	4.47 m/s	6.93 m/s	9.61 m/s	12.5 m/s
Ν	Α	0.00019	0.00005	0.00000	0.00000	0.00000	0.00000
NNE	Α	0.00035	0.00008	0.00000	0.00000	0.00000	0.00000
NE	Α	0.00036	0.00012	0.00000	0.00000	0.00000	0.00000
ENE	Α	0.00016	0.00002	0.00000	0.00000	0.00000	0.00000
E	Α	0.00030	0.00007	0.00000	0.00000	0.00000	0.00000
ESE	Α	0.00155	0.00025	0.00000	0.00000	0.00000	0.00000
SE	Α	0.00121	0.00027	0.00000	0.00000	0.00000	0.00000
SSE	Α	0.00083	0.00022	0.00000	0.00000	0.00000	0.00000
S	Α	0.00159	0.00032	0.00000	0.00000	0.00000	0.00000
SSW	Α	0.00035	0.00013	0.00000	0.00000	0.00000	0.00000
SW	Α	0.00194	0.00035	0.00000	0.00000	0.00000	0.00000
WSW	Α	0.00078	0.00020	0.00000	0.00000	0.00000	0.00000
W	Α	0.00066	0.00008	0.00000	0.00000	0.00000	0.00000
WNW	Α	0.00082	0.00010	0.00000	0.00000	0.00000	0.00000
NW	Α	0.00070	0.00017	0.00000	0.00000	0.00000	0.00000
NNW	Α	0.00040	0.00003	0.00000	0.00000	0.00000	0.00000
N	В	0.00355	0.00088	0.00035	0.00000	0.00000	0.00000
NNE	В	0.00430	0.00123	0.00047	0.00000	0.00000	0.00000
NE	В	0.00411	0.00185	0.00066	0.00000	0.00000	0.00000
ENE	В	0.00136	0.00054	0.00032	0.00000	0.00000	0.00000
E	В	0.00140	0.00054	0.00022	0.00000	0.00000	0.00000
ESE	В	0.00090	0.00056	0.00093	0.00000	0.00000	0.00000
SE	В	0.00338	0.00249	0.00348	0.00000	0.00000	0.00000
SSE	В	0.00208	0.00165	0.00249	0.00000	0.00000	0.00000
S	В	0.00165	0.00067	0.00143	0.00000	0.00000	0.00000
SSW	В	0.00204	0.00106	0.00089	0.00000	0.00000	0.00000
SW	В	0.00276	0.00084	0.00101	0.00000	0.00000	0.00000
WSW	В	0.00365	0.00109	0.00136	0.00000	0.00000	0.00000
W	В	0.00417	0.00128	0.00118	0.00000	0.00000	0.00000
WNW	В	0.00352	0.00056	0.00180	0.00000	0.00000	0.00000
NW	В	0.00225	0.00104	0.00089	0.00000	0.00000	0.00000
NNW	В	0.00313	0.00094	0.00071	0.00000	0.00000	0.00000
N	С	0.00065	0.00189	0.00197	0.00008	0.00000	0.00000
NNE	С	0.00063	0.00180	0.00264	0.00040	0.00005	0.00000
NE	С	0.00058	0.00192	0.00251	0.00056	0.00005	0.00002
ENE	С	0.00021	0.00045	0.00050	0.00005	0.00000	0.00000
E	С	0.00023	0.00029	0.00019	0.00013	0.00000	0.00000
ESE	С	0.00027	0.00056	0.00163	0.00042	0.00000	0.00000

							•
SE	С	0.00085	0.00345	0.01353	0.00348	0.00022	0.00002
SSE	С	0.00049	0.00219	0.00889	0.00305	0.00045	0.00012
S	С	0.00040	0.00098	0.00300	0.00202	0.00064	0.00039
SSW	С	0.00033	0.00088	0.00209	0.00254	0.00088	0.00039
SW	С	0.00048	0.00099	0.00296	0.00261	0.00084	0.00020
WSW	С	0.00095	0.00244	0.00284	0.00190	0.00064	0.00013
W	С	0.00171	0.00572	0.00545	0.00163	0.00007	0.00005
WNW	С	0.00127	0.00288	0.00623	0.00153	0.00045	0.00000
NW	С	0.00073	0.00150	0.00498	0.00200	0.00032	0.00008
NNW	С	0.00057	0.00197	0.00274	0.00067	0.00002	0.00002
N	D	0.00094	0.00178	0.00266	0.00412	0.00077	0.00003
NNE	D	0.00071	0.00145	0.00261	0.00534	0.00061	0.00019
NE	D	0.00071	0.00153	0.00379	0.00481	0.00044	0.00002
ENE	D	0.00073	0.00093	0.00077	0.00029	0.00000	0.00000
E	D	0.00057	0.00076	0.00047	0.00008	0.00000	0.00000
ESE	D	0.00073	0.00118	0.00103	0.00120	0.00008	0.00000
SE	D	0.00223	0.00441	0.01294	0.01432	0.00059	0.00002
SSE	D	0.00208	0.00397	0.00894	0.01158	0.00148	0.00039
S	D	0.00074	0.00133	0.00298	0.00668	0.00288	0.00118
SSW	D	0.00053	0.00084	0.00221	0.00944	0.00353	0.00150
SW	D	0.00075	0.00143	0.00330	0.01227	0.00569	0.00173
WSW	D	0.00136	0.00274	0.00311	0.01032	0.00328	0.00101
W	D	0.00233	0.00522	0.00761	0.00963	0.00170	0.00035
WNW	D	0.00144	0.00325	0.00850	0.02129	0.00630	0.00098
NW	D	0.00120	0.00274	0.00901	0.02629	0.00677	0.00081
NNW	D	0.00105	0.00217	0.00454	0.00768	0.00104	0.00013
N	E	0.00000	0.00108	0.00421	0.00000	0.00000	0.00000
NNE	E	0.00000	0.00098	0.00261	0.00000	0.00000	0.00000
NE	E	0.00000	0.00044	0.00118	0.00000	0.00000	0.00000
ENE	E	0.00000	0.00040	0.00024	0.00000	0.00000	0.00000
E	E	0.00000	0.00015	0.00002	0.00000	0.00000	0.00000
ESE	E	0.00000	0.00015	0.00042	0.00000	0.00000	0.00000
SE	E	0.00000	0.00091	0.00468	0.00000	0.00000	0.00000
SSE	E	0.00000	0.00089	0.00643	0.00000	0.00000	0.00000
S	E	0.00000	0.00103	0.00323	0.00000	0.00000	0.00000
SSW	E	0.00000	0.00086	0.00350	0.00000	0.00000	0.00000
SW	Е	0.00000	0.00108	0.00446	0.00000	0.00000	0.00000
WSW	Е	0.00000	0.00374	0.01273	0.00000	0.00000	0.00000
W	Е	0.00000	0.00520	0.05597	0.00000	0.00000	0.00000
WNW	Е	0.00000	0.00224	0.01847	0.00000	0.00000	0.00000
NW	Е	0.00000	0.00185	0.01606	0.00000	0.00000	0.00000

Case 1

E	0.00000	0.00153	0.00874	0.00000	0.00000	0.00000
F	0.00392	0.00458	0.00000	0.00000	0.00000	0.00000
F	0.00360	0.00300	0.00000	0.00000	0.00000	0.00000
F	0.00241	0.00202	0.00000	0.00000	0.00000	0.00000
F	0.00111	0.00099	0.00000	0.00000	0.00000	0.00000
F	0.00036	0.00029	0.00000	0.00000	0.00000	0.00000
F	0.00045	0.00025	0.00000	0.00000	0.00000	0.00000
F	0.00184	0.00232	0.00000	0.00000	0.00000	0.00000
F	0.00291	0.00387	0.00000	0.00000	0.00000	0.00000
F	0.00345	0.00352	0.00000	0.00000	0.00000	0.00000
F	0.00472	0.00372	0.00000	0.00000	0.00000	0.00000
F	0.01120	0.01106	0.00000	0.00000	0.00000	0.00000
F	0.03006	0.04124	0.00000	0.00000	0.00000	0.00000
F	0.03300	0.05573	0.00000	0.00000	0.00000	0.00000
F	0.01247	0.01655	0.00000	0.00000	0.00000	0.00000
F	0.00809	0.00949	0.00000	0.00000	0.00000	0.00000
F	0.00643	0.00685	0.00000	0.00000	0.00000	0.00000
	F F F F F F F F F F F F F F	F 0.00392 F 0.00360 F 0.00241 F 0.00111 F 0.00036 F 0.00045 F 0.00184 F 0.00291 F 0.00345 F 0.00472 F 0.01120 F 0.03006 F 0.03300 F 0.01247 F 0.00809	F 0.00392 0.00458 F 0.00360 0.00300 F 0.00241 0.00202 F 0.00111 0.00099 F 0.00036 0.00029 F 0.00045 0.00025 F 0.00184 0.00232 F 0.00291 0.00387 F 0.00345 0.00352 F 0.00472 0.00372 F 0.01120 0.01106 F 0.03006 0.04124 F 0.03300 0.05573 F 0.01247 0.01655 F 0.00809 0.00949	F         0.00392         0.00458         0.00000           F         0.00360         0.00300         0.00000           F         0.00241         0.00202         0.00000           F         0.00111         0.00099         0.00000           F         0.00036         0.00029         0.00000           F         0.00184         0.00232         0.00000           F         0.00291         0.00387         0.00000           F         0.00345         0.00352         0.00000           F         0.00472         0.00372         0.00000           F         0.01120         0.01106         0.00000           F         0.03300         0.05573         0.00000           F         0.01247         0.01655         0.00000           F         0.00809         0.00949         0.00000	F         0.00392         0.00458         0.00000         0.00000           F         0.00360         0.00300         0.00000         0.00000           F         0.00241         0.00202         0.00000         0.00000           F         0.00111         0.00099         0.00000         0.00000           F         0.00036         0.00029         0.00000         0.00000           F         0.00184         0.0025         0.00000         0.00000           F         0.00291         0.00387         0.00000         0.00000           F         0.00345         0.00352         0.00000         0.00000           F         0.00472         0.00372         0.00000         0.00000           F         0.0306         0.04124         0.00000         0.00000           F         0.03300         0.05573         0.00000         0.00000           F         0.01247         0.01655         0.00000         0.00000           F         0.00809         0.00949         0.00000         0.00000	F         0.00392         0.00458         0.00000         0.00000         0.00000           F         0.00360         0.00300         0.00000         0.00000         0.00000           F         0.00241         0.00202         0.00000         0.00000         0.00000           F         0.00111         0.00099         0.00000         0.00000         0.00000           F         0.00036         0.00029         0.00000         0.00000         0.00000           F         0.00184         0.00232         0.00000         0.00000         0.00000           F         0.00387         0.00000         0.00000         0.00000           F         0.00345         0.00352         0.00000         0.00000         0.00000           F         0.00472         0.00372         0.00000         0.00000         0.00000           F         0.03006         0.04124         0.00000         0.00000         0.00000           F         0.03300         0.05573         0.00000         0.00000         0.00000           F         0.01247         0.01655         0.00000         0.00000         0.00000           F         0.00809         0.00949         0.00000 <t< td=""></t<>

### **Dose Coefficients**

(Return to Table of Contents)

## Radon Dose Coefficients [mrem/(pCi/m³)]

	en/(pc/m²)					
Nuclide	Effective	Bone	Kidney	Liver	Lung	
Th-232	0	0	0	0	0	
Ra-228	0	0	0	0	0	
Th-228	0	0	0	0	0	
Rn-220	12400	0	0	0	12400	
Po-216	0	0	0	0	0	
Pb-212	0	0	0	0	0	
Bi-212	0	0	0	0	0	
U-238	0	0	0	0	0	
Th-230	0	0	0	0	0	
Ra-226	0	0	0	0	0	
Rn-222	0.5	0	0	0	0.5	
Po-218	0	0	0	0	0	
Pb-214	0	0	0	0	0	
Bi-214	0	0	0	0	0	
Pb-210	0	0	0	0	0	
Po-210	0	0	0	0	0	
Bi-210	0	0	0	0	0	

1% of Rn-222 DCF is from Rn-222 without daughters[(mrem/yr) / (pCi/m³)]

#### Case 1

**External Dose Coefficients**Air Submersion: [(mrem/yr) / (pCi/m³)]Ground Surface: [(mrem/yr) / (pCi/m²)]

	) / (pci/iii-)j		
Nuclide	Air_Submersion	Ground_Surface	Nuclndx
Rn-220	2.16E-06	4.45E-08	0
Po-216	9.68E-08	1.93E-09	1
Pb-212	8.02E-04	1.67E-05	2
Bi-212	8.52E-03	1.46E-04	3
Th-232	1.02E-06	6.43E-08	4
Ra-228	5.58E-03	1.08E-04	5
Th-228	6.57E-05	1.39E-06	6
Rn-222	2.23E-06	4.61E-08	7
Po-218	5.23E-08	1.04E-09	8
Pb-214	1.38E-03	2.85E-05	9
Bi-214	8.93E-03	1.65E-04	10
Pb-210	6.59E-06	4.13E-07	11
Bi-210	3.84E-06	0.00E+00	12
Po-210	4.86E-08	0.00E+00	13
U-238	1.61E-04	3.61E-06	14
Th-230	2.03E-06	8.76E-08	15
Ra-226	3.68E-05	7.52E-07	16

# APPENDIX C: CASE 2 USER FILE INPUT SUMMARY

## MILDOS-AREA STANDARD RESULTS REPORT

Case Title: Case 2

**Version: MILDOS-AREA 4.0** 

File: C:\mildos4\UserFiles\Case2.mla

Date: 12/09/2015 10:05:12 Table of Contents

## • Input Listing

o <u>Parameters</u>

o Receptors

o Sources

o <u>Vegetable Ingestion Parameters</u>

o Meteorological Joint Freq Data

o Dose Coefficients

## **Parameters**

(Return to Table of Co		5
Name	Value	Description
ambientT	283	Ambient temperature (K)
amMix	400	Annual average morning mixing height (m)
anemHeight	10	Anemometer height (m)
caseFile	place holder	not used
caseInfo	ISR facility sample file	Additional user-specified information for the case under study
caseTitle	Case 2	User-defined title for case under study
cowIngestRate	50	Ingestion rate (feed wet weight) of animals (beef cattle and milk cows) (kg/day)
cutoffHeight	50	Height above which to use Briggs urban dispersion coefficients (m)
decayPlants	14	Weathering decay half-life for loss of contamination from vegetation due to weathering processes (days)
fracEdibleLeafAnimal	1	Fraction of radionuclides reaching the edible portion of animal-consumed vegetation (unitless)
fracEdibleLeafHuman	1	Fraction of radionuclides reaching the edible portion of human-consumed leafy vegetables (unitless)
fracEdibleRoot	0.1	Fraction of radionuclides reaching the edible portion of human-consumed root vegetables (unitless)
fracHayInd	0.5	Fraction of livestock feed from stored hay for individual consumption (unitless)
fracHayPop	0.5	Fraction of livestock feed from stored hay for consumption by the general population (unitless)
fracMeatPrep	1	Fraction of radioactivity in meat remaining after food preparation (unitless)
fracMilkPrep	1	Fraction of radioactivity in milk remaining after food preparation (unitless)
fracPastureInd	0.5	Fraction of livestock feed from pasture grass for individual consumption (unitless)
fracPasturePop	0.5	Fraction of livestock feed from pasture grass for consumption by the general population (unitless)
fracRetain	0.2	Fraction of air-deposited radionuclides retained on vegetation (unitless)
fracVegPrep	0.5	Fraction of radioactivity in vegetables remaining after food preparation (unitless)
gridSize	5	Size of grid blocks to use when calculating air concentrations (m)
isPopExposure	False	Option to perform population ingestion calculations; true (1) or false (0)
isPopIngest	TRUE	Option to perform population ingestion calculations; true (1) or false (0)
jfdNotes	From ISH data	Stores user notes as needed

## Case 2

mapProj	Local Coordinates	Contains the current map projection being used for the map display; consists of a list of the UTM zone, the datum (WGS84 or NAD83), and the EPSG code for the projection (EPSG stands for what used to be the European Petroleum Survey Group)
mapState		String with serialized map state
maxDistCalcArea	1000	Maximum distance between an area source and receptor where the area source model will be used; the source will be treated as a point source beyond the specified distance (m)
meatProd	0	Farmland meat productivity (kg/yr)
metFreq	0	Frequency of time wind is blowing in a specific direction, under a specific stability category, at a given wind speed (unitless)
milkProd	0	Farmland milk productivity (kg/yr)
nPeople	0	Number of people in sector segment (persons)
partFrac	0	Fraction of particle size distribution for a given average particle size (unitless)
pmMix	1600	Annual afternoon mixing height (m)
rain	0	Rainfall rate (m/yr)
relRate	0	Nuclide release rate (Ci/yr)
resuspDepVel	.01	Deposition velocity for particulates associated with the intial and final resuspension factors specified (m/s)
resuspFacFinal	1.00E-09	Final resuspension factor for determining resuspended air concentrations (1/m)
resuspFacInitial	1.00E-05	Initial resuspension factor for determining resuspended air concentrations (1/m)
resuspHalfLife	0.137	Resuspension factor decay half-life (yr)
soilArealDen	240	Areal surface density / effective surface soil density (kg/m^2)
soilConc	0	Nuclide soil concentration for area sources (pCi/g)
soilHalfLife	50	Environmental soil loss half-life (yr)
vegProd	0	Farmland vegetable productivity (kg/yr)
vGrow	60	Exposure time to radionuclides during the human-consumed vegetable growing season(days)
vGrowPasture	30	Exposure time to radionuclides during the animal-consumed vegetation growing season (days)
yieldMeat	3070	Farmland production rate of meat for population ingestion calculations (kg/km^2-yr)
yieldMilk	6710	Farmland production rate of milk for population ingestion calculations (kg/km^2-yr)
yieldVeg	55800	Farmland production rate of vegetation for population ingestion calculations (kg/km^2-yr)
yVeg	2	Yield density of human-consumed vegetation on farmland (kg/m^2)
yVegPasture	0.75	Yield density of animal-consumed vegetation on farmland (kg/m^2)

ร	
9	
de	
ပ္ထ	
Receptors	ļ

(Return to Table of Contents)	ble of (	Sonte	ints)														
									Vedetation		Meat		Z Z	Rn-222	Calc. Rn-	Rn- Rn-222	22
	>	>	N	950	And Occupancy Occupancy Shielding Vocatation	Outdoor	Indoor	Consider	Outdoor Indoor Consider Ingestion Consider Ingestion Consider Ingestion Destination Nanetation Pasts Milk Basto	Consider	Ingestion	Consider	Ingestion	Indoor	0	oor Outdo	100
Name	ξ	٦Ê	<u>E</u>	(m) (m) Group	Factor	Factor	Fraction	Factor Fraction Pathway?	$\overline{}$	Pathway?	(kg/yr)	Pathway?	_	o. Fract	ion Fractic	n? Fracti	ion.
North Fence Line	0	006	10	Adult	900 10 Adult 0.00E+00 2.30E-01 8.25E-01 False	2.30E-01	8.25E-01			-alse	7.83E+01 False	False	1.30E+02 1 5.00E-01 False	5.00E	-01 False	7.00E-01	-01
East Fence Line	1730	0	2	Adult	Adult 0.00E+00 2.30E-01 8.25E-01 False	2.30E-01	8.25E-01		1.05E+02 F	False	7.83E+01 False		1.30E+02 2 5.00E-01 False	5.00E	-01 False	7.00E-01	-01
South Fence Line	0	-1680	-7	Adult	-1680-7 Adult 0.00E+00 2.30E-01 8.25E-01 False	2.30E-01	8.25E-01		1.05E+02 False		7.83E+01 False		1.30E+02 3 5.00E-01 True	5.00E	-01 True	7.00E-01	-01
West Fence Line	-1240 0	0	3	Adult	3 Adult 0.00E+00 2.30E-01	2.30E-01	8.25E-01 False	False	1.05E+02 F	False	7.83E+01 False	,	1.30E+02 4 5.00E-01 False	5.00E	-01 False	7.00E-01	-01
Nearest Resident	2105	1810	41	Adult	2105 1810 14 Adult 5.83E-01 4.16E-01	4.16E-01	8.25E-01 True		1.05E+02 True		7.83E+01 True		1.30E+02 5 5.00E-01 False	5.00E	-01 False	7.00E-01	-01

## **Sources**

(Return to Table of Contents)

(Itctair to Table	<u> </u>						
Name	Source Type	Particle Distribution Set	x (m)	y (m)	z (m)	Dispersion Coefficents	No.
Dryer stack	Drying/Packaging Source	1	0.00E+00	0.00E+00	1.50E+01	Pasquill-Gifford	1
New Well Field	New Well Field Source	1	7.00E+02	-5.00E+01	0.00E+00	Pasquill-Gifford	2
Production Well Field	Production Well Field Source	1	7.00E+02	-5.00E+01	0.00E+00	Pasquill-Gifford	3
Restoration Well Field	Restoration Well Field Source	1	7.00E+02	-5.00E+01	0.00E+00	Pasquill-Gifford	4
Land Application Area	Land Application Area Source	1	-7.23E+02	-2.75E+02	0.00E+00	Pasquill-Gifford	5

Source Release Terms Before Time Step Adjustment [Ci/y]

Source	Rn-222	U-238	Th-230	Ra-226	Pb-210	Rn-220	Th-232	Ra-228	Th-228
Dryer stack	0.00E+00	5.31E-02	2.66E-04	2.66E-04	2.66E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00
New Well Field	2.71E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.22E+00	0.00E+00	0.00E+00	0.00E+00
Production Well Field	1.14E+03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.49E+01	0.00E+00	0.00E+00	0.00E+00
Restoration Well Field	1.14E+03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.41E+01	0.00E+00	0.00E+00	0.00E+00
Land Application Area	0.00E+00	3.30E-05	1.38E-07	8.26E-07	8.26E-07	0.00E+00	2.75E-09	1.38E-07	1.38E-07

## **Source Type Specific Parameters**

**Dry Pack Sources** 

Name	Inside Stack Diameter (m)	Effluent Exit Velocity (m/s)	Yellowcake Production Rate (kg/d)	Fraction Released to Stack	Th Fraction	Ra Fraction	Others Fraction	Momentum based rise?	He Rele
Dryer stack	1.1	2.5	520	0.001	0.005	0.005	0.005	True	

## New Well Sources

Name	Rn-222 Emanation Fraction	Ra-226 Concentration in Ore (pCi/g)	Storage Time in Pit (days)	Ore Material into Pit (g/yr)	Number of Mud Pits (1/yr)	Rn-220 Emanation Fraction	Ra-224 Concentratio Ore (pCi/g
New Well Field	0.25	300	10	4750000	42	0.15	10

Sources
Mell
duction
20

1 Odda	וסמשטנוטון זייכון טטמוטטו													
	Ra-226 Concentration	Rn-222 Emanation	Ore	Ore	Active	Ore Active Circular Rn	Rn	Rn	Water	Column	COL	RESIN	Ra-224 Rh-220 Concentration Emanation	Rn-220 Emanation
Name	in Ore (pCi/g)	Fraction	Thick	Density	Area	Volume	Fraction	Vent	Rate	Volume	RATE	POROSITY	Density Area Volume Fraction Vent Rate Volume RATE POROSITY in Ore (pCi/g) Fraction	Fraction
Production	300	0.25	7	1.8	270000	1.8   270000   1850000   0.8   0.001   18500   13200   2	0.8	0.001	18500	13200	2	0.4	10	0.15
Well Field														

Restoration Well Sources

Name	Ra-226 Rn-222 Concentration Emanation Ore (pCi/g) Fraction Thick De	Rn-222 Emanation Ore Fraction Thick	Ore Thick	Ore Density	Restore Area	Circular Volume	Rn Fraction	Rn Vent	Water Rate	Operating Days	Ra-224 Concentration in Ore (pCi/g)	Rn-220 Emanation Fraction
Restoration Well Field	300	0.25	7	2.65	270000	1850000	8.0	0.001	18500	365	10	0.15

Land Application Sources

Name	Water Volume	Area	Soil Density	Contamination Depth	Water Content	Area Option	Radius	Rectangle Length	Rectangle Width	Rect Rotate
Land	6752500	250000	1.6	0.15	0.25	RECT	100	200	200	0
Application Area										

Release Adjustments Over Time

Source				_	Particle Adjustment	Adjus	tment								Rac	lon A	Radon Adjustment	nent				
Time step	Time Time Time Time	Time 2	Time 3	Time 4		Time 6	Time 7	Time 8	Time 9	Time Time Time Time Time Time Time Time	Time 11	Time 1	rime -	Time 3	Fime T	e Time T	ime T 6	ime T	ime T	ime T	Time T	ime 11
Duration (years)	-	_	_	-	-	-	_	_	-	-	-	-	_	_	_	_	_	_	_	_	_	_
Oryer stack	0	0.1	0.1 0.3 0.5	0.5	9.0	9.0	0.5	0.3	0.1	0	0	0	0.1	0 0.1 0.3 0.5 0.6 0.6 0.5 0.3	0.5	9.0	9.0	0.5	0.3	0.1	0	0
Vew Well Field	0	0	0	0	0	0	0	0	0	0	0	0.5	_	_	-	_	0.5	0	0	0	0	0
Production Well Field	0	0.1	0.1 0.3 0.5	0.5	9.0	9.0	0.5		0.3 0.1	0	0	0	0.1	0 0.1 0.3 0.5 0.6 0.6 0.5 0.3	0.5	9.0	9.0	0.5	0.3	0.1	0	0
Restoration Well Field	0	0	0	0	0.1	0.3	0.4	0.4	4.0	0.3	0.1	0	0	0	0 0.1		0.3	0.4 0.4 0.4	0.4	4.0	0.3	0.1
and Application Area	0	0.1	0.1 0.3 0.5	0.5	0.7	0.0	6.0	0.7	0.5	0.7 0.9 0.9 0.7 0.5 0.3 0.1	0.1	0	0.1	0 0.1 0.3 0.5 0.7 0.9 0.9 0.7 0.5 0.3 0.1	0.5	0.7	6.0	6.0	0.7	0.5	0.3	0.1

## Vegetable Ingestion Parameters (Return to Table of Contents)

Vegetation Type	Infant Vegetable Ingestion Fraction	Child Vegetable Ingestion Fraction	Teenager Vegetable Ingestion Fraction	Adult Vegetable Ingestion Fraction	Population Vegetable Fraction
Above Ground	0.00E+00	3.60E-01	3.80E-01	3.80E-01	7.80E-01
Potatoes	0.00E+00	5.70E-01	5.50E-01	5.70E-01	2.00E-01
Below Ground	0.00E+00	7.00E-02	7.00E-02	5.00E-02	2.00E-02

## **Met JFD**

(Return to 1	able of Contents	<u>)</u>					
Direction	Stability Class	0.67 m/s	2.46 m/s	4.47 m/s	6.93 m/s	9.61 m/s	12.5 m/s
N	Α	0.00019	0.00005	0.00000	0.00000	0.00000	0.00000
NNE	Α	0.00035	0.00008	0.00000	0.00000	0.00000	0.00000
NE	Α	0.00036	0.00012	0.00000	0.00000	0.00000	0.00000
ENE	Α	0.00016	0.00002	0.00000	0.00000	0.00000	0.00000
E	А	0.00030	0.00007	0.00000	0.00000	0.00000	0.00000
ESE	A	0.00155	0.00025	0.00000	0.00000	0.00000	0.00000
SE	A	0.00121	0.00027	0.00000	0.00000	0.00000	0.00000
SSE	A	0.00083	0.00022	0.00000	0.00000	0.00000	0.00000
S	А	0.00159	0.00032	0.00000	0.00000	0.00000	0.00000
SSW	А	0.00035	0.00013	0.00000	0.00000	0.00000	0.00000
SW	А	0.00194	0.00035	0.00000	0.00000	0.00000	0.00000
WSW	А	0.00078	0.00020	0.00000	0.00000	0.00000	0.00000
W	А	0.00066	0.00008	0.00000	0.00000	0.00000	0.00000
WNW	А	0.00082	0.00010	0.00000	0.00000	0.00000	0.00000
NW	А	0.00070	0.00017	0.00000	0.00000	0.00000	0.00000
NNW	А	0.00040	0.00003	0.00000	0.00000	0.00000	0.00000
N	В	0.00355	0.00088	0.00035	0.00000	0.00000	0.00000
NNE	В	0.00430	0.00123	0.00047	0.00000	0.00000	0.00000
NE	В	0.00411	0.00185	0.00066	0.00000	0.00000	0.00000
ENE	В	0.00136	0.00054	0.00032	0.00000	0.00000	0.00000
E	В	0.00140	0.00054	0.00022	0.00000	0.00000	0.00000
ESE	В	0.00090	0.00056	0.00093	0.00000	0.00000	0.00000
SE	В	0.00338	0.00249	0.00348	0.00000	0.00000	0.00000
SSE	В	0.00208	0.00165	0.00249	0.00000	0.00000	0.00000
S	В	0.00165	0.00067	0.00143	0.00000	0.00000	0.00000
SSW	В	0.00204	0.00106	0.00089	0.00000	0.00000	0.00000
SW	В	0.00276	0.00084	0.00101	0.00000	0.00000	0.00000
WSW	В	0.00365	0.00109	0.00136	0.00000	0.00000	0.00000
W	В	0.00417	0.00128	0.00118	0.00000	0.00000	0.00000

WNW         B         0.00352         0.00066         0.00180         0.00000         0.00000         0.00000           NW         B         0.00225         0.00104         0.00089         0.00000         0.00000         0.00000           NNW         B         0.00313         0.00094         0.00071         0.00000         0.00000         0.00000           NNE         C         0.00063         0.00189         0.00197         0.00086         0.00005         0.00000           NE         C         0.00058         0.00192         0.00251         0.00056         0.00005         0.00000           NE         C         0.00021         0.00045         0.00050         0.00005         0.00000         0.00000           ENE         C         0.00021         0.00045         0.00050         0.00005         0.00000         0.00000           ESE         C         0.00022         0.00048         0.00330         0.00048         0.00034         0.00348         0.00038         0.00042         0.00000         0.00000           SSW         C         0.00040         0.00048         0.00330         0.00264         0.00048         0.00200         0.00264         0.00033								
NNW         B         0.00313         0.00094         0.00071         0.00000         0.00000         0.00000           N         C         0.00065         0.00189         0.00197         0.00008         0.00000         0.00000           NE         C         0.00068         0.00192         0.00251         0.00056         0.00005         0.00000           NE         C         0.00021         0.00045         0.00050         0.00005         0.00000         0.00000           ENE         C         0.00023         0.00029         0.00013         0.00000         0.00000           ESE         C         0.00027         0.00066         0.00163         0.00042         0.00000         0.00000           SE         C         0.00027         0.00056         0.00133         0.00034         0.00345         0.00343         0.00343         0.00348         0.00022         0.00045         0.00002           SSE         C         0.00049         0.00219         0.00889         0.00305         0.00044         0.00039           SW         C         0.00044         0.00098         0.00290         0.00264         0.00038           SW         C         0.00048         0.00099 </td <td>WNW</td> <td>В</td> <td>0.00352</td> <td>0.00056</td> <td>0.00180</td> <td>0.00000</td> <td>0.00000</td> <td>0.00000</td>	WNW	В	0.00352	0.00056	0.00180	0.00000	0.00000	0.00000
N         C         0.00065         0.00189         0.00197         0.00008         0.00000         0.00000           NNE         C         0.00063         0.00180         0.00264         0.00040         0.00005         0.00000           NE         C         0.00058         0.00192         0.00251         0.00056         0.00005         0.00000         0.00000           ENE         C         0.00023         0.00029         0.0019         0.00013         0.00000         0.00000           ESE         C         0.00027         0.0066         0.00163         0.00042         0.00000         0.00000           SE         C         0.00028         0.00345         0.0133         0.00348         0.00022         0.00002           SE         C         0.00049         0.00219         0.00889         0.00042         0.00042         0.00012           SSE         C         0.00040         0.00098         0.00300         0.00244         0.00043         0.00042         0.00042         0.00043           SW         C         0.00048         0.00099         0.00264         0.00164         0.00039           SW         C         0.00048         0.00099         0.00284	NW	В	0.00225	0.00104	0.00089	0.00000	0.00000	0.00000
NNE         C         0.00063         0.00180         0.00264         0.00040         0.00005         0.00000           NE         C         0.00058         0.00192         0.00251         0.00066         0.00005         0.00002           ENE         C         0.00021         0.00045         0.00050         0.00005         0.00000         0.00000           E         C         0.00023         0.00029         0.0019         0.00013         0.00000         0.00000           ESE         C         0.00027         0.00066         0.0163         0.0042         0.00000         0.00000           SE         C         0.00089         0.00315         0.00348         0.00022         0.00042           SSE         C         0.00049         0.00219         0.00889         0.00305         0.00045         0.00012           SSW         C         0.00033         0.00088         0.00209         0.00254         0.00064         0.00033           SW         C         0.00033         0.00089         0.00296         0.00261         0.00064         0.00033           SW         C         0.00048         0.00099         0.00296         0.00261         0.00064         0.00013 <td>NNW</td> <td>В</td> <td>0.00313</td> <td>0.00094</td> <td>0.00071</td> <td>0.00000</td> <td>0.00000</td> <td>0.00000</td>	NNW	В	0.00313	0.00094	0.00071	0.00000	0.00000	0.00000
NE         C         0.00058         0.00192         0.00251         0.00056         0.00005         0.00000           ENE         C         0.00021         0.00045         0.00050         0.00005         0.00000         0.00000           E         C         0.00023         0.00029         0.0019         0.00013         0.00000         0.00000           ESE         C         0.00085         0.00345         0.01353         0.00348         0.00022         0.00002           SSE         C         0.00049         0.00219         0.00889         0.00305         0.00445         0.0013           SW         C         0.00040         0.00098         0.00300         0.00045         0.00012           SW         C         0.00041         0.00098         0.00300         0.00224         0.00084         0.00039           SW         C         0.00033         0.00088         0.00209         0.00254         0.00084         0.00039           SW         C         0.00048         0.00099         0.00264         0.00084         0.00020           WSW         C         0.00127         0.00288         0.00263         0.00163         0.00074         0.0005	N	С	0.00065	0.00189	0.00197	0.00008	0.00000	0.00000
ENE         C         0.00021         0.00045         0.00050         0.00005         0.00000         0.00000           E         C         0.00023         0.00029         0.0019         0.00013         0.00000         0.00000           ESE         C         0.00027         0.00056         0.00163         0.00042         0.00000         0.00000           SE         C         0.00049         0.00219         0.00889         0.00305         0.00045         0.00012           SSE         C         0.00040         0.00098         0.00300         0.00222         0.00044         0.00039           SW         C         0.00043         0.00088         0.00209         0.00254         0.00088         0.00039           SW         C         0.00048         0.00099         0.00266         0.00261         0.00084         0.00039           SW         C         0.00488         0.00299         0.00261         0.00084         0.00020           WSW         C         0.000471         0.00244         0.00284         0.00163         0.00074         0.00013           W         C         0.00127         0.00288         0.00263         0.00163         0.00045         0.00005 <td>NNE</td> <td>С</td> <td>0.00063</td> <td>0.00180</td> <td>0.00264</td> <td>0.00040</td> <td>0.00005</td> <td>0.00000</td>	NNE	С	0.00063	0.00180	0.00264	0.00040	0.00005	0.00000
E         C         0.00023         0.00029         0.00019         0.00013         0.00000         0.00000           ESE         C         0.00027         0.00056         0.00163         0.00042         0.00000         0.00000           SE         C         0.000485         0.00345         0.01353         0.00348         0.00022         0.00002           SSE         C         0.00040         0.00098         0.00300         0.00224         0.00044         0.00039           SSW         C         0.00048         0.00099         0.00296         0.00261         0.00084         0.00039           SW         C         0.00048         0.00099         0.00264         0.00084         0.00020           WSW         C         0.00048         0.00099         0.00264         0.00190         0.00064         0.00031           WW         C         0.00171         0.00572         0.00545         0.00163         0.00077         0.00005           WW         C         0.00177         0.00288         0.00200         0.00032         0.00008           NW         C         0.00073         0.00197         0.00274         0.00067         0.00002           NW	NE	С	0.00058	0.00192	0.00251	0.00056	0.00005	0.00002
ESE         C         0.00027         0.00056         0.00163         0.00042         0.00000         0.00000           SE         C         0.00085         0.00345         0.01353         0.00348         0.00022         0.00002           SSE         C         0.00049         0.00219         0.00889         0.00305         0.00044         0.00039           SW         C         0.00040         0.00098         0.00300         0.00254         0.00088         0.00039           SW         C         0.00048         0.00099         0.00266         0.00261         0.00084         0.00020           WSW         C         0.00048         0.00099         0.00264         0.00190         0.00064         0.00013           WW         C         0.00171         0.00572         0.00545         0.00163         0.00077         0.00005           WW         C         0.00177         0.00288         0.00230         0.00153         0.00064         0.00007           NW         C         0.00172         0.00288         0.00200         0.00032         0.00008           NW         C         0.00073         0.00169         0.00274         0.00266         0.00412         0.00077 </td <td>ENE</td> <td>С</td> <td>0.00021</td> <td>0.00045</td> <td>0.00050</td> <td>0.00005</td> <td>0.00000</td> <td>0.00000</td>	ENE	С	0.00021	0.00045	0.00050	0.00005	0.00000	0.00000
SE         C         0.00085         0.00345         0.01353         0.00348         0.00022         0.00002           SSE         C         0.00049         0.00219         0.00889         0.00305         0.00045         0.00012           S         C         0.00040         0.00098         0.00300         0.00222         0.00064         0.00039           SW         C         0.00048         0.00099         0.00296         0.00261         0.00084         0.00020           WW         C         0.00095         0.00244         0.00284         0.00190         0.00064         0.00013           WW         C         0.00171         0.00572         0.00545         0.00163         0.00007         0.00005           WNW         C         0.00127         0.00288         0.00623         0.00153         0.00007         0.00000           NW         C         0.00127         0.00288         0.00623         0.00153         0.00001         0.00001           NW         C         0.00073         0.00197         0.00274         0.00067         0.00002         0.00002           NW         D         0.00057         0.00197         0.00266         0.00412         0.00077 <td>E</td> <td>С</td> <td>0.00023</td> <td>0.00029</td> <td>0.00019</td> <td>0.00013</td> <td>0.00000</td> <td>0.00000</td>	E	С	0.00023	0.00029	0.00019	0.00013	0.00000	0.00000
SSE         C         0.00049         0.00219         0.00889         0.00305         0.00045         0.00012           S         C         0.00040         0.00098         0.00300         0.00202         0.00644         0.00039           SSW         C         0.00033         0.00088         0.00209         0.00264         0.00084         0.00039           SW         C         0.00048         0.00099         0.00264         0.00190         0.00644         0.00103           WSW         C         0.00171         0.00572         0.00545         0.00163         0.00007         0.00005           WNW         C         0.00127         0.00288         0.00623         0.00153         0.00005         0.00000           NW         C         0.00127         0.00288         0.00623         0.00153         0.00001         0.00000           NW         C         0.00073         0.00197         0.00244         0.00673         0.00002         0.00002         0.00002           NW         C         0.00057         0.00197         0.00274         0.00067         0.00002         0.00002           NE         D         0.00071         0.00153         0.00266         0.00412 </td <td>ESE</td> <td>С</td> <td>0.00027</td> <td>0.00056</td> <td>0.00163</td> <td>0.00042</td> <td>0.00000</td> <td>0.00000</td>	ESE	С	0.00027	0.00056	0.00163	0.00042	0.00000	0.00000
S         C         0.00040         0.00098         0.00300         0.00202         0.00064         0.00039           SSW         C         0.00033         0.00088         0.00209         0.00254         0.00088         0.00039           SW         C         0.00048         0.00099         0.00296         0.00261         0.00084         0.00200           WSW         C         0.00095         0.00244         0.00284         0.00190         0.00064         0.00013           W         C         0.00171         0.00572         0.00545         0.00163         0.00007         0.00005           WNW         C         0.00127         0.00288         0.00623         0.00153         0.00045         0.00004           NW         C         0.00073         0.00150         0.00498         0.00200         0.00032         0.00008           NW         C         0.00057         0.00178         0.00266         0.00412         0.00077         0.00003           NNE         D         0.00071         0.00145         0.00261         0.00541         0.00041         0.00019           NE         D         0.00071         0.00153         0.00379         0.00421         0.00041 <td>SE</td> <td>С</td> <td>0.00085</td> <td>0.00345</td> <td>0.01353</td> <td>0.00348</td> <td>0.00022</td> <td>0.00002</td>	SE	С	0.00085	0.00345	0.01353	0.00348	0.00022	0.00002
SSW         C         0.00033         0.00088         0.00299         0.00254         0.00088         0.00039           SW         C         0.00048         0.00099         0.00296         0.00261         0.00084         0.00200           WSW         C         0.00095         0.00244         0.00284         0.00190         0.00064         0.00013           W         C         0.00171         0.00572         0.00545         0.00163         0.00007         0.00005           WNW         C         0.00127         0.00288         0.00623         0.00153         0.00045         0.00000           NW         C         0.00073         0.00150         0.00498         0.00200         0.00032         0.00000           NW         C         0.00057         0.00178         0.00266         0.00412         0.00077         0.00003           NNE         D         0.00071         0.00145         0.00261         0.00534         0.00061         0.00019           NE         D         0.00071         0.00153         0.00379         0.00481         0.00044         0.00002           ENE         D         0.00073         0.00076         0.00047         0.00088         0.00000<	SSE	С	0.00049	0.00219	0.00889	0.00305	0.00045	0.00012
SW         C         0.00048         0.00099         0.00296         0.00261         0.00084         0.00020           WSW         C         0.00095         0.00244         0.00284         0.00190         0.00064         0.00013           W         C         0.00171         0.00572         0.00545         0.00163         0.00007         0.00005           WNW         C         0.00127         0.00288         0.00623         0.00153         0.00045         0.00000           NW         C         0.00073         0.00150         0.00498         0.00200         0.00032         0.00008           NW         C         0.00057         0.00197         0.00274         0.00067         0.00002         0.00002           N         D         0.00094         0.00178         0.00266         0.00412         0.00077         0.00003           NE         D         0.00071         0.00153         0.00379         0.00481         0.00061         0.00019           ENE         D         0.00073         0.00073         0.00077         0.00029         0.00000         0.00000           ESE         D         0.00023         0.00118         0.00133         0.00120         0.00059 <td>S</td> <td>С</td> <td>0.00040</td> <td>0.00098</td> <td>0.00300</td> <td>0.00202</td> <td>0.00064</td> <td>0.00039</td>	S	С	0.00040	0.00098	0.00300	0.00202	0.00064	0.00039
WSW         C         0.00095         0.00244         0.00284         0.00190         0.00064         0.00013           W         C         0.00171         0.00572         0.00545         0.00163         0.00007         0.00005           WNW         C         0.00127         0.00288         0.00623         0.00153         0.00045         0.00000           NW         C         0.00073         0.00150         0.00498         0.00200         0.00032         0.00008           NW         C         0.00057         0.00178         0.00266         0.00412         0.00077         0.00002           N         D         0.00071         0.00178         0.00266         0.00412         0.00077         0.00003           NE         D         0.00071         0.00153         0.00261         0.00534         0.00061         0.00019           NE         D         0.00071         0.00153         0.00379         0.00481         0.00044         0.00002           ENE         D         0.00073         0.00076         0.00047         0.00028         0.00000         0.00000           ESE         D         0.00223         0.00418         0.00129         0.00148         0.00039 <td>SSW</td> <td>С</td> <td>0.00033</td> <td>0.00088</td> <td>0.00209</td> <td>0.00254</td> <td>0.00088</td> <td>0.00039</td>	SSW	С	0.00033	0.00088	0.00209	0.00254	0.00088	0.00039
W         C         0.00171         0.00572         0.00545         0.00163         0.00007         0.00005           WNW         C         0.00127         0.00288         0.00623         0.00153         0.00455         0.00000           NW         C         0.00073         0.00150         0.00498         0.00200         0.00032         0.00008           NW         C         0.00057         0.00177         0.00274         0.00067         0.00002         0.00002           N         D         0.00094         0.00178         0.00266         0.00412         0.00077         0.00003           NE         D         0.00071         0.00153         0.00261         0.00534         0.00061         0.00019           NE         D         0.00071         0.00153         0.00379         0.00481         0.00044         0.00002           ENE         D         0.00073         0.00073         0.00077         0.00029         0.00000         0.00000           ESE         D         0.00057         0.00076         0.00047         0.00008         0.00000         0.00000           SE         D         0.00223         0.00441         0.01294         0.01432         0.00059 <td>SW</td> <td>С</td> <td>0.00048</td> <td>0.00099</td> <td>0.00296</td> <td>0.00261</td> <td>0.00084</td> <td>0.00020</td>	SW	С	0.00048	0.00099	0.00296	0.00261	0.00084	0.00020
WNW         C         0.00127         0.00288         0.00623         0.00153         0.00045         0.00000           NW         C         0.00073         0.00150         0.00498         0.00200         0.00032         0.00008           NWW         C         0.00057         0.00197         0.00274         0.00067         0.00002         0.00002           N         D         0.00094         0.00178         0.00266         0.00412         0.00071         0.0003           NE         D         0.00071         0.00145         0.00261         0.00534         0.00061         0.00019           NE         D         0.00071         0.00153         0.00379         0.00481         0.00044         0.00002           ENE         D         0.00073         0.00093         0.00077         0.00029         0.00000         0.00000           ESE         D         0.00057         0.00076         0.00047         0.00008         0.00000         0.00000           SE         D         0.00223         0.00441         0.01294         0.01432         0.00059         0.00002           SSE         D         0.00238         0.00397         0.00894         0.01158         0.00148 </td <td>WSW</td> <td>С</td> <td>0.00095</td> <td>0.00244</td> <td>0.00284</td> <td>0.00190</td> <td>0.00064</td> <td>0.00013</td>	WSW	С	0.00095	0.00244	0.00284	0.00190	0.00064	0.00013
NW         C         0.00073         0.00150         0.00498         0.00200         0.00032         0.00008           NNW         C         0.00057         0.00197         0.00274         0.00067         0.00002         0.00002           N         D         0.00094         0.00178         0.00266         0.00412         0.00077         0.00003           NNE         D         0.00071         0.00145         0.00261         0.00534         0.00061         0.00019           NE         D         0.00071         0.00153         0.00379         0.00481         0.00044         0.00002           ENE         D         0.00073         0.00093         0.0077         0.00029         0.00000         0.00000           ENE         D         0.00073         0.00076         0.00047         0.00008         0.00000         0.00000           ESE         D         0.00273         0.00118         0.00103         0.00120         0.00008         0.00000           SE         D         0.00223         0.00441         0.01294         0.01432         0.00059         0.00002           SSE         D         0.00233         0.00397         0.00884         0.00158         0.00688<	W	С	0.00171	0.00572	0.00545	0.00163	0.00007	0.00005
NNW         C         0.00057         0.00197         0.00274         0.00067         0.00002         0.00002           N         D         0.00094         0.00178         0.00266         0.00412         0.00077         0.00003           NNE         D         0.00071         0.00145         0.00261         0.00534         0.00061         0.00019           NE         D         0.00071         0.00153         0.00379         0.00481         0.00044         0.00002           ENE         D         0.00073         0.00093         0.00077         0.00029         0.00000         0.00000           E         D         0.00057         0.00076         0.00047         0.00008         0.00000         0.00000           ESE         D         0.00223         0.00441         0.01294         0.01432         0.00059         0.00002           SSE         D         0.00223         0.00441         0.01294         0.01158         0.00148         0.00039           SW         D         0.00074         0.00133         0.00298         0.00668         0.00288         0.00118           SW         D         0.00053         0.00444         0.00221         0.00944         0.00353 </td <td>WNW</td> <td>С</td> <td>0.00127</td> <td>0.00288</td> <td>0.00623</td> <td>0.00153</td> <td>0.00045</td> <td>0.00000</td>	WNW	С	0.00127	0.00288	0.00623	0.00153	0.00045	0.00000
N         D         0.00094         0.00178         0.00266         0.00412         0.00077         0.00003           NNE         D         0.00071         0.00145         0.00261         0.00534         0.00061         0.00019           NE         D         0.00071         0.00153         0.00379         0.00481         0.00044         0.00002           ENE         D         0.00073         0.00093         0.00077         0.00029         0.00000         0.00000           E         D         0.00057         0.00076         0.00047         0.00008         0.00000         0.00000           ESE         D         0.00223         0.00441         0.01432         0.00059         0.00002           SE         D         0.00223         0.00441         0.01432         0.00059         0.00002           SSE         D         0.00208         0.00397         0.00894         0.01158         0.00148         0.00039           SW         D         0.00053         0.00844         0.00221         0.00944         0.00353         0.00153           SW         D         0.00075         0.00143         0.00221         0.00944         0.00353         0.00153	NW	С	0.00073	0.00150	0.00498	0.00200	0.00032	0.00008
NNE         D         0.00071         0.00145         0.00261         0.00534         0.00061         0.00019           NE         D         0.00071         0.00153         0.00379         0.00481         0.00044         0.00002           ENE         D         0.00073         0.00093         0.00077         0.00029         0.00000         0.00000           E         D         0.00057         0.00076         0.00047         0.00008         0.00000         0.00000           ESE         D         0.00073         0.00118         0.00103         0.00120         0.00008         0.00000           SE         D         0.00223         0.00441         0.01294         0.01432         0.00059         0.00002           SSE         D         0.00208         0.00397         0.00894         0.01158         0.00148         0.00039           SW         D         0.00074         0.00133         0.00298         0.00668         0.00288         0.00118           SW         D         0.00075         0.00143         0.00330         0.01227         0.00569         0.00173           WSW         D         0.00136         0.00274         0.00311         0.01032         0.00328<	NNW	С	0.00057	0.00197	0.00274	0.00067	0.00002	0.00002
NE         D         0.00071         0.00153         0.00379         0.00481         0.00044         0.00002           ENE         D         0.00073         0.00093         0.00077         0.00029         0.00000         0.00000           E         D         0.00057         0.00076         0.00047         0.00008         0.00000         0.00000           ESE         D         0.00073         0.00118         0.00103         0.00120         0.00008         0.00000           SE         D         0.00223         0.00441         0.01294         0.01432         0.00059         0.00002           SSE         D         0.00208         0.00397         0.00894         0.01158         0.00148         0.00039           SW         D         0.00074         0.00133         0.00298         0.00668         0.00288         0.00118           SW         D         0.00075         0.00143         0.00330         0.01227         0.00569         0.00173           WSW         D         0.00136         0.00274         0.00311         0.01032         0.00328         0.00101           W         D         0.00136         0.00522         0.00761         0.00963         0.00170 <td>N</td> <td>D</td> <td>0.00094</td> <td>0.00178</td> <td>0.00266</td> <td>0.00412</td> <td>0.00077</td> <td>0.00003</td>	N	D	0.00094	0.00178	0.00266	0.00412	0.00077	0.00003
ENE         D         0.00073         0.00093         0.00077         0.00029         0.00000         0.00000           E         D         0.00057         0.00076         0.00047         0.00008         0.00000         0.00000           ESE         D         0.00073         0.00118         0.00103         0.00120         0.00008         0.00000           SE         D         0.00223         0.00441         0.01294         0.01432         0.00059         0.00002           SSE         D         0.00208         0.00397         0.00894         0.01158         0.00148         0.00039           SW         D         0.00074         0.00133         0.00298         0.00668         0.00288         0.00118           SW         D         0.00053         0.00084         0.00221         0.00944         0.00353         0.00150           SW         D         0.00136         0.00274         0.00330         0.01227         0.00569         0.00173           WSW         D         0.00136         0.00274         0.00311         0.01032         0.00328         0.00101           W         D         0.00233         0.00522         0.00761         0.00963         0.00170 <td>NNE</td> <td>D</td> <td>0.00071</td> <td>0.00145</td> <td>0.00261</td> <td>0.00534</td> <td>0.00061</td> <td>0.00019</td>	NNE	D	0.00071	0.00145	0.00261	0.00534	0.00061	0.00019
E         D         0.00057         0.00076         0.00047         0.00008         0.00000         0.00000           ESE         D         0.00073         0.00118         0.00103         0.00120         0.00008         0.00000           SE         D         0.00223         0.00441         0.01294         0.01432         0.00059         0.00002           SSE         D         0.00208         0.00397         0.00894         0.01158         0.00148         0.00039           S         D         0.00074         0.00133         0.00298         0.00668         0.00288         0.00118           SSW         D         0.00053         0.00844         0.00221         0.00944         0.00353         0.00150           SW         D         0.00075         0.00143         0.00330         0.01227         0.00569         0.00173           WSW         D         0.00136         0.00274         0.00311         0.01032         0.00328         0.00101           W         D         0.00233         0.00522         0.00761         0.00963         0.00170         0.0035           WNW         D         0.00124         0.00325         0.00850         0.02129         0.00630 <td>NE</td> <td>D</td> <td>0.00071</td> <td>0.00153</td> <td>0.00379</td> <td>0.00481</td> <td>0.00044</td> <td>0.00002</td>	NE	D	0.00071	0.00153	0.00379	0.00481	0.00044	0.00002
ESE         D         0.00073         0.00118         0.00103         0.00120         0.00008         0.00000           SE         D         0.00223         0.00441         0.01294         0.01432         0.00059         0.00002           SSE         D         0.00208         0.00397         0.00894         0.01158         0.00148         0.00039           S         D         0.00074         0.00133         0.00298         0.00668         0.00288         0.00118           SSW         D         0.00053         0.00084         0.00221         0.00944         0.00353         0.00150           SW         D         0.00075         0.00143         0.00330         0.01227         0.00569         0.00173           WSW         D         0.00136         0.00274         0.00311         0.01032         0.00328         0.00101           W         D         0.00233         0.00522         0.00761         0.00963         0.00170         0.00035           WNW         D         0.00144         0.00325         0.00850         0.02129         0.00630         0.00098           NW         D         0.00105         0.00274         0.00901         0.02629         0.00677 </td <td>ENE</td> <td>D</td> <td>0.00073</td> <td>0.00093</td> <td>0.00077</td> <td>0.00029</td> <td>0.00000</td> <td>0.00000</td>	ENE	D	0.00073	0.00093	0.00077	0.00029	0.00000	0.00000
SE         D         0.00223         0.00441         0.01294         0.01432         0.00059         0.00002           SSE         D         0.00208         0.00397         0.00894         0.01158         0.00148         0.00039           S         D         0.00074         0.00133         0.00298         0.00668         0.00288         0.00118           SW         D         0.00053         0.00084         0.00221         0.00944         0.00353         0.00150           SW         D         0.00075         0.00143         0.00330         0.01227         0.00569         0.00173           WSW         D         0.00136         0.00274         0.00311         0.01032         0.00328         0.00101           W         D         0.00233         0.00522         0.00761         0.00963         0.00170         0.00035           WNW         D         0.00144         0.00325         0.00850         0.02129         0.00630         0.00098           NW         D         0.00120         0.00274         0.00901         0.02629         0.00677         0.00081           NW         D         0.00105         0.00217         0.00454         0.00768         0.00104 <td>E</td> <td>D</td> <td>0.00057</td> <td>0.00076</td> <td>0.00047</td> <td>0.00008</td> <td>0.00000</td> <td>0.00000</td>	E	D	0.00057	0.00076	0.00047	0.00008	0.00000	0.00000
SSE         D         0.00208         0.00397         0.00894         0.01158         0.00148         0.00039           S         D         0.00074         0.00133         0.00298         0.00668         0.00288         0.00118           SSW         D         0.00053         0.00084         0.00221         0.00944         0.00353         0.00150           SW         D         0.00075         0.00143         0.00330         0.01227         0.00569         0.00173           WSW         D         0.00136         0.00274         0.00311         0.01032         0.00328         0.00101           W         D         0.00233         0.00522         0.00761         0.00963         0.00170         0.00035           WNW         D         0.00144         0.00325         0.00850         0.02129         0.00630         0.00098           NW         D         0.00120         0.00274         0.00901         0.02629         0.00677         0.00081           NNW         D         0.00105         0.00217         0.00454         0.00768         0.00104         0.00013           N         E         0.00000         0.00108         0.00421         0.00000         0.00000 <td>ESE</td> <td>D</td> <td>0.00073</td> <td>0.00118</td> <td>0.00103</td> <td>0.00120</td> <td>0.00008</td> <td>0.00000</td>	ESE	D	0.00073	0.00118	0.00103	0.00120	0.00008	0.00000
S         D         0.00074         0.00133         0.00298         0.00668         0.00288         0.00118           SSW         D         0.00053         0.00084         0.00221         0.00944         0.00353         0.00150           SW         D         0.00075         0.00143         0.00330         0.01227         0.00569         0.00173           WSW         D         0.00136         0.00274         0.00311         0.01032         0.00328         0.00101           W         D         0.00233         0.00522         0.00761         0.00963         0.00170         0.00035           WNW         D         0.00144         0.00325         0.00850         0.02129         0.00630         0.00098           NW         D         0.00120         0.00274         0.00901         0.02629         0.00677         0.00081           NNW         D         0.00105         0.00217         0.00454         0.00768         0.00104         0.00013           N         E         0.00000         0.00108         0.00421         0.00000         0.00000         0.00000	SE	D	0.00223	0.00441	0.01294	0.01432	0.00059	0.00002
SSW         D         0.00053         0.00084         0.00221         0.00944         0.00353         0.00150           SW         D         0.00075         0.00143         0.00330         0.01227         0.00569         0.00173           WSW         D         0.00136         0.00274         0.00311         0.01032         0.00328         0.00101           W         D         0.00233         0.00522         0.00761         0.00963         0.00170         0.00035           WNW         D         0.00144         0.00325         0.00850         0.02129         0.00630         0.00098           NW         D         0.00120         0.00274         0.00901         0.02629         0.00677         0.00081           NNW         D         0.00105         0.00217         0.00454         0.00768         0.00104         0.00013           N         E         0.00000         0.00108         0.00421         0.00000         0.00000         0.00000	SSE	D	0.00208	0.00397	0.00894	0.01158	0.00148	0.00039
SW         D         0.00075         0.00143         0.00330         0.01227         0.00569         0.00173           WSW         D         0.00136         0.00274         0.00311         0.01032         0.00328         0.00101           W         D         0.00233         0.00522         0.00761         0.00963         0.00170         0.00035           WNW         D         0.00144         0.00325         0.00850         0.02129         0.00630         0.00098           NW         D         0.00120         0.00274         0.00901         0.02629         0.00677         0.00081           NNW         D         0.00105         0.00217         0.00454         0.00768         0.00104         0.00013           N         E         0.00000         0.00108         0.00421         0.00000         0.00000         0.00000	S	D	0.00074	0.00133	0.00298	0.00668	0.00288	0.00118
WSW         D         0.00136         0.00274         0.00311         0.01032         0.00328         0.00101           W         D         0.00233         0.00522         0.00761         0.00963         0.00170         0.00035           WNW         D         0.00144         0.00325         0.00850         0.02129         0.00630         0.00098           NW         D         0.00120         0.00274         0.00901         0.02629         0.00677         0.00081           NNW         D         0.00105         0.00217         0.00454         0.00768         0.00104         0.00013           N         E         0.00000         0.00108         0.00421         0.00000         0.00000         0.00000	SSW	D	0.00053	0.00084	0.00221	0.00944	0.00353	0.00150
W         D         0.00233         0.00522         0.00761         0.00963         0.00170         0.00035           WNW         D         0.00144         0.00325         0.00850         0.02129         0.00630         0.00098           NW         D         0.00120         0.00274         0.00901         0.02629         0.00677         0.00081           NNW         D         0.00105         0.00217         0.00454         0.00768         0.00104         0.00013           N         E         0.00000         0.00108         0.00421         0.00000         0.00000         0.00000	SW	D	0.00075	0.00143	0.00330	0.01227	0.00569	0.00173
WNW         D         0.00144         0.00325         0.00850         0.02129         0.00630         0.00098           NW         D         0.00120         0.00274         0.00901         0.02629         0.00677         0.00081           NNW         D         0.00105         0.00217         0.00454         0.00768         0.00104         0.00013           N         E         0.00000         0.00108         0.00421         0.00000         0.00000         0.00000	WSW	D	0.00136	0.00274	0.00311	0.01032	0.00328	0.00101
NW         D         0.00120         0.00274         0.00901         0.02629         0.00677         0.00081           NNW         D         0.00105         0.00217         0.00454         0.00768         0.00104         0.00013           N         E         0.00000         0.00108         0.00421         0.00000         0.00000         0.00000	W	D	0.00233	0.00522	0.00761	0.00963	0.00170	0.00035
NNW         D         0.00105         0.00217         0.00454         0.00768         0.00104         0.00013           N         E         0.00000         0.00108         0.00421         0.00000         0.00000         0.00000	WNW	D	0.00144	0.00325	0.00850	0.02129	0.00630	0.00098
N E 0.00000 0.00108 0.00421 0.00000 0.00000 0.00000	NW	D	0.00120	0.00274	0.00901	0.02629	0.00677	0.00081
	NNW	D	0.00105	0.00217	0.00454	0.00768	0.00104	0.00013
NNE E 0.00000 0.00098 0.00261 0.00000 0.00000 0.00000	N	E	0.00000	0.00108	0.00421	0.00000	0.00000	0.00000
	NNE	E	0.00000	0.00098	0.00261	0.00000	0.00000	0.00000
NE E 0.00000 0.00044 0.00118 0.00000 0.00000 0.00000	NE	Е	0.00000	0.00044	0.00118	0.00000	0.00000	0.00000
ENE E 0.00000 0.00040 0.00024 0.00000 0.00000 0.00000	ENE	E	0.00000	0.00040	0.00024	0.00000	0.00000	0.00000
E E 0.00000 0.00015 0.00002 0.00000 0.00000 0.00000	E	E	0.00000	0.00015	0.00002	0.00000	0.00000	0.00000
ESE E 0.00000 0.00015 0.00042 0.00000 0.00000 0.00000	ESE	E	0.00000	0.00015	0.00042	0.00000	0.00000	0.00000

Case 2

E	0.00000	0.00091	0.00468	0.00000	0.00000	0.00000
Е	0.00000	0.00089	0.00643	0.00000	0.00000	0.00000
E	0.00000	0.00103	0.00323	0.00000	0.00000	0.00000
Е	0.00000	0.00086	0.00350	0.00000	0.00000	0.00000
E	0.00000	0.00108	0.00446	0.00000	0.00000	0.00000
E	0.00000	0.00374	0.01273	0.00000	0.00000	0.00000
E	0.00000	0.00520	0.05597	0.00000	0.00000	0.00000
E	0.00000	0.00224	0.01847	0.00000	0.00000	0.00000
E	0.00000	0.00185	0.01606	0.00000	0.00000	0.00000
E	0.00000	0.00153	0.00874	0.00000	0.00000	0.00000
F	0.00392	0.00458	0.00000	0.00000	0.00000	0.00000
F	0.00360	0.00300	0.00000	0.00000	0.00000	0.00000
F	0.00241	0.00202	0.00000	0.00000	0.00000	0.00000
F	0.00111	0.00099	0.00000	0.00000	0.00000	0.00000
F	0.00036	0.00029	0.00000	0.00000	0.00000	0.00000
F	0.00045	0.00025	0.00000	0.00000	0.00000	0.00000
F	0.00184	0.00232	0.00000	0.00000	0.00000	0.00000
F	0.00291	0.00387	0.00000	0.00000	0.00000	0.00000
F	0.00345	0.00352	0.00000	0.00000	0.00000	0.00000
F	0.00472	0.00372	0.00000	0.00000	0.00000	0.00000
F	0.01120	0.01106	0.00000	0.00000	0.00000	0.00000
F	0.03006	0.04124	0.00000	0.00000	0.00000	0.00000
F	0.03300	0.05573	0.00000	0.00000	0.00000	0.00000
F	0.01247	0.01655	0.00000	0.00000	0.00000	0.00000
F	0.00809	0.00949	0.00000	0.00000	0.00000	0.00000
F	0.00643	0.00685	0.00000	0.00000	0.00000	0.00000
	E E E E E E E E E E E E E E E E E E E	E 0.00000 F 0.00392 F 0.00392 F 0.00241 F 0.00111 F 0.00111 F 0.0036 F 0.0045 F 0.0045 F 0.00291 F 0.00345 F 0.00345 F 0.00345 F 0.00345 F 0.00345 F 0.00345 F 0.00390 F 0.03300 F 0.03300 F 0.03300 F 0.03300 F 0.00809	E 0.00000 0.00089 E 0.00000 0.00103 E 0.00000 0.00108 E 0.00000 0.00108 E 0.00000 0.00108 E 0.00000 0.00374 E 0.00000 0.00520 E 0.00000 0.00224 E 0.00000 0.00185 E 0.00000 0.00185 F 0.00392 0.00458 F 0.00392 0.00458 F 0.00360 0.00300 F 0.00241 0.00202 F 0.00111 0.00099 F 0.00045 0.00029 F 0.00045 0.00025 F 0.00184 0.00232 F 0.00184 0.00232 F 0.00395 0.00387 F 0.00345 0.00352 F 0.00472 0.00372 F 0.00120 0.01106 F 0.03006 0.04124 F 0.03300 0.05573 F 0.01247 0.01655 F 0.00809 0.00949	E         0.00000         0.00089         0.00643           E         0.00000         0.00103         0.00323           E         0.00000         0.00108         0.00446           E         0.00000         0.00374         0.01273           E         0.00000         0.00520         0.05597           E         0.00000         0.00224         0.01847           E         0.00000         0.00185         0.01606           E         0.00000         0.00153         0.00874           F         0.00392         0.00458         0.00000           F         0.00360         0.00300         0.00000           F         0.00241         0.00202         0.00000           F         0.00111         0.00099         0.00000           F         0.00184         0.00232         0.00000           F         0.00184         0.00232         0.00000           F         0.00345         0.00352         0.00000           F         0.00345         0.00352         0.00000           F         0.00472         0.00372         0.00000           F         0.01120         0.01106         0.00000	E         0.00000         0.00089         0.00643         0.00000           E         0.00000         0.00103         0.00323         0.00000           E         0.00000         0.00108         0.00350         0.00000           E         0.00000         0.00108         0.00446         0.00000           E         0.00000         0.00374         0.01273         0.00000           E         0.00000         0.00520         0.05597         0.00000           E         0.00000         0.00224         0.01847         0.00000           E         0.00000         0.00153         0.01606         0.00000           E         0.00000         0.00153         0.00874         0.00000           F         0.00392         0.00458         0.00000         0.00000           F         0.00360         0.00300         0.00000         0.00000           F         0.00111         0.00029         0.00000         0.00000           F         0.00144         0.0025         0.00000         0.00000           F         0.00184         0.0025         0.00000         0.00000           F         0.00345         0.00372         0.00000 <th< td=""><td>E         0.00000         0.00089         0.00643         0.00000         0.00000           E         0.00000         0.00103         0.00323         0.00000         0.00000           E         0.00000         0.00108         0.00350         0.00000         0.00000           E         0.00000         0.00108         0.00446         0.00000         0.00000           E         0.00000         0.00520         0.05597         0.00000         0.00000           E         0.00000         0.00224         0.01847         0.00000         0.00000           E         0.00000         0.00185         0.01606         0.00000         0.00000           E         0.00000         0.00153         0.00874         0.00000         0.00000           F         0.00392         0.00458         0.00000         0.00000         0.00000           F         0.00360         0.00300         0.00000         0.00000         0.00000           F         0.00241         0.00202         0.00000         0.00000         0.00000           F         0.00111         0.00029         0.00000         0.00000         0.00000           F         0.00184         0.00232         <t< td=""></t<></td></th<>	E         0.00000         0.00089         0.00643         0.00000         0.00000           E         0.00000         0.00103         0.00323         0.00000         0.00000           E         0.00000         0.00108         0.00350         0.00000         0.00000           E         0.00000         0.00108         0.00446         0.00000         0.00000           E         0.00000         0.00520         0.05597         0.00000         0.00000           E         0.00000         0.00224         0.01847         0.00000         0.00000           E         0.00000         0.00185         0.01606         0.00000         0.00000           E         0.00000         0.00153         0.00874         0.00000         0.00000           F         0.00392         0.00458         0.00000         0.00000         0.00000           F         0.00360         0.00300         0.00000         0.00000         0.00000           F         0.00241         0.00202         0.00000         0.00000         0.00000           F         0.00111         0.00029         0.00000         0.00000         0.00000           F         0.00184         0.00232 <t< td=""></t<>

## **Dose Coefficients**

(Return to Table of Contents)

## **Radon Dose Coefficients**

[mrem/(pCi/m<sup>3</sup>)]

Nuclide	Effective	Bone	Kidney	Liver	Lung
Th-232	0	0	0	0	0
Ra-228	0	0	0	0	0
Th-228	0	0	0	0	0
Rn-220	12400	0	0	0	12400
Po-216	0	0	0	0	0
Pb-212	0	0	0	0	0
Bi-212	0	0	0	0	0
U-238	0	0	0	0	0
Th-230	0	0	0	0	0
Ra-226	0	0	0	0	0
Rn-222	0.5	0	0	0	0.5
Po-218	0	0	0	0	0
Pb-214	0	0	0	0	0
Bi-214	0	0	0	0	0
Pb-210	0	0	0	0	0
Po-210	0	0	0	0	0
Bi-210	0	0	0	0	0

1% of Rn-222 DCF is from Rn-222 without daughters[(mrem/yr) / (pCi/m³)]

## Case 2

External Dose Coefficients
Air Submersion: [(mrem/yr) / (pCi/m³)]
Ground Surface: [(mrem/yr) / (pCi/m²)]

Nuclide	Air_Submersion	Ground_Surface	Nuclndx
Rn-220	2.16E-06	4.45E-08	0
Po-216	9.68E-08	1.93E-09	1
Pb-212	8.02E-04	1.67E-05	2
Bi-212	8.52E-03	1.46E-04	3
Th-232	1.02E-06	6.43E-08	4
Ra-228	5.58E-03	1.08E-04	5
Th-228	6.57E-05	1.39E-06	6
Rn-222	2.23E-06	4.61E-08	7
Po-218	5.23E-08	1.04E-09	8
Pb-214	1.38E-03	2.85E-05	9
Bi-214	8.93E-03	1.65E-04	10
Pb-210	6.59E-06	4.13E-07	11
Bi-210	3.84E-06	0.00E+00	12
Po-210	4.86E-08	0.00E+00	13
U-238	1.61E-04	3.61E-06	14
Th-230	2.03E-06	8.76E-08	15
Ra-226	3.68E-05	7.52E-07	16

# APPENDIX D: CASE 3a USER FILE INPUT SUMMARY

## MILDOS-AREA STANDARD RESULTS REPORT

Case Title: Case 3a

**Version: MILDOS-AREA 4.0** 

File: C:\mildos4\UserFiles\Case3a.mla

Date: 12/09/2015 10:36:07 Table of Contents

## • Input Listing

- o <u>Parameters</u>
- o Receptors
- o Sources
- o <u>Vegetable Ingestion Parameters</u>
- Population Ingestion Parameters
- o 80km Population
- o 80km Vegetation
- o 80km Meat
- o 80km Milk
- o Meteorological Joint Freq Data
- o Dose Coefficients

### **Parameters**

Name	Value	Description
ambientT	283	Ambient temperature (K)
amMix	400	Annual average morning mixing height (m)
anemHeight	10	Anemometer height (m)
caseFile	place holder	not used
caseInfo	Sample file to check downwind dispersion, momentum driven plume	Additional user-specified information for the case under study
caseTitle	Case 3a	User-defined title for case under study
cowIngestRate	50	Ingestion rate (feed wet weight) of animals (beef cattle and milk cows) (kg/day)
cutoffHeight	50	Height above which to use Briggs urban dispersion coefficients (m)
decayPlants	14	Weathering decay half-life for loss of contamination from vegetation due to weathering processes (days)
fracEdibleLeafAnimal	1	Fraction of radionuclides reaching the edible portion of animal-consumed vegetation (unitless)
fracEdibleLeafHuman	1	Fraction of radionuclides reaching the edible portion of human-consumed leafy vegetables (unitless)
fracEdibleRoot	0.1	Fraction of radionuclides reaching the edible portion of human-consumed root vegetables (unitless)
fracHayInd	0.5	Fraction of livestock feed from stored hay for individual consumption (unitless)
fracHayPop	0.5	Fraction of livestock feed from stored hay for consumption by the general population (unitless)
fracMeatPrep	1	Fraction of radioactivity in meat remaining after food preparation (unitless)
fracMilkPrep	1	Fraction of radioactivity in milk remaining after food preparation (unitless)
fracPastureInd	0.5	Fraction of livestock feed from pasture grass for individual consumption (unitless)

fracPasturePop	0.5	Fraction of livestock feed from pasture grass for consumption by the general population (unitless)
fracRetain	0.2	Fraction of air-deposited radionuclides retained on vegetation (unitless)
fracVegPrep	0.5	Fraction of radioactivity in vegetables remaining after food preparation (unitless)
gridSize	5	Size of grid blocks to use when calculating air concentrations (m)
isPopExposure	True	Option to perform population ingestion calculations; true (1) or false (0)
isPopIngest	TRUE	Option to perform population ingestion calculations; true (1) or false (0)
jfdNotes	Each direction targets only one receptor with one stability class - wind speed combination	Stores user notes as needed
mapProj	Local Coordinates	Contains the current map projection being used for the map display; consists of a list of the UTM zone, the datum (WGS84 or NAD83), and the EPSG code for the projection (EPSG stands for what used to be the European Petroleum Survey Group)
mapState		String with serialized map state
maxDistCalcArea	1000	Maximum distance between an area source and receptor where the area source model will be used; the source will be treated as a point source beyond the specified distance (m)
meatProd	0	Farmland meat productivity (kg/yr)
metFreq	0	Frequency of time wind is blowing in a specific direction, under a specific stability category, at a given wind speed (unitless)
milkProd	0	Farmland milk productivity (kg/yr)
nPeople	0	Number of people in sector segment (persons)
partFrac	0	Fraction of particle size distribution for a given average particle size (unitless)
pmMix	1000	Annual afternoon mixing height (m)
rain	1.1	Rainfall rate (m/yr)
relRate	0	Nuclide release rate (Ci/yr)
resuspDepVel	1e-5	Deposition velocity for particulates associated with the intial and final resuspension factors specified (m/s)
resuspFacFinal	1.00E-09	Final resuspension factor for determining resuspended air concentrations (1/m)
resuspFacInitial	1.00E-05	Initial resuspension factor for determining resuspended air concentrations (1/m)
resuspHalfLife	0.137	Resuspension factor decay half-life (yr)
soilArealDen	240	Areal surface density / effective surface soil density (kg/m^2)
soilConc	0	Nuclide soil concentration for area sources (pCi/g)
soilHalfLife	50	Environmental soil loss half-life (yr)
vegProd	0	Farmland vegetable productivity (kg/yr)
vGrow	60	Exposure time to radionuclides during the human-consumed vegetable growing season(days)
vGrowPasture	30	Exposure time to radionuclides during the animal-consumed vegetation growing season (days)
yieldMeat	3070	Farmland production rate of meat for population ingestion calculations (kg/km^2-yr)
yieldMilk	6710	Farmland production rate of milk for population ingestion calculations (kg/km^2-yr)
yieldVeg	55800	Farmland production rate of vegetation for population ingestion calculations (kg/km^2-yr)
yVeg	2	Yield density of human-consumed vegetation on farmland (kg/m^2)
yVegPasture	0.75	Yield density of animal-consumed vegetation on farmland (kg/m^2)
yvegPasture	0.75	Yield density of animal-consumed vegetation on farmland (kg/m^2)

Receptors (Return to Table of Contents)

ſ			_		1_	- 1	_	1_	1_	1		I_	_	I_	1_	1	1	_	1_	1_		_	1_
	Rn-222	Outdoor Eq.	Fraction	7.00E-01	7.00E-01		7.00E-01	7.00E-01	7.00E-01	7 000	/ .00E-U1	7.00E-01	7.00E-01	7.00E-01	7.00E-01	7.00E-01	7.00E-01	7.00E-01	7.00E-01	7.00E-01		7.00E-01	7.00E-01
	Calc. Rn- 222	Outdoor Equil.	Fraction?	True	True		True	True	True	F	ııne	True	True	True	True	True	True	True	True	True		True	True
	Rn-222	Indoor Eq.	Fraction	5.00E-01	5.00E-01		5.00E-01	5.00E-01	5.00E-01	F 00 E	3.00E-UI	5.00E-01	5.00E-01	5.00E-01	5.00E-01	5.00E-01	5.00E-01	5.00E-01	5.00E-01	5.00E-01		5.00E-01	5.00E-01
I			è.	<del>-</del>	2		က	4	2	ď	0	7	<sub>∞</sub>	တ	10	7	12	13	4	15		16	17
	Milk	Ingestion Rate	(kg/yr)	1.30E+02	1.30E+02		1.30E+02	1.30E+02	1.30E+02	1 205 102	1.30E+02	1.30E+02	1.30E+02	1.30E+02	1.30E+02	1.30E+02	1.30E+02	1.30E+02	1.30E+02	1.30E+02		1.30E+02	1.30E+02
		Consider	Pathway?	True	True		True	True	True	F	eni	True	True	True	True	True	True	True	True	True		True	True
	Meat	Ingestion Rate	(kg/yr)	7.83E+01	7.83E+01		7.83E+01	7.83E+01	7.83E+01	7 025+04	7.83E+UI	7.83E+01	7.83E+01	7.83E+01	7.83E+01	7.83E+01	7.83E+01	7.83E+01	7.83E+01	7.83E+01		7.83E+01	7.83E+01
		Consider	Pathway?	True	True		True	True	True	L	line	True	True	True	True	True	True	True	True	True		True	True
		Vegetation Ingestion	Rate (kg/yr)	1.05E+02	1.05E+02		1.05E+02	1.05E+02	1.05E+02	1 055 103	1.05=+02	1.05E+02	1.05E+02	1.05E+02	1.05E+02	1.05E+02	1.05E+02	1.05E+02	1.05E+02	1.05E+02		1.05E+02	1.05E+02
		Consider	Pathway?	True	True		True	True	True	F	enu	True	True	True	True	True	True	True	True	True		True	True
	-	Indoor Shielding		8.25E-01	8.25E-01		8.25E-01	8.25E-01	8.25E-01	0 255 04	8.23E-01	8.25E-01	8.25E-01	8.25E-01	8.25E-01	8.25E-01	8.25E-01	8.25E-01	8.25E-01	8.25E-01		8.25E-01	8.25E-01
		Outdoor Occupancy	Factor	4.16E-01	4.16E-01		4.16E-01	4.16E-01	4.16E-01	4 4 EE 04	4. IOE-U I	4.16E-01	4.16E-01	4.16E-01	4.16E-01	4.16E-01	4.16E-01	4.16E-01	4.16E-01	4.16E-01		4.16E-01	4.16E-01
	-	Occupancy Occupancy	Factor	5.83E-01	5.83E-01		5.83E-01	5.83E-01	5.83E-01	F 02E 04	3.83E-UI	5.83E-01	5.83E-01	5.83E-01	5.83E-01	5.83E-01	5.83E-01	5.83E-01	5.83E-01	5.83E-01		5.83E-01	5.83E-01
		Age	Group	Adult	Adult		Adult	Adult	Adult	+	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult	Adult		Adult	Adult
		Z	Œ	4	4		4	4	4	_	4	4	4	4	4	4	4	4	4	4		4	4
			Ē		924		707	383	0	200	-585	-707	-924	-1000	-924	-707	-383	0	383	707		924	-1571
			(E)	0	383		707	924	1000		428	707	383	0	-383	-707	-924	-1000	-924	-707		-383	-651 -
CHANGE OF CHANGE			Name	N Receptor	NNE	Receptor	밀 (			Receptor	ptor	SE Receptor	SSE Receptor	S Receptor	<del>                                     </del>				+	NW NW	Receptor to NW		Keceptor Far SSW .

## Sources

(Return to Table of Contents)

Name	Source Type	Particle Distribution Set	x (m)	y (m)	z (m)	Dispersion Coefficents	No.
Point Source 1	Point Source	3	0.00E+00	0.00E+00	1.50E+01	Pasquill-Gifford	1

Source Release Terms Before Time Step Adjustment [Ci/y]

Source	Rn-222	U-238	Th-230	Ra-226	Pb-210	Rn-220	Th-232	Ra-228	Th-228
Point Source 1	4.20E+01	2.60E-02	2.60E-02	2.60E-02	2.60E-02	1.50E+00	8.00E-04	8.00E-04	8.00E-04

## **Source Type Specific Parameters**

## **Point Sources**

Name	Inside Stack Diameter (m)	Effluent Exit Velocity (m/s)	Rn-220 Release Rate	Rn-222 Release Rate	Momentum based rise?	Heat Release
Point Source 1	1.5	11	1.5	42	True	0

**Release Adjustments Over Time** 

Source	Pa	rticle A	djustme	ent	Radon Adjustment				
Time step	Time 1	Time 2	Time 3	Time 4	Time 1	Time 2	Time 3	Time 4	
Duration (years)	1	2	2	1	1	2	2	1	
Point Source 1	0.8	1	1	0.9	0.8	1	1	0.9	

## Vegetable Ingestion Parameters (Return to Table of Contents)

Vegetation Type	Infant Vegetable Ingestion Fraction	Child Vegetable Ingestion Fraction	Teenager Vegetable Ingestion Fraction	Adult Vegetable Ingestion Fraction	Population Vegetable Fraction
Above Ground	0.00E+00	3.60E-01	3.80E-01	3.80E-01	7.80E-01
Potatoes	0.00E+00	5.70E-01	5.50E-01	5.70E-01	2.00E-01
Below Ground	0.00E+00	7.00E-02	7.00E-02	5.00E-02	2.00E-02

## Population Ingestion Parameters (Return to Table of Contents)

Age Group	Fraction of Population	Vegetation Ingestion Rate (kg/yr)	Meat Ingestion Rate (kg/yr)	Milk Ingestion Rate (kg/yr)
Infant	1.79E-02	0.00E+00	0.00E+00	2.08E+02
Child	1.65E-01	2.38E+02	4.87E+01	2.35E+02
Teenager	1.96E-01	3.07E+02	7.80E+01	2.91E+02
Adult	6.22E-01	2.86E+02	1.28E+02	1.76E+02

80km Population (Return to Table of Contents)

(IXCIUITIO I												
Direction	1-2 km	2-3 km	3-4 km	4-5 km	5-10 km	10-20 km	20-30 km	30-40 km	40-50 km	50-60 km	60-70 km	70-80 km
N	1	2	3	4	5	6	7	8	9	10	11	12
NNE	0	286	1603	1288	221	4073	6789	9505	12220	14591	15101	15552
NE	0	1288	1402	258	779	4073	6789	9505	12220	13210	12551	14482
ENE	0	1431	1202	1545	221	883	1472	3921	8870	14092	15611	16542
E	0	1431	2003	258	221	883	1472	2060	2649	3238	5900	8403
ESE	572	1431	2003	773	221	883	1472	2060	2649	3238	3826	4415
SE	572	143	21	26	221	883	1472	2060	2707	3677	4761	6404
SSE	916	215	21	26	221	883	1472	2060	3296	4995	5904	6812
S	286	143	200	26	221	883	1472	2060	2721	4995	5904	6812
SSW	12	15	21	26	221	883	2068	3870	3656	4995	5904	6812
SW	12	15	21	26	221	1360	3460	4844	6143	6304	6368	6812
WSW	12	15	21	26	370	2076	3460	4844	4789	4665	4838	5162
W	114	15	21	26	519	2076	3460	4844	2809	3214	3798	4382
WNW	114	15	21	26	519	2009	2904	3677	4427	4092	3798	4382
NW	229	15	21	44	519	1476	2348	3287	4226	5166	5841	6384
NNW	12	11	10	9	8	7	6	5	4	3	2	1

## 80km Vegetation (kg/yr) (Return to Table of Contents)

(Netuill to	abic oi	Content	<u>3)</u>									
Direction	1-2	2-3	3-4	4-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80
	km	km	km	km	km	km	km	km	km	km	km	km
N	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.90E+	1.10E+	1.70E+	2.50E+	4.20E+	1.20E+
	00	00	00	00	00	00	05	06	06	06	04	05
NNE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	6.90E+	4.50E+	8.70E+	1.40E+	2.30E+	3.50E+	3.90E+
	00	00	00	00	00	02	05	05	06	06	05	05
NE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.30E+	4.80E+	7.90E+	1.20E+	1.20E+	0.00E+	8.30E+
	00	00	00	00	00	07	05	05	06	06	00	04
ENE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	4.40E+	4.70E+	7.90E+	1.00E+	8.80E+	0.00E+	1.00E+
	00	00	00	00	00	04	05	05	06	05	00	05
Е	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.10E+	4.50E+	2.70E+	4.40E+	3.90E+	0.00E+	9.10E+
	00	00	00	00	00	05	04	05	05	05	00	01
ESE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.20E+	2.80E+	1.10E+	2.30E+	1.30E+	1.20E+	7.00E+
	00	00	00	00	00	05	05	03	02	03	02	02
SE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.20E+	5.30E+	2.80E+	6.60E+	2.20E+	2.20E+	3.30E+
	00	00	00	00	00	05	05	06	06	06	02	02
SSE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.10E+	5.80E+	2.80E+	1.20E+	1.40E+	0.00E+	1.00E+
	00	00	00	00	00	05	05	06	07	07	00	05
S	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	9.00E+	5.80E+	9.70E+	5.10E+	4.80E+	3.20E+	1.10E+
	00	00	00	00	00	04	05	05	06	06	05	05
SSW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	4.90E+	5.80E+	9.70E+	1.00E+	7.40E+	5.90E+	6.40E+
	00	00	00	00	00	04	05	05	06	05	05	05

## Case 3a

SW	0.00E+ 00	0.00E+ 00	0.00E+ 00	0.00E+ 00	0.00E+ 00	3.90E+ 03	5.30E+ 05		1.00E+ 06	7.50E+ 05	1.70E+ 05	2.90E+ 01
WSW	0.00E+ 00	0.00E+ 00	0.00E+ 00		0.00E+ 00	0.00E+ 00	2.50E+ 05		8.50E+ 05		0.00E+ 00	1.00E+ 05
W	0.00E+ 00	0.00E+ 00	0.00E+ 00		0.00E+ 00		2.60E+ 05		1.60E+ 05	7.00E+ 05	1.60E+ 02	1.20E+ 02
WNW	0.00E+ 00	0.00E+ 00	0.00E+ 00		0.00E+ 00		2.40E+ 05		1.80E+ 05		5.00E+ 02	6.30E+ 02
NW	0.00E+ 00	0.00E+ 00	0.00E+ 00	0.00E+ 00	0.00E+ 00	0.00E+ 00	4.30E+ 06	3.10E+ 05	3.70E+ 05	3.10E+ 05	7.10E+ 01	4.00E+ 02
NNW	0.00E+ 00	0.00E+ 00	0.00E+ 00		0.00E+ 00	0.00E+ 00	2.60E+ 06	2.00E+ 06	1.10E+ 06	1.00E+ 06	1.20E+ 02	0.00E+ 00

80km Meat (kg/yr) (Return to Table of Contents)

Direction	1-2	2-3	3-4	4-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80
	km											
N	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.80E+	3.10E+	4.10E+	6.30E+	0.00E+	1.00E+
	00	00	00	00	00	00	06	06	06	06	00	05
NNE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.10E+	2.10E+	3.40E+	4.30E+	6.70E+	0.00E+	1.00E+
	00	00	00	00	00	03	06	06	06	06	00	05
NE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	9.70E+	2.20E+	3.60E+	4.80E+	5.80E+	6.50E+	7.60E+
	00	00	00	00	00	07	06	06	06	06	05	05
ENE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.10E+	2.10E+	3.60E+	5.30E+	8.00E+	7.90E+	8.10E+
	00	00	00	00	00	05	06	06	06	06	06	06
E	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.80E+	2.30E+	1.30E+	3.40E+	4.40E+	3.80E+	2.90E+
	00	00	00	00	00	05	05	06	06	06	06	06
ESE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.90E+	5.00E+	1.10E+	5.40E+	3.20E+	2.00E+	4.40E+
	00	00	00	00	00	05	05	05	04	05	06	06
SE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	2.00E+	8.80E+	8.20E+	4.00E+	1.40E+	1.80E+	3.50E+
	00	00	00	00	00	05	05	05	05	05	06	06
SSE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.90E+	9.60E+	1.30E+	7.30E+	1.20E+	4.70E+	1.20E+
	00	00	00	00	00	05	05	06	05	06	04	06
S	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.50E+	9.60E+	1.60E+	1.70E+	2.40E+	1.10E+	7.90E+
	00	00	00	00	00	05	05	06	06	06	06	05
SSW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	8.10E+	9.60E+	1.60E+	2.50E+	3.80E+	2.00E+	3.30E+
	00	00	00	00	00	04	05	06	06	06	06	06
SW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	6.30E+	1.20E+	2.60E+	4.20E+	5.10E+	1.90E+	7.40E+
	00	00	00	00	00	03	06	06	06	06	06	06
WSW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.40E+	6.30E+	7.80E+	9.90E+	3.90E+	9.70E+
	00	00	00	00	00	00	06	06	06	06	05	06
W	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.60E+	6.30E+	7.90E+	1.00E+	1.70E+	1.80E+
	00	00	00	00	00	00	06	06	06	07	06	06
WNW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.30E+	6.60E+	8.40E+	5.30E+	4.60E+	5.60E+
	00	00	00	00	00	00	06	06	06	06	06	06
NW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	6.40E+	6.80E+	8.80E+	9.20E+	4.20E+	5.70E+
	00	00	00	00	00	00	07	06	06	06	06	06
NNW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.80E+	3.00E+	6.70E+	7.80E+	2.60E+	1.60E+
	00	00	00	00	00	00	07	07	06	06	06	06

80km Milk (kg/yr)
(Return to Table of Contents)

(Return to	rable o	Conten	<u>its)</u>									
Direction	1-2	2-3	3-4	4-5	5-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80
	km	km	km	km	km	km	km	km	km	km	km	km
Ν	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.00E+	0.00E+	9.10E+
	00	00	00	00	00	00	00	00	00	05	00	01
NNE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.00E+	1.20E+	7.00E+
	00	00	00	00	00	00	00	00	00	05	02	02
NE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.40E+	0.00E+	0.00E+	0.00E+	1.10E+	2.20E+	3.30E+
	00	00	00	00	00	05	00	00	00	03	02	02
ENE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	3.70E+	3.30E+	0.00E+	1.60E+	8.80E+	0.00E+	1.00E+
	00	00	00	00	00	02	01	00	03	03	00	05
E	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.30E+	1.30E+	0.00E+	2.80E+	4.10E+	3.20E+	1.10E+
	00	00	00	00	00	03	02	00	03	03	05	05
ESE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.40E+	3.40E+	0.00E+	0.00E+	0.00E+	5.90E+	6.40E+
	00	00	00	00	00	03	03	00	00	00	05	05
SE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.40E+	6.30E+	4.70E+	0.00E+	0.00E+	1.70E+	2.90E+
	00	00	00	00	00	03	03	03	00	00	05	01
SSE	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.30E+	6.90E+	8.70E+	8.60E+	2.40E+	0.00E+	1.00E+
	00	00	00	00	00	03	03	03	00	03	00	05
S	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.10E+	6.90E+	1.20E+	1.10E+	4.80E+	1.60E+	1.20E+
	00	00	00	00	00	03	03	04	04	04	02	02
SSW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	5.90E+	6.90E+	1.20E+	3.10E+	9.60E+	5.00E+	6.30E+
	00	00	00	00	00	02	03	04	05	05	02	02
SW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	4.60E+	6.00E+	3.10E+	2.50E+	7.70E+	7.10E+	4.00E+
	00	00	00	00	00	01	03	04	05	05	01	02
WSW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	7.60E+	3.20E+	1.60E+	2.10E+	1.20E+	0.00E+
	00	00	00	00	00	00	00	04	05	05	02	00
W	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	2.30E+	1.30E+	2.00E+	3.30E+
	00	00	00	00	00	00	00	00	04	05	06	06
WNW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.00E+	1.90E+	7.40E+
	00	00	00	00	00	00	00	00	00	05	06	06
NW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.00E+	3.90E+	9.70E+
	00	00	00	00	00	00	00	00	00	05	05	06
NNW	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	0.00E+	1.00E+	1.70E+	1.80E+
	00	00	00	00	00	00	00	00	00	05	06	06

**Met JFD** 

(Return to	Table of Conter	<u>its)</u>				·	
Direction	Stability Class	0.67 m/s	2.46 m/s	4.47 m/s	6.93 m/s	9.61 m/s	12.5 m/s
N	Α	0.06250	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	Α	0.00000	0.06250	0.00000	0.00000	0.00000	0.00000
NE	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ESE	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SE	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSW	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
N	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	В	0.00000	0.06250	0.00000	0.00000	0.00000	0.00000
ENE	В	0.00000	0.00000	0.06250	0.00000	0.00000	0.00000
E	В	0.00000	0.00000	0.00000	0.06250	0.00000	0.00000
ESE	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SE	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
N	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ESE	С	0.00000	0.00000	0.06250	0.00000	0.00000	0.00000

SE         C         0.000000         0.00000         0.00000         0.00000<	0.00000 0.06250 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000
S         C         0.000000         0.00000         0.00000         0.00000 </td <td>0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000</td>	0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000
SSW         C         0.000000         0.00000         0.00000         0.00000	0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000
SW         C         0.000000         0.00000         0.00000         0.00000<	0.00000 0.00000 0.00000 0.00000 0.00000 0.00000
WSW         C         0.000000         0.00000         0.00000         0.00000	0.00000 0.00000 0.00000 0.00000 0.00000
W         C         0.000000         0.00000         0.00000         0.00000 </td <td>0.00000 0.00000 0.00000 0.00000 0.00000</td>	0.00000 0.00000 0.00000 0.00000 0.00000
WNW         C         0.000000         0.00000         0.00000         0.00000	0.00000 0.00000 0.00000 0.00000
NW         C         0.000000         0.00000         0.00000         0.00000<	0.00000 0.00000 0.00000
NNW         C         0.000000         0.00000         0.00000         0.00000	0.00000
N         D         0.000000         0.00000         0.00000         0.00000 </td <td>0.00000</td>	0.00000
NNE         D         0.000000         0.00000         0.00000         0.00000	
NE         D         0.000000         0.00000         0.00000         0.00000<	0.00000
ENE         D         0.000000         0.00000         0.00000         0.00000	
E         D         0.000000         0.00000         0.00000         0.00000 </td <td>0.00000</td>	0.00000
ESE         D         0.000000         0.00000         0.00000         0.00000	0.00000
SE         D         0.000000         0.00000         0.00000         0.00000<	0.00000
SSE         D         0.000000         0.00000         0.00000         0.00000	0.00000
S         D         0.000000         0.00000         0.00000         0.00000 </td <td>0.00000</td>	0.00000
SSW         D         0.000000         0.00000         0.00000         0.00000	0.00000
SW         D         0.000000         0.00000         0.00000         0.00000<	0.00000
WSW         D         0.000000         0.00000         0.00000         0.00000	0.00000
W         D         0.00000         0.00000         0.00000         0.00000         0.00000         0.00000           WNW         D         0.00000         0.00000         0.00000         0.00000         0.00000         0.00000           NW         D         0.00000         0.00000         0.00000         0.00000         0.00000         0.00000           NNW         D         0.00000         0.00000         0.00000         0.00000         0.00000	0.06250
WNW         D         0.00000         0.00000         0.00000         0.00000         0.00000           NW         D         0.00000         0.00000         0.00000         0.00000         0.00000           NNW         D         0.00000         0.00000         0.00000         0.00000         0.00000	0.00000
NW         D         0.00000         0.00000         0.00000         0.00000         0.00000           NNW         D         0.00000         0.00000         0.00000         0.00000         0.00000	0.00000
NNW D 0.00000 0.00000 0.00000 0.00000 0.00000	0.00000
	0.00000
	0.00000
N E   0.00000   0.00000   0.00000   0.00000   0.00000	0.00000
NNE E 0.00000 0.00000 0.00000 0.00000 0.00000	0.00000
NE E 0.00000 0.00000 0.00000 0.00000 0.00000	0.00000
ENE E 0.00000 0.00000 0.00000 0.00000	0.00000
E E 0.00000 0.00000 0.00000 0.00000	0.00000
ESE E 0.00000 0.00000 0.00000 0.00000 0.00000	0.00000
SE E 0.00000 0.00000 0.00000 0.00000 0.00000	0.00000
SSE E 0.00000 0.00000 0.00000 0.00000 0.00000	0.00000
S E 0.00000 0.00000 0.00000 0.00000 0.00000	0.00000
SSW E 0.00000 0.00000 0.00000 0.00000 0.00000	0.00000
SW E 0.00000 0.00000 0.00000 0.00000 0.00000	0.00000
WSW E 0.00000 0.06250 0.00000 0.00000 0.00000	0.00000
W E 0.00000 0.00000 0.06250 0.00000 0.00000	0.00000
WNW E 0.00000 0.00000 0.06250 0.00000	
NW E 0.00000 0.00000 0.00000 0.00000	0.00000

Case 3a

NNW	E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
Ν	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ESE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSW	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	F	0.06250	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	F	0.00000	0.06250	0.00000	0.00000	0.00000	0.00000

## **Dose Coefficients**

(Return to Table of Contents)

## **Radon Dose Coefficients**

[mrem/(pCi/m<sup>3</sup>)]

Nuclide	Effective	Bone	Kidney	Liver	Lung
Th-232	0	0	0	0	0
Ra-228	0	0	0	0	0
Th-228	0	0	0	0	0
Rn-220	12400	0	0	0	12400
Po-216	0	0	0	0	0
Pb-212	0	0	0	0	0
Bi-212	0	0	0	0	0
U-238	0	0	0	0	0
Th-230	0	0	0	0	0
Ra-226	0	0	0	0	0
Rn-222	0.5	0	0	0	0.5
Po-218	0	0	0	0	0
Pb-214	0	0	0	0	0
Bi-214	0	0	0	0	0
Pb-210	0	0	0	0	0
Po-210	0	0	0	0	0
Bi-210	0	0	0	0	0

1% of Rn-222 DCF is from Rn-222 without daughters[(mrem/yr) / (pCi/m³)]

External Dose Coefficients
Air Submersion: [(mrem/yr) / (pCi/m³)]
Ground Surface: [(mrem/yr) / (pCi/m²)]

Nuclide	Air_Submersion	Ground_Surface	Nuclndx
Rn-220	2.16E-06	4.45E-08	0
Po-216	9.68E-08	1.93E-09	1
Pb-212	8.02E-04	1.67E-05	2
Bi-212	8.52E-03	1.46E-04	3
Th-232	1.02E-06	6.43E-08	4
Ra-228	5.58E-03	1.08E-04	5
Th-228	6.57E-05	1.39E-06	6
Rn-222	2.23E-06	4.61E-08	7
Po-218	5.23E-08	1.04E-09	8
Pb-214	1.38E-03	2.85E-05	9
Bi-214	8.93E-03	1.65E-04	10
Pb-210	6.59E-06	4.13E-07	11
Bi-210	3.84E-06	0.00E+00	12
Po-210	4.86E-08	0.00E+00	13
U-238	1.61E-04	3.61E-06	14
Th-230	2.03E-06	8.76E-08	15
Ra-226	3.68E-05	7.52E-07	16

# APPENDIX E: CASE 3b USER FILE INPUT SUMMARY

## MILDOS-AREA STANDARD RESULTS REPORT

Case Title: Case 3b

**Version: MILDOS-AREA 4.0** 

File: C:\mildos4\UserFiles\Case3b.mla

Date: 12/09/2015 10:39:55 Table of Contents

## • Input Listing

o <u>Parameters</u>

o Receptors

o Sources

o <u>Vegetable Ingestion Parameters</u>

o Meteorological Joint Freq Data

Dose Coefficients

## **Parameters**

Name	Value	Description
ambientT	283	Ambient temperature (K)
amMix	400	Annual average morning mixing height (m)
anemHeight	10	Anemometer height (m)
caseFile	place holder	not used
caseInfo	Sample file to check downwind dispersion, momentum driven plume All receptors from Case 3a except Far SSW Receptor now combined in one and put to the north and JFD modified appropriately to get same 'individual' receptor results	Additional user-specified information for the case under study
caseTitle	Case 3b	User-defined title for case under study
cowIngestRate	50	Ingestion rate (feed wet weight) of animals (beef cattle and milk cows) (kg/day)
cutoffHeight	50	Height above which to use Briggs urban dispersion coefficients (m)
decayPlants	14	Weathering decay half-life for loss of contamination from vegetation due to weathering processes (days)
fracEdibleLeafAnimal	1	Fraction of radionuclides reaching the edible portion of animal-consumed vegetation (unitless)
fracEdibleLeafHuman	1	Fraction of radionuclides reaching the edible portion of human-consumed leafy vegetables (unitless)
fracEdibleRoot	0.1	Fraction of radionuclides reaching the edible portion of human- consumed root vegetables (unitless)
fracHayInd	0.5	Fraction of livestock feed from stored hay for individual consumption (unitless)
fracHayPop	0.5	Fraction of livestock feed from stored hay for consumption by the general population (unitless)
fracMeatPrep	1	Fraction of radioactivity in meat remaining after food preparation (unitless)

fracMilkPrep	1	Fraction of radioactivity in milk remaining after food preparation
		(unitless)
fracPastureInd	0.5	Fraction of livestock feed from pasture grass for individual consumption (unitless)
fracPasturePop	0.5	Fraction of livestock feed from pasture grass for consumption by the general population (unitless)
fracRetain	0.2	Fraction of air-deposited radionuclides retained on vegetation (unitless)
fracVegPrep	0.5	Fraction of radioactivity in vegetables remaining after food preparation (unitless)
gridSize	5	Size of grid blocks to use when calculating air concentrations (m)
isPopExposure	False	Option to perform population ingestion calculations; true (1) or false (0)
isPopIngest	TRUE	Option to perform population ingestion calculations; true (1) or false (0)
jfdNotes	All wind blowing from S to N	Stores user notes as needed
mapProj	Local Coordinates	Contains the current map projection being used for the map display; consists of a list of the UTM zone, the datum (WGS84 or NAD83), and the EPSG code for the projection (EPSG stands for what used to be the European Petroleum Survey Group)
mapState		String with serialized map state
maxDistCalcArea	1000	Maximum distance between an area source and receptor where the area source model will be used; the source will be treated as a point source beyond the specified distance (m)
meatProd	0	Farmland meat productivity (kg/yr)
metFreq	0	Frequency of time wind is blowing in a specific direction, under a specific stability category, at a given wind speed (unitless)
milkProd	0	Farmland milk productivity (kg/yr)
nPeople	0	Number of people in sector segment (persons)
partFrac	0	Fraction of particle size distribution for a given average particle size (unitless)
pmMix	1000	Annual afternoon mixing height (m)
rain	1.1	Rainfall rate (m/yr)
relRate	0	Nuclide release rate (Ci/yr)
resuspDepVel	1e-5	Deposition velocity for particulates associated with the intial and final resuspension factors specified (m/s)
resuspFacFinal	1.00E-09	Final resuspension factor for determining resuspended air concentrations (1/m)
resuspFacInitial	1.00E-05	Initial resuspension factor for determining resuspended air concentrations (1/m)
resuspHalfLife	0.137	Resuspension factor decay half-life (yr)
soilArealDen	240	Areal surface density / effective surface soil density (kg/m^2)
soilConc	0	Nuclide soil concentration for area sources (pCi/g)
soilHalfLife	50	Environmental soil loss half-life (yr)
vegProd	0	Farmland vegetable productivity (kg/yr)
vGrow	60	Exposure time to radionuclides during the human-consumed vegetable growing season(days)
vGrowPasture	30	Exposure time to radionuclides during the animal-consumed vegetation growing season (days)
yieldMeat	3070	Farmland production rate of meat for population ingestion calculations (kg/km^2-yr)
yieldMilk	6710	Farmland production rate of milk for population ingestion calculations (kg/km^2-yr)
yieldVeg	55800	Farmland production rate of vegetation for population ingestion calculations (kg/km^2-yr)
yVeg	2	Yield density of human-consumed vegetation on farmland (kg/m^2)
, - J		

yVegPasture	0.75	Yield density of animal-consumed vegetation on farmland (kg/m^2)

Receptors
(Return to Table of Contents)

(Return to Table of Conten	0	ole of	5	(suus)													
																Calc. Rn-	
											Meat		Mik		Rn-222	Rn-222 222	Rn-222
					Indoor	Outdoor	Indoor	Consider	Vegetation	Consider	Ingestion	Consider	Ingestion		Indoor	Outdoor	Outdoor
	×	>	Z	Age	Occupancy	Cy	Shielding	ncy Shielding Vegetation Ingestion	Shielding Vegetation Ingestion Meat Rate Milk Rate	Meat	Rate	Μij	Rate		Ē	Eq. Equil. Eq.	Еq
Name	(m)	(m)	(m)	(m) (m) (conb	Factor	Factor	Fraction	Pathway?	Fraction   Pathway?   Rate (kg/yr)   Pathway?   (kg/yr)   Pathway?   (kg/yr)   No.   Fraction   Fraction?   Fraction	Pathway?	(kg/yr)	Pathway?	(kg/yr)	No.	Fraction	Fraction?	Fraction
z	0	1000	4	Adult	1000 4 Adult 5.83E-01 4.16E-0	1	8.25E-01	True	8.25E-01 True 1.05E+02 True 7.83E+01 True 1.30E+02 1 5.00E-01 True 7.00E-01	True	7.83E+01	True	1.30E+02	-	5.00E-01	True	7.00E-01
Receptor																	

## Sources

(Return to Table of Contents)

Name	Source Type	Particle Distribution Set	x (m)	y (m)	z (m)	Dispersion Coefficents	No.
Point Source 1	Point Source	3	0.00E+00	0.00E+00	1.50E+01	Pasquill-Gifford	1

Source Release Terms Before Time Step Adjustment [Ci/y]

Source	Rn-222	U-238	Th-230	Ra-226	Pb-210	Rn-220	Th-232	Ra-228	Th-228
Point Source 1	4.20E+01	2.60E-02	2.60E-02	2.60E-02	2.60E-02	1.50E+00	8.00E-04	8.00E-04	8.00E-04

## **Source Type Specific Parameters**

## **Point Sources**

Name	Inside Stack Diameter (m)	Effluent Exit Velocity (m/s)	Rn-220 Release Rate	Rn-222 Release Rate	Momentum based rise?	Heat Release
Point Source 1	1.5	11	1.5	42	True	0

**Release Adjustments Over Time** 

Source	Pa	rticle A	djustme	ent	Ra	adon Ad	djustme	nt
Time step	Time 1	Time 2	Time 3	Time 4	Time 1	Time 2	Time 3	Time 4
Duration (years)	1	2	2	1	1	2	2	1
Point Source 1	0.8	1	1	0.9	0.8	1	1	0.9

## Vegetable Ingestion Parameters (Return to Table of Contents)

Vegetation Type	Infant Vegetable Ingestion Fraction	Child Vegetable Ingestion Fraction	Teenager Vegetable Ingestion Fraction	Adult Vegetable Ingestion Fraction	Population Vegetable Fraction
Above Ground	0.00E+00	3.60E-01	3.80E-01	3.80E-01	7.80E-01
Potatoes	0.00E+00	5.70E-01	5.50E-01	5.70E-01	2.00E-01
Below Ground	0.00E+00	7.00E-02	7.00E-02	5.00E-02	2.00E-02

**Met JFD** 

	able of Contents		0.40	4 47	C 00/-	0.04/-	40 5/-
Direction	Stability Class	0.67 m/s	2.46 m/s	4.47 m/s	6.93 m/s	9.61 m/s	12.5 m/s
N	A	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	A	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ESE	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SE	A	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	A	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	А	0.06250	0.06250	0.00000	0.00000	0.00000	0.00000
SSW	А	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	А	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	А	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
N	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ESE	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SE	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	В	0.00000	0.06250	0.06250	0.06250	0.00000	0.00000
SSW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
N	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ESE	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000

	1	1					ı
SE	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	С	0.00000	0.00000	0.06250	0.00000	0.06250	0.06250
SSW	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
N	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ESE	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SE	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	D	0.00000	0.00000	0.00000	0.06250	0.06250	0.06250
SSW	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
N	E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ESE	E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SE	Е	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	Е	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	Е	0.00000	0.06250	0.06250	0.06250	0.00000	0.00000
SSW	Е	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	Е	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	Е	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	Е	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	Е	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	Е	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000

Case 3b

NNW	E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
N	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ESE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	F	0.06250	0.06250	0.00000	0.00000	0.00000	0.00000
SSW	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000

## **Dose Coefficients**

(Return to Table of Contents)

## **Radon Dose Coefficients**

[mrem/(pCi/m<sup>3</sup>)]

Nuclide	Effective	Bone	Kidney	Liver	Lung
Th-232	0	0	0	0	0
Ra-228	0	0	0	0	0
Th-228	0	0	0	0	0
Rn-220	12400	0	0	0	12400
Po-216	0	0	0	0	0
Pb-212	0	0	0	0	0
Bi-212	0	0	0	0	0
U-238	0	0	0	0	0
Th-230	0	0	0	0	0
Ra-226	0	0	0	0	0
Rn-222	0.5	0	0	0	0.5
Po-218	0	0	0	0	0
Pb-214	0	0	0	0	0
Bi-214	0	0	0	0	0
Pb-210	0	0	0	0	0
Po-210	0	0	0	0	0
Bi-210	0	0	0	0	0

1% of Rn-222 DCF is from Rn-222 without daughters[(mrem/yr) / (pCi/m³)]

External Dose Coefficients
Air Submersion: [(mrem/yr) / (pCi/m³)]
Ground Surface: [(mrem/yr) / (pCi/m²)]

Nuclide	Air_Submersion	Ground_Surface	Nuclndx
Rn-220	2.16E-06	4.45E-08	0
Po-216	9.68E-08	1.93E-09	1
Pb-212	8.02E-04	1.67E-05	2
Bi-212	8.52E-03	1.46E-04	3
Th-232	1.02E-06	6.43E-08	4
Ra-228	5.58E-03	1.08E-04	5
Th-228	6.57E-05	1.39E-06	6
Rn-222	2.23E-06	4.61E-08	7
Po-218	5.23E-08	1.04E-09	8
Pb-214	1.38E-03	2.85E-05	9
Bi-214	8.93E-03	1.65E-04	10
Pb-210	6.59E-06	4.13E-07	11
Bi-210	3.84E-06	0.00E+00	12
Po-210	4.86E-08	0.00E+00	13
U-238	1.61E-04	3.61E-06	14
Th-230	2.03E-06	8.76E-08	15
Ra-226	3.68E-05	7.52E-07	16

# APPENDIX F: CASE 3c USER FILE INPUT SUMMARY

#### MILDOS-AREA STANDARD RESULTS REPORT

Case Title: Case 3c

**Version: MILDOS-AREA 4.0** 

File: C:\mildos4\UserFiles\Case3c.mla

Date: 12/09/2015 10:46:27 Table of Contents

#### • Input Listing

o <u>Parameters</u>

o Receptors

o Sources

o <u>Vegetable Ingestion Parameters</u>

o Meteorological Joint Freq Data

o Dose Coefficients

#### **Parameters**

(Return to Table of Contents)

Name	Value	Description
ambientT	283	Ambient temperature (K)
amMix	400	Annual average morning mixing height (m)
anemHeight	10	Anemometer height (m)
caseFile	place holder	not used
caseInfo	Sample file to check downwind dispersion Same as Case 3a except buoyancy- induced plume rise	Additional user-specified information for the case under study
caseTitle	Case 3c	User-defined title for case under study
cowIngestRate	50	Ingestion rate (feed wet weight) of animals (beef cattle and milk cows) (kg/day)
cutoffHeight	50	Height above which to use Briggs urban dispersion coefficients (m)
decayPlants	14	Weathering decay half-life for loss of contamination from vegetation due to weathering processes (days)
fracEdibleLeafAnimal	1	Fraction of radionuclides reaching the edible portion of animal-consumed vegetation (unitless)
fracEdibleLeafHuman	1	Fraction of radionuclides reaching the edible portion of human- consumed leafy vegetables (unitless)
fracEdibleRoot	0.1	Fraction of radionuclides reaching the edible portion of human- consumed root vegetables (unitless)
fracHayInd	0.5	Fraction of livestock feed from stored hay for individual consumption (unitless)
fracHayPop	0.5	Fraction of livestock feed from stored hay for consumption by the general population (unitless)
fracMeatPrep	1	Fraction of radioactivity in meat remaining after food preparation (unitless)
fracMilkPrep	1	Fraction of radioactivity in milk remaining after food preparation (unitless)
fracPastureInd	0.5	Fraction of livestock feed from pasture grass for individual consumption (unitless)
fracPasturePop	0.5	Fraction of livestock feed from pasture grass for consumption by the general population (unitless)
fracRetain	0.2	Fraction of air-deposited radionuclides retained on vegetation (unitless)
fracVegPrep	0.5	Fraction of radioactivity in vegetables remaining after food preparation (unitless)

gridSize	5	Size of grid blocks to use when calculating air concentrations (m)
isPopExposure	False	Option to perform population ingestion calculations; true (1) or false (0)
isPopIngest	TRUE	Option to perform population ingestion calculations; true (1) or false (0)
jfdNotes	Each direction targets only one receptor with one stability class - wind speed combination	Stores user notes as needed
mapProj	Local Coordinates	Contains the current map projection being used for the map display; consists of a list of the UTM zone, the datum (WGS84 or NAD83), and the EPSG code for the projection (EPSG stands for what used to be the European Petroleum Survey Group)
mapState		String with serialized map state
maxDistCalcArea	1000	Maximum distance between an area source and receptor where the area source model will be used; the source will be treated as a point source beyond the specified distance (m)
meatProd	0	Farmland meat productivity (kg/yr)
metFreq	0	Frequency of time wind is blowing in a specific direction, under a specific stability category, at a given wind speed (unitless)
milkProd	0	Farmland milk productivity (kg/yr)
nPeople	0	Number of people in sector segment (persons)
partFrac	0	Fraction of particle size distribution for a given average particle size (unitless)
pmMix	1000	Annual afternoon mixing height (m)
rain	1.1	Rainfall rate (m/yr)
relRate	0	Nuclide release rate (Ci/yr)
resuspDepVel	1e-5	Deposition velocity for particulates associated with the intial and final resuspension factors specified (m/s)
resuspFacFinal	1.00E-09	Final resuspension factor for determining resuspended air concentrations (1/m)
resuspFacInitial	1.00E-05	Initial resuspension factor for determining resuspended air concentrations (1/m)
resuspHalfLife	0.137	Resuspension factor decay half-life (yr)
soilArealDen	240	Areal surface density / effective surface soil density (kg/m^2)
soilConc	0	Nuclide soil concentration for area sources (pCi/g)
soilHalfLife	50	Environmental soil loss half-life (yr)
vegProd	0	Farmland vegetable productivity (kg/yr)
vGrow	60	Exposure time to radionuclides during the human-consumed vegetable growing season(days)
vGrowPasture	30	Exposure time to radionuclides during the animal-consumed vegetation growing season (days)
yieldMeat	3070	Farmland production rate of meat for population ingestion calculations (kg/km^2-yr)
yieldMilk	6710	Farmland production rate of milk for population ingestion calculations (kg/km^2-yr)
yieldVeg	55800	Farmland production rate of vegetation for population ingestion calculations (kg/km^2-yr)
yVeg	2	Yield density of human-consumed vegetation on farmland (kg/m^2)
yVegPasture	0.75	Yield density of animal-consumed vegetation on farmland (kg/m^2)

Receptors (Return to Table of Contents)

				ĺ										ŀ			
			•	Age	Indoor		Indoor	Consider	Vegetation Ingestion	Consider	<u>ء</u>	Consider	Milk Ingestion		Rn-222	Calc. Rn- 222 Outdoor	Rn-222 Outdoor
Name	×Ê	> <u>E</u>	z Œ	Grou C p	Grou Occupancy Occupancy p Factor Factor	_	Shielding Fraction	Shielding Vegetation Fraction Pathway?	Rate (kg/yr)	Meat Pathway?	Rate (kg/yr)	Milk Pathway?	Rate (kg/yr)	No.	Indoor Eq. Fraction	Equil. Fraction?	Eq. Fraction
N Receptor	0	1000	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	-	5.00E-01	True	7.00E-01
NNE Receptor	383	924	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	2	5.00E-01	True	7.00E-01
ptor	707	707	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	3	5.00E-01	True	7.00E-01
	924	383	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	4	5.00E-01	True	7.00E-01
E Receptor	1000	0	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	2	5.00E-01	True	7.00E-01
ESE Receptor	924	-383	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	9	5.00E-01	True	7.00E-01
	707	-707	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	anıL	7.83E+01	True	1.30E+02	7	5.00E-01	True	7.00E-01
SSE Receptor	383	-924	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	8	5.00E-01	True	7.00E-01
S Receptor	- 0	-1000	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	6	5.00E-01	True	7.00E-01
	-383	-924	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	10	5.00E-01	True	7.00E-01
	-707	-707	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	11	5.00E-01	True	7.00E-01
WSW Receptor	-924	-383	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	12	5.00E-01	True	7.00E-01
tor	-1000	0	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	13	5.00E-01	True	7.00E-01
WNW Receptor	-924	383	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	14	5.00E-01	True	7.00E-01
otor /	-707	707	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	15	5.00E-01	True	7.00E-01
NNW Receptor	-383	924	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	16	5.00E-01	True	7.00E-01
Far SSW Receptor	-651	-1571	4	Adult	5.83E-01	4.16E-01	8.25E-01	True	1.05E+02	True	7.83E+01	True	1.30E+02	17	5.00E-01	True	7.00E-01

#### **Sources**

(Return to Table of Contents)

Name	Source Type	Particle Distribution Set	x (m)	y (m)	z (m)	Dispersion Coefficents	No.
Point Source 1	Point Source	3	0.00E+00	0.00E+00	1.50E+01	Pasquill-Gifford	1

Source Release Terms Before Time Step Adjustment [Ci/y]

Source	Rn-222	U-238	Th-230	Ra-226	Pb-210	Rn-220	Th-232	Ra-228	Th-228
Point Source 1	4.20E+01	2.60E-02	2.60E-02	2.60E-02	2.60E-02	1.50E+00	8.00E-04	8.00E-04	8.00E-04

#### **Source Type Specific Parameters**

#### **Point Sources**

Name	Inside Stack Diameter (m)		Rn-220 Release Rate	Rn-222 Release Rate	Momentum based rise?	Heat Release
Point Source 1	1.5	11	1.5	42	False	35000

**Release Adjustments Over Time** 

Source	Pa	rticle A	djustme	ent	R	adon Ad	djustme	nt
Time step	Time 1	Time 2	Time 3	Time 4	Time 1	Time 2	Time 3	Time 4
Duration (years)	1	2	2	1	1	2	2	1
Point Source 1	0.8	1	1	0.9	0.8	1	1	0.9

## Vegetable Ingestion Parameters (Return to Table of Contents)

(Inclum to rab	ie di Contentaj				
Vegetation Type	Infant Vegetable Ingestion Fraction	Child Vegetable Ingestion Fraction	Teenager Vegetable Ingestion Fraction	Adult Vegetable Ingestion Fraction	Population Vegetable Fraction
Above Ground	0.00E+00	3.60E-01	3.80E-01	3.80E-01	7.80E-01
Potatoes	0.00E+00	5.70E-01	5.50E-01	5.70E-01	2.00E-01
Below Ground	0.00E+00	7.00E-02	7.00E-02	5.00E-02	2.00E-02

**Met JFD** 

(Return to Table of Contents)

	able of Contents						40 = 1
Direction	Stability Class	0.67 m/s	2.46 m/s	4.47 m/s	6.93 m/s	9.61 m/s	12.5 m/s
N	Α	0.06250	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	Α	0.00000	0.06250	0.00000	0.00000	0.00000	0.00000
NE	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ESE	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SE	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSW	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	Α	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
N	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	В	0.00000	0.06250	0.00000	0.00000	0.00000	0.00000
ENE	В	0.00000	0.00000	0.06250	0.00000	0.00000	0.00000
E	В	0.00000	0.00000	0.00000	0.06250	0.00000	0.00000
ESE	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SE	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	В	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
N	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ESE	С	0.00000	0.00000	0.06250	0.00000	0.00000	0.00000

	1	1	ı	ı	ı		ı
SE	С	0.00000	0.00000	0.00000	0.00000	0.06250	0.00000
SSE	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.06250
S	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSW	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	С	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
N	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ESE	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SE	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	D	0.00000	0.00000	0.00000	0.06250	0.00000	0.00000
SSW	D	0.00000	0.00000	0.00000	0.00000	0.06250	0.00000
SW	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.06250
WSW	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	D	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
N	E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	Е	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	Е	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	Е	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	Е	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ESE	Е	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SE	E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSW	E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	E	0.00000	0.06250	0.00000	0.00000	0.00000	0.00000
W	E	0.00000	0.00000	0.06250	0.00000	0.00000	0.00000
WNW	E	0.00000	0.00000	0.00000	0.06250	0.00000	0.00000
NW	E	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
•	•		•	•	•		•

NNW	Е	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
N	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NNE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ENE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
E	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
ESE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSE	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
S	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SSW	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
SW	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WSW	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
W	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
WNW	F	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000
NW	F	0.06250	0.00000	0.00000	0.00000	0.00000	0.00000
NNW	F	0.00000	0.06250	0.00000	0.00000	0.00000	0.00000

### **Dose Coefficients**

(Return to Table of Contents)

#### **Radon Dose Coefficients**

[mrem/(pCi/m<sup>3</sup>)]

Nuclide	Effective	Bone	Kidney	Liver	Lung
Th-232	0	0	0	0	0
Ra-228	0	0	0	0	0
Th-228	0	0	0	0	0
Rn-220	12400	0	0	0	12400
Po-216	0	0	0	0	0
Pb-212	0	0	0	0	0
Bi-212	0	0	0	0	0
U-238	0	0	0	0	0
Th-230	0	0	0	0	0
Ra-226	0	0	0	0	0
Rn-222	0.5	0	0	0	0.5
Po-218	0	0	0	0	0
Pb-214	0	0	0	0	0
Bi-214	0	0	0	0	0
Pb-210	0	0	0	0	0
Po-210	0	0	0	0	0
Bi-210	0	0	0	0	0

1% of Rn-222 DCF is from Rn-222 without daughters[(mrem/yr) / (pCi/m³)]

External Dose Coefficients
Air Submersion: [(mrem/yr) / (pCi/m³)]
Ground Surface: [(mrem/yr) / (pCi/m²)]

Nuclide	Air_Submersion	Ground_Surface	Nuclndx
Rn-220	2.16E-06	4.45E-08	0
Po-216	9.68E-08	1.93E-09	1
Pb-212	8.02E-04	1.67E-05	2
Bi-212	8.52E-03	1.46E-04	3
Th-232	1.02E-06	6.43E-08	4
Ra-228	5.58E-03	1.08E-04	5
Th-228	6.57E-05	1.39E-06	6
Rn-222	2.23E-06	4.61E-08	7
Po-218	5.23E-08	1.04E-09	8
Pb-214	1.38E-03	2.85E-05	9
Bi-214	8.93E-03	1.65E-04	10
Pb-210	6.59E-06	4.13E-07	11
Bi-210	3.84E-06	0.00E+00	12
Po-210	4.86E-08	0.00E+00	13
U-238	1.61E-04	3.61E-06	14
Th-230	2.03E-06	8.76E-08	15
Ra-226	3.68E-05	7.52E-07	16

NRC FORM 335 U.S. NUCLEAR REGULATOR (12-2010) NRCMD 3.7	(Assigned by I	MBER NRC, Add Vol., Supp., Rev., m Numbers, if any.)		
BIBLIOGRAPHIC DATA SHEET  (See instructions on the reverse)		REG/CR-7213		
2. TITLE AND SUBTITLE	3. DATE	REPORT PUBLISHED		
	MONTH	YEAR		
MILDOS-AREA Version 4 Computational Verification Report	· April	2016		
	4. FIN OR GRA	NT NUMBER		
5. AUTHOR(S)	6. TYPE OF RE	PORT		
B.M. Biwer, D.J. LePoire, S. Kamboj, and YS. Chang		Technical		
Divi. Divor, D.J. Der One, D. Ramooj, and T. O. Chang	7. PERIOD CO	7. PERIOD COVERED (Inclusive Dates)		
PERFORMING ORGANIZATION - NAME AND ADDRESS (If NRC, provide Division, Office or Region, U contractor, provide name and mailing address.)  - Contractor, provide name and mailing address.)	S. Nuclear Regulatory Commission	ı, and mailing address; if		
Environmental Science Division Argonne National Laboratory				
9700 South Cass Avenue				
Argonne, IL 60439				
9. SPONSORING ORGANIZATION - NAME AND ADDRESS (If NRC, type "Same as above", if contractor, p Commission, and mailing address.)  Division of Systems Analysis  Office of Nuclear Regulatory Research  U.S. Nuclear Regulatory Commission  Washington, DC 20555-0001	rovide NRC Division, Office or Regio	on, U.S. Nuclear Regulatory		
10. SUPPLEMENTARY NOTES Stephanie Bush-Goddard, NRC Project Manager				
11. ABSTRACT (200 words or less)				
Verification calculations were performed to provide assurance that the MILDOS-A as intended, that is, the models are properly implemented in the code. MILDOS-Al from airborne emissions from uranium milling facilities. It provides the capability operations and operations associated with in situ recovery facilities. The code is us Regulatory Commission staff to perform routine radiological impact estimates for toperations. Independent verification of the calculations was performed external to Excel®. All major portions of the code were investigated. The verification was cosample test cases as templates. Calculations were performed to verify the reported environmental media concentrations, and human exposure doses.	REA is used to estimate the to consider both convention ed by license applicants and he licensing of various uranthe computer code in spread nducted on a step-by-step by	radiological impacts al uranium ore I U.S. Nuclear ium recovery Isheets using Microsoft asis and used five		
12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.) external dose	13. A'	VAILABILITY STATEMENT  unlimited		
gaussian plume model	14. S	ECURITY CLASSIFICATION		
in situ recovery	(This	s Page)		
internal dose		unclassified		
radioactivity	(This	s Report)		
radon uranium milling	15. N	unclassified		
uranium mining	100.1			
	16. F	PRICE		





UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

OFFICIAL BUSINESS



















MILDOS-AREA Computational Verification Version 4

April 2016